



Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:34 Age/Gender Collected : 38 Y 1 M 14 D /F : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 12:39:30 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 18:13:51

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Result	Unit	Bio. Ref. Interval	Method
В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
e Blood			
11.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
6,500.00	/Cu mm	4000-10000	IMPEDANCE METHOD
72.00	%	40-80	FLOW CYTOMETRY
23.00	%	20-40	FLOW CYTOMETRY
4.00	%	2-10	FLOW CYTOMETRY
1.00	%	1-6	FLOW CYTOMETRY
0.00	%	< 1-2	FLOW CYTOMETRY
28.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	
	B POSITIVE 6,500.00 72.00 23.00 4.00 1.00 0.00	B POSITIVE 6,500.00 /Cu mm 72.00 % 23.00 % 4.00 % 1.00 % 0.00 %	POSITIVE POSITIVE POSITIVE 11.50 g/dl 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 6,500.00 72.00 40-80 23.00 40-80 23.00 40-80 23.00 40-80 23.00 40-80 23.00 40-80 23.00 40-80 20-40 4.00 4.00 72-10 1.00 MM/1H 10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5







Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:34 Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 12:39:30 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 18:13:51

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (99 if anaemic)	
Corrected	6.00	Mm for 1st hr.	< 20	
PCV (HCT)	34.00	%	40-54	CALCULATED
Platelet count				
Platelet Count	1.35	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	52.20	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.16	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.23	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	82.80	fl	80-100	CALCULATED PARAMETER
MCH	27.30	pg	27-32	CALCULATED PARAMETER
MCHC	33.00	%	30-38	CALCULATED PARAMETER
RDW-CV	14.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,680.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	65.00	/cu mm	40-440	

Dr Mahendra Kumar MBBS,MD(PATHOLOGY)

Waterda Deine













Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 : 23/Feb/2025 12:16:35 Registered On Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 13:16:20 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 13:42:03

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	86.00	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP106.50mg/dl<140 Normal</th>GOD PODSample:Plasma After Meal140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA Whole Blood

Glycosylated Haemoglobin (HbA1c)	5.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	33.10	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	102	mg/dl	

Interpretation:

NOTE:-













Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:35 Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 13:16:20 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 13:42:03

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.

BUN (Blood Urea Nitrogen)

5.70

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Sample:Serum

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:







^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 : 23/Feb/2025 12:16:35 Registered On Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 13:16:20 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 13:42:03

: Dr.Mediwheel - Arcofemi Health Care Ltd. Ref Doctor Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Adolescent 0.5-1.0

Test Name	Result	Unit	Bio. Ref. Interval	Method	
Low-protein diet, overhydration, Liver disease.					
Creatinine Sample:Serum	0.65	mg/dL	Female- 0.6-1.1 Newborn 0.3-1.0 Infent 0.2-0.4 Child 0.3-0.7	MODIFIED JAFFES	

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid	4.85	mg/dL	2.6-6.0	URICASE
Sample:Serum		-		

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	18.30	U/L	< 31	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	15.60	U/L	< 34	IFCC WITHOUT P5P
Gamma GT (GGT)	24.90	U/L	0-38	IFCC, KINETIC
Protein	6.31	g/dL	6.2-8.0	BIURET
Albumin	3.34	g/dL	3.4-5.4	B.C.G.
Globulin	2.97	gm/dL	1.8-3.6	CALCULATED
A:G Ratio	1.12		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	83.83	U/L	42-98	IFCC AMP KINETIC
Bilirubin (Total)	0.73	mg/dL	Adult	DIAZO
			0-2.0	



View Reports on Chandan 24x7 App





Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 : 23/Feb/2025 12:16:35 Registered On Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 13:16:20 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 13:42:03

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Bilirubin (Direct) Bilirubin (Indirect)	0.25 0.48	mg/dL mg/dL	< 0.20 < 1.8	DIAZO CALCULATED
LIPID PROFILE, Serum				
Cholesterol (Total)	137.00	mg/dL	<200 Desirable 200-239 Borderline Hiç > 240 High	CHOD-PAP yh
HDL Cholesterol (Good Cholesterol)	63.40	mg/dL	35.0-79.5	DIRECT ENZYMATIC
Non-HDL Cholesterol	73.60	mg/dl	0-130	CALCULATED
LDL Cholesterol (Bad Cholesterol)	50	mg/dL	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline Hig 160-189 High > 190 Very High	CALCULATED gh
VLDL	23.40	mg/dL	10-33	CALCULATED
TC / HDL Cholesterol Ratio	2.16		3-5	CALCULATED
LDL / HDL Ratio	0.79		< 3.0	CALCULATED
Triglycerides	117.00	mg/dL	< 150 Normal 150-199 Borderline Hiç 200-499 High >500 Very High	GPO-PAP gh

Interpretation:

Note:-

- 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
- 2. Lipid Association of India (LAI) recommends screening of all adults above the age of 20 years for Atherosclerotic Cardiovascular Disease (ASCVD) risk factors especially lipid profile. This should be done earlier if there is family history of premature heart disease, dyslipidemia, obesity or other risk factors
- 3. Triglycerides levels >150 mg/dL in fasting or >175 mg/dL in non-fasting are considered risk modifier for ASCVD risk

Treatment Goals for Lipid lowering therapy (as per Lipid Association of India 2023)













Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 : 23/Feb/2025 12:16:35 Registered On Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 13:16:20 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 13:42:03

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result	Unit Bio. Ref. Interval	Method	
------------------	-------------------------	--------	--

TREATMENT GOAL

ASCVD RISK CATEGORY	LDL-C in mg/dL (Primary target)	NON HDL-C in mg/dL (Co-Primary target)
Low	<100	<130
Moderate	<100	<130
High	< 70	<100
Very High	< 50	<80
Extreme (A)	<50 (<30 Optional)	<80 (< 60 optional)
Extreme (B)	<30	<60

ASCVD Risk Stratification & Treatment goals in Indian population

Indians are at very high risk of developing ASCVD, they usually get the disease at an early age, have a more severe form of the disease and have poorer outcome as compared to the western populations. Many individuals remain asymptomatic before they get heart attack, ASCVD risk helps to identify high risk individuals even when there is no symptom related to heart disease. Risk stratification is important to guide lipid lowering therapy and to identify treatment goals.

CSI Clinical Practice guidelines (2024) recommends in the absence of formal risk calculator for Indian population, only risk factors can be used for risk assessment. Standard Risk factors are:

- 1. Smoking/tobacco use
- 2. Hypertension
- 3. Diabetes
- 4. Family h/o Premature CAD (Men <55 years and women <60 years

Risk Assessment*

Low Moderate Risk High Risk Very High Risk Extremely High Risk

Presence of 2 or more standard ASCVD- ASCVD with recurrent

factors with no manifest

ASCVD CAD/PVD/CeVD vascular events













Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:35 Age/Gender Collected : 38 Y 1 M 14 D /F : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 13:16:20 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 13:42:03

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name		Result	Unit	Bio. Ref. Interval	Method
No standard risk factor	Presence of any one standard risk factor	DM with 1 or more risk factor Heterozygous Familial Hypercholesterole- mia (HeFH) with no risk factor	Imaging->50% lesion in any two major vessels DM>20 years or multiple risk factors TOD	High Lp(a)	&
		Hypertension with one or more risk factor or with Target organ damage (TOD)	HeFH-with ASCV or RF	D	
		CKD- eGFR 30-59 ml/min	CKD-eGFR <30 ml/min		

^{*} A more formal risk assessment may be used by clinicians according to their personal preferences and familiarity with the risk scores.

Dr Mahendra Kumar MBBS,MD(PATHOLOGY)

Waterda Beine













Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:35 Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 15:21:01 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 15:53:22 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 18:48:53

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urine				
Color Specific Gravity	Pale Yellow 1.015		Pale Yellow 1.001-1.030	VISUAL EXAMINATION PRE-TREATED POLYMERIC ION EXCHANGE RESIN
Reaction PH	Acidic (6.0)		5.0-8.0	METHYL RED BROMOTHYMOLBLUE
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	TETRA BROMOPHENOL BLUE METHYLRED
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	GLUCOSE OXIDASE PEROXIDASE CHROMOGEN REACTION
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	SODIUM NITROPRUSSIDE
Bile Salts	ABSENT		ABSENT	SULPHUR GRANULE
Bile Pigments	ABSENT		ABSENT	FOUCHET TEST
Bilirubin	ABSENT		ABSENT	DIAZONIUM SALT
Leucocyte Esterase	ABSENT		ABSENT	CARBOXYLIC ACID ESTER DIAZONIUM SALT
Urobilinogen(1:20 dilution)	ABSENT		ABSENT	DIAZONIUM SALT
Nitrite	ABSENT		ABSENT	SULFANANIC ACID TETRAHYDRO BENZOL
Blood	ABSENT		ABSENT	TETRA METHYL BENZIDINE
Microscopic Examination:				
Epithelial cells	0-1/h.p.f	cells/hpf	0.0-5.0	MICROSCOPIC EXAMINATION
Pus cells	1-2/h.p.f	WBC/hpf	0.0-5.0	MICROSCOPIC
RBCs	ABSENT	RBC/hpf	0.0-2.0	MICROSCOPY
Cast	ABSENT		ABSENT	MICROSCOPY









Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:35 Age/Gender Collected : 38 Y 1 M 14 D /F : 23/Feb/2025 15:21:01 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 15:53:22 Visit ID Reported : 23/Feb/2025 18:48:53 : CDCL0619312425

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
Crystals Others	ABSENT ABSENT		ABSENT	MICROSCOPY	

STOOL, ROUTINE EXAMINATION, Stool

Color	BROWNISH
Consistency	SEMI SOLID
Reaction (PH)	Basic (8.0)
Mucus	ABSENT
Blood	ABSENT
Worm	ABSENT
Pus cells	ABSENT
RBCs	ABSENT
Ova	ABSENT
Cysts	ABSENT
Others	Few undigested
	food particals/h.p.f

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage ABSENT gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

Sugar, PP Stage ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%













Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:35 Collected Age/Gender : 38 Y 1 M 14 D /F : 23/Feb/2025 15:21:01 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 15:53:22 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 18:48:53

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Dr Mahendra Kumar MBBS,MD(PATHOLOGY)











Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:35 Age/Gender : 38 Y 1 M 14 D /F Collected : 23/Feb/2025 12:18:08 UHID/MR NO : CDCL.0000295504 Received : 23/Feb/2025 15:34:06 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 18:53:37

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Un	nit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL , Serum						
T3, Total (tri-iodothyronine)	242.00	ng/	′dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	12.80	ug/	′dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	0.750	μIU/	mL/	0.4 - 4.5	CLIA	
Interpretation:						
•		0.7-27	μIU/m	L Premature	28-36 Week	
		2.3-13.2	μIU/m	L Cord Blood	> 37Week	
		1.0-39.0	μIU/m	L Child	Birth 4 Days	
		1.7-9.1	μIU/m		2-20 Week	
		0.7-6.4	μIU/m	`		
		0.4-4.5	μIU/m		21-54 Years	
		0.4-4.5	μIU/m	L Adults	55-87 Years	
		Pregnand	-			
		0.3-4.5	•			
		0.5-4.6	μIU/m			
			0.8-5.2 μIU/mL Third trimester			
		Whole blood heel puncture				
		< 20.0	μIU/m	nL Newborn scre	een	

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

<u>Note</u> :-

TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

Dr Mahendra Kumar MBBS,MD(PATHOLOGY)

Wahenda Been





View Reports on Chandan 24x7 App







Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 Registered On : 23/Feb/2025 12:16:37 Age/Gender Collected : 38 Y 1 M 14 D /F : 2025-02-23 12:13:33 UHID/MR NO : CDCL.0000295504 Received : 2025-02-23 12:13:33 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 15:22:06

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

• NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.



Page 13 of 15











Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : Mrs.KHUSHBU-8765064070 : 23/Feb/2025 12:16:37 Registered On Age/Gender : 38 Y 1 M 14 D /F Collected : 2025-02-23 16:31:00 UHID/MR NO : CDCL.0000295504 Received : 2025-02-23 16:31:00 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 16:49:07

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

- The liver is normal in size and has a normal homogenous echotexture. No focal lesion is seen. *Its measuring approximately 13.8 cm in craniocaudal length.*
- The intra hepatic portal channels are normal. The portal vein and inferior vena cava appears normal.

GALL BLADDER

- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.
- Common bile duct normal in size, shape and echotexture.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

RIGHT KIDNEY

• Right kidney is normal in size, shape and cortical echotexture. Corticomedullary demarcation is maintained. Pelvi-calyceal system, vesico uretric juction & ureter is not dilated. *Kidney measuring approx 10.9 x 4.5 cm*.

LEFT KIDNEY

• Left kidney is normal in size, shape and cortical echotexture. Corticomedullary demarcation is maintained. Pelvi-calyceal system, vesico uretric juction & ureter is not dilated. *Kidney measuring approx* 10.9 x 5.1 cm.

SPLEEN

• The spleen is mildly enlarged in size and has a normal homogenous echo-texture. Its measuring approximately 13.6 cm in long axis.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular.

UTERUS & CERVIX

• The uterus is Gravid.











Add: Kamnath Market, Hospital Road, Lakhimpur Ph: 9235400943

CIN: U85110UP2003PLC193493

Patient Name : 23/Feb/2025 12:16:37 : Mrs.KHUSHBU-8765064070 Registered On Age/Gender : 38 Y 1 M 14 D /F Collected : 2025-02-23 16:31:00 UHID/MR NO : CDCL.0000295504 Received : 2025-02-23 16:31:00 Visit ID : CDCL0619312425 Reported : 23/Feb/2025 16:49:07

Dr. Mediwheel - Arcofemi Health Care Ltd. Ref Doctor Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

FINAL IMPRESSION

- USG REVEALS MILD SPLENOMEGALY.
- GRAVID UTERUS .

Adv: clinico-pathological correlation and further evaluation.

*** End Of Report ***

Result/s to Follow:

ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION





Dr Mohd, Akbar Khan(MD Radiologist)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups 365 Days Open

*Facilities Available at Select Location









