



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:13 Collected Age/Gender : 46 Y 8 M 17 D /F : 2025-03-08 12:38:39 UHID/MR NO : ALDP.0000118422 Received : 2025-03-08 12:38:39 Visit ID : ALDP0458542425 Reported : 09/Mar/2025 11:44:14

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ECG / EKG

1. Machnism, Rhythm Sinus, Regular

2. Atrial Rate 75 /mt

3. Ventricular Rate 74 /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal Configuration: Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T – Wave Normal

FINAL IMPRESSION

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically















Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:06 Age/Gender Collected : 46 Y 8 M 17 D /F : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 15:43:51

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), EDTA Whole	e Blood			
Haemoglobin	12.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) DLC	6,500.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	68.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	26.00	%	20-40	FLOW CYTOMETRY
Monocytes	4.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	6.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:06 Age/Gender : 46 Y 8 M 17 D /F Collected : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 15:43:51

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy	
			Early gestation - 48 (62)
			if anaemic)	_
			Leter gestation - 70 (99) if anaemic)	0
Corrected		Mm for 1st hr.	•	
PCV (HCT)	38.00	% William 1811	40-54	CALCULATED
Platelet count	30.00	70	40-34	CALCULATED
	0.47	1.4.007	45.40	FLEGTRONIO
Platelet Count	2.17	LACS/cu mm	1.5-4.0	ELECTRONIC (MICROSCOPIC
DDW (Distalat Distribution width)	1/ 20	£I	0.17	IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL o/	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio) PCT (Platelet Hematocrit)	- 0.21	% %	0.108-0.282	ELECTRONIC IMPEDANCE
,	0.31		6.5-12.0	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.20	fL	0.3-12.0	ELECTRONIC IIVIPEDANCE
RBC Count				
RBC Count	4.31	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	90.30	fl	80-100	CALCULATED PARAMETER
MCH	28.30	pg	27-32	CALCULATED PARAMETER
MCHC	31.40	%	30-38	CALCULATED PARAMETER
RDW-CV	13.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,420.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	130.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:21:09 : Mrs. MAMTA PACHOURI -Registered On Age/Gender : 46 Y 8 M 17 D /F Collected : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 15:27:14

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Decult Huit Die Def Internel

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	96.20	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

Interpretation:

T

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP124.00mg/dl<140 Normal</th>GOD PODSample:Plasma After Meal140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA Whole Blood

Glycosylated Haemoglobin (HbA1c)	5.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	33.50	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	103	mg/dl	

Interpretation:

NOTE:-









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:09 Age/Gender : 46 Y 8 M 17 D /F Collected : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 15:27:14

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.

BUN (Blood Urea Nitrogen) 7.71 mg/dL 7.0-23.0 CALCULATED Sample:Serum

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:









^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:21:09 : Mrs. MAMTA PACHOURI -Registered On Age/Gender : 46 Y 8 M 17 D /F Collected : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 15:27:14

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

D 11 11 11 D' D C 1 1 1

Adolescent 0.5-1.0

Test Name	Result	Unit	Bio. Ref. Interval	Method	
Low-protein diet, overhydration, Liver disease.					
Creatinine Sample:Serum	0.68	mg/dL	Female- 0.6-1.1 Newborn 0.3-1.0 Infent 0.2-0.4 Child 0.3-0.7	MODIFIED JAFFES	

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid	3.53	mg/dL	2.6-6.0	URICASE
Sample:Serum				

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	15.50	U/L	< 31	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	14.30	U/L	< 34	IFCC WITHOUT P5P
Gamma GT (GGT)	20.00	U/L	0-38	IFCC, KINETIC
Protein	6.47	g/dL	6.2-8.0	BIURET
Albumin	4.16	g/dL	3.4-5.4	B.C.G.
Globulin	2.31	gm/dL	1.8-3.6	CALCULATED
A:G Ratio	1.80		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	60.37	U/L	42-98	IFCC AMP KINETIC
Bilirubin (Total)	0.58	mg/dL	Adult	DIAZO
			0-20	







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:21:09 : Mrs. MAMTA PACHOURI -Registered On Collected Age/Gender : 46 Y 8 M 17 D /F : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 15:27:14

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
rest Name	Kesuit	Ullit	DIO. Rei. IIItei vai	ivietnou
Bilirubin (Direct) Bilirubin (Indirect)	0.18 0.40	mg/dL mg/dL	< 0.20 < 1.8	DIAZO CALCULATED
LIPID PROFILE, Serum				
Cholesterol (Total)	220.00	mg/dL	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	49.40	mg/dL	35.0-79.5	DIRECT ENZYMATIC
Non-HDL Cholesterol	170.60	mg/dl	0-130	CALCULATED
LDL Cholesterol (Bad Cholesterol)	137	mg/dL	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline Hig 160-189 High > 190 Very High	CALCULATED
VLDL	33.92	mg/dL	10-33	CALCULATED
TC / HDL Cholesterol Ratio	4.45		3-5	CALCULATED
LDL / HDL Ratio	2.77		< 3.0	CALCULATED
Triglycerides	169.60	mg/dL	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP gh

Interpretation:

Note:-

- 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
- 2. Lipid Association of India (LAI) recommends screening of all adults above the age of 20 years for Atherosclerotic Cardiovascular Disease (ASCVD) risk factors especially lipid profile. This should be done earlier if there is family history of premature heart disease, dyslipidemia, obesity or other risk factors
- 3. Triglycerides levels >150 mg/dL in fasting or >175 mg/dL in non-fasting are considered risk modifier for ASCVD risk

Treatment Goals for Lipid lowering therapy (as per Lipid Association of India 2023)













Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:21:09 : Mrs. MAMTA PACHOURI -Registered On Age/Gender : 46 Y 8 M 17 D /F Collected : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 15:27:14

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

TREATMENT GOAL

ASCVD RISK CATEGORY	LDL-C in mg/dL (Primary target)	NON HDL-C in mg/dL (Co-Primary target)
Low	<100	<130
Moderate	<100	<130
High	<70	<100
Very High	< 50	<80
Extreme (A)	<50 (<30 Optional)	<80 (< 60 optional)
Extreme (B)	<30	<60

ASCVD Risk Stratification & Treatment goals in Indian population

Indians are at very high risk of developing ASCVD, they usually get the disease at an early age, have a more severe form of the disease and have poorer outcome as compared to the western populations. Many individuals remain asymptomatic before they get heart attack, ASCVD risk helps to identify high risk individuals even when there is no symptom related to heart disease. Risk stratification is important to guide lipid lowering therapy and to identify treatment goals.

CSI Clinical Practice guidelines (2024) recommends in the absence of formal risk calculator for Indian population, only risk factors can be used for risk assessment. Standard Risk factors are:

- 1. Smoking/tobacco use
- 2. Hypertension
- 3. Diabetes
- 4. Family h/o Premature CAD (Men <55 years and women <60 years

Risk Assessment*

Low Moderate Risk High Risk Very High Risk Extremely High Risk

Presence of 2 or more standard ASCVD- ASCVD with recurrent

factors with no manifest

ASCVD CAD/PVD/CeVD vascular events













Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:09 Age/Gender Collected : 46 Y 8 M 17 D /F : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID Reported : 08/Mar/2025 15:27:14 : ALDP0458542425

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

No standard risk factor Presence of any one standard risk factor factor risk factor (sk factor risk factor risk factor (sk factor risk factor) No standard risk factor (sk factor) Presence of any one standard risk factor (sk factor) Heterozygous Familial (HeFH) multiple risk factors, with no risk factor (TOD) Hypertension with one or more risk factor or with Target organ damage (TOD) Himaging->50%lesion in any two major vessels High Lp(a) ASCVD with HeFH & High Lp(a)	Test Name		Result	Unit	Bio. Ref. Interval	Method
risk factor or with Target organ or RF	No standard risk factor	one standard risk	Heterozygous Familial Hypercholesterole- mia (HeFH)	in any two major vessels DM>20 years or multiple risk factor	ASCVD with HeFH High Lp(a)	&
CKD-eGFR <30			risk factor or with Target organ damage (TOD)	or RF	'D	

^{*} A more formal risk assessment may be used by clinicians according to their personal preferences and familiarity with the risk scores.

Dr.Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:08 Age/Gender Collected : 46 Y 8 M 17 D /F : 08/Mar/2025 14:52:18 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 15:22:35 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 18:49:11

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urine				
Color Specific Gravity	LIGHT YELLOW 1.005		Pale Yellow 1.001-1.030	VISUAL EXAMINATION PRE-TREATED POLYMERIC ION EXCHANGE RESIN
Reaction PH	Acidic (5.0)		5.0-8.0	METHYL RED BROMOTHYMOLBLUE
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	TETRA BROMOPHENOL BLUE METHYLRED
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	GLUCOSE OXIDASE PEROXIDASE CHROMOGEN REACTION
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	SODIUM NITROPRUSSIDE
Bile Salts	ABSENT		ABSENT	SULPHUR GRANULE
Bile Pigments	ABSENT		ABSENT	FOUCHET TEST
Bilirubin	ABSENT		ABSENT	DIAZONIUM SALT
Leucocyte Esterase	ABSENT		ABSENT	CARBOXYLIC ACID ESTER DIAZONIUM SALT
Urobilinogen(1:20 dilution)	ABSENT		ABSENT	DIAZONIUM SALT
Nitrite	ABSENT		ABSENT	SULFANANIC ACID TETRAHYDRO BENZOL
Blood	ABSENT		ABSENT	TETRA METHYL BENZIDINE
Microscopic Examination:				
Epithelial cells	0-1/h.p.f	cells/hpf	0.0-5.0	MICROSCOPIC EXAMINATION
Pus cells	0-1/h.p.f	WBC/hpf	0.0-5.0	MICROSCOPIC
RBCs	ABSENT	RBC/hpf	0.0-2.0	MICROSCOPY
Cast	ABSENT		ABSENT	MICROSCOPY



View Reports on Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:08 Collected Age/Gender : 46 Y 8 M 17 D /F : 08/Mar/2025 14:52:18 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 15:22:35 Visit ID Reported : 08/Mar/2025 18:49:11 : ALDP0458542425

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method		
Crystals	ABSENT		ABSENT	MICROSCOPY		
Others	ABSENT					
Urine Microscopy is done on centrifuged urine sediment.						

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage ABSENT gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

Sugar, PP Stage ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr.Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:09 Age/Gender : 46 Y 8 M 17 D /F Collected : 08/Mar/2025 11:02:23 UHID/MR NO : ALDP.0000118422 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 18:07:41

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

THYROID PROFILE - TOTAL , Serum T3, Total (tri-iodothyronine) 109.00 ng/dl 84.61–201.7 CLIA T4, Total (Thyroxine) 8.71 ug/dl 3.2-12.6 CLIA TSH (Thyroid Stimulating Hormone) 1.210 µIU/mL 0.4 - 4.5 CLIA Interpretation: 0.7-27 µIU/mL Premature 28-36 Week 2.3-13.2 µIU/mL Cord Blood > 37Week 1.0-39.0 µIU/mL Child Birth 4 Days 1.7-9.1 µIU/mL Child 2-20 Week 0.7-6.4 µIU/mL Child 2-20 Week 0.7-6.4 µIU/mL Adults 21-54 Years 0.4-4.5 µIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 µIU/mL Second trimester 0.8-5.2 µIU/mL Second trimester 0.8-5.2 µIU/mL Third trimester Whole blood heel puncture	Test Name	Result	Un	nit	Bio. Ref. Interval	Method
T3, Total (tri-iodothyronine) 109.00 ng/dl 84.61–201.7 CLIA T4, Total (Thyroxine) 8.71 ug/dl 3.2-12.6 CLIA TSH (Thyroid Stimulating Hormone) 1.210 μIU/mL 0.4 - 4.5 CLIA Interpretation: 0.7-27						
T4, Total (Thyroxine) 8.71 ug/dl 3.2-12.6 CLIA TSH (Thyroid Stimulating Hormone) 1.210 μIU/mL 0.4 - 4.5 CLIA Interpretation: 0.7-27 μIU/mL Premature 28-36 Week 2.3-13.2 μIU/mL Cord Blood > 37Week 1.0-39.0 μIU/mL Child Birth 4 Days 1.7-9.1 μIU/mL Child 2-20 Week 0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.) 0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy	THYROID PROFILE - TOTAL , Serum					
TSH (Thyroid Stimulating Hormone) 1.210 μIU/mL 0.4 - 4.5 CLIA Interpretation: 0.7-27 μIU/mL Premature 28-36 Week 2.3-13.2 μIU/mL Cord Blood > 37Week 1.0-39.0 μIU/mL Child Birth 4 Days 1.7-9.1 μIU/mL Child 2-20 Week 0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.) 0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Pregnancy 0.3-4.5 μIU/mL Second trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester	T3, Total (tri-iodothyronine)	109.00	ng/	'dl	84.61–201.7	CLIA
Interpretation: 0.7-27	T4, Total (Thyroxine)	8.71	ug/	′dl	3.2-12.6	CLIA
0.7-27 μIU/mL Premature 28-36 Week 2.3-13.2 μIU/mL Cord Blood > 37Week 1.0-39.0 μIU/mL Child Birth 4 Days 1.7-9.1 μIU/mL Child 2-20 Week 0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.) 0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester	TSH (Thyroid Stimulating Hormone)	1.210	μIU/	mL ′mL	0.4 - 4.5	CLIA
0.7-27 μIU/mL Premature 28-36 Week 2.3-13.2 μIU/mL Cord Blood > 37Week 1.0-39.0 μIU/mL Child Birth 4 Days 1.7-9.1 μIU/mL Child 2-20 Week 0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.) 0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester	Interpretation:					
1.0-39.0 μIU/mL Child Birth 4 Days 1.7-9.1 μIU/mL Child 2-20 Week 0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.) 0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester	•		0.7-27	μIU/m	L Premature	28-36 Week
1.7-9.1 μIU/mL Child 2-20 Week 0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.) 0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester			2.3-13.2	μIU/ml	Cord Blood	> 37Week
0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.) 0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester			1.0-39.0	•		Birth 4 Days
0.4-4.5 μIU/mL Adults 21-54 Years 0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester				•		
0.4-4.5 μIU/mL Adults 55-87 Years Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester				•	`	· · · · · · · · · · · · · · · · · · ·
Pregnancy 0.3-4.5 μIU/mL First trimester 0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester				•		
$\begin{array}{ccc} 0.3\text{-}4.5 & \mu\text{IU/mL} & \text{First trimester} \\ 0.5\text{-}4.6 & \mu\text{IU/mL} & \text{Second trimester} \\ 0.8\text{-}5.2 & \mu\text{IU/mL} & \text{Third trimester} \end{array}$				•	L Adults	55-8/ Years
0.5-4.6 μIU/mL Second trimester 0.8-5.2 μIU/mL Third trimester			——————————————————————————————————————			
$0.8-5.2$ $\mu IU/mL$ Third trimester				•		
·				•		
vy note blood neel billicini e			·			
<20.0 μIU/mL Newborn screen			-		_	en

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

<u>Note</u> :-

TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:14 Age/Gender Collected : 46 Y 8 M 17 D /F : 2025-03-08 11:06:52 UHID/MR NO : ALDP.0000118422 Received : 2025-03-08 11:06:52 Visit ID Reported : ALDP0458542425 : 08/Mar/2025 15:51:44

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Shashikant MBBS,MD (Radiodiagnosis)

Page 13 of 15











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:14 Age/Gender : 46 Y 8 M 17 D /F Collected : 2025-03-08 12:15:50 UHID/MR NO : ALDP.0000118422 Received : 2025-03-08 12:15:50 Visit ID : ALDP0458542425 Reported : 08/Mar/2025 12:53:28

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Normal in size , shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER: Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size, shape and echogenicity. No evidence of mass lesion is seen.

BOTH KIDNEYS: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. **Right side mild hydronephrosis is seen.**

Right kidney:- 9.0 x 3.7 cm, Left kidney:- 9.6 x 3.8 cm.

URINARY BLADDER: Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS :- Is enlarged in size (9.5 x 5.1 x 4.4 cm vol-115cc). No focal myometrial lesion is seen. Endometrium is normal in thickness 9.1mm.

OVARIES & ADNEXA: - No obvious, ovarian adnexal pathology is seen.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen.

IMPRESSION:

- Right side mild hydronephrosis.
- Bulky uterus.

Please correlate clinically.



Dr. Shashikant MBBS,MD (Radiodiagnosis)

Page 14 of 15













Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs. MAMTA PACHOURI -Registered On : 08/Mar/2025 10:21:15 Collected Age/Gender : 46 Y 8 M 17 D /F : 2025-03-08 16:29:51 UHID/MR NO : ALDP.0000118422 Received : 2025-03-08 16:29:51 Visit ID : ALDP0458542425 Reported : 09/Mar/2025 09:50:27

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Tread Mill Test (TMT)

NORMAL

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, PAP SMEAR FOR CYTOLOGICAL EXAMINATION



Dr. R K VERMA

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open

*Facilities Available at Select Location







View Reports on Chandan 24x7 App

