Patient Name
 : Mr. VIJAY MANRAL
 Age/Sex
 : 21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

Episode : OP

Ref. Doctor : self **Mobile No** : 7078976859

DOB : 25/10/2003

Facility: SEVENHILLS HOSPITAL,

MUMBAI

Blood Bank

Test Name Result

Sample No: 00369136A Collection Date: 28/10/24 08:57 Ack Date: 28/10/2024 10:22 Report Date: 28/10/24 10:35

BLOOD GROUPING/ CROSS-MATCHING BY SEMI AUTOMATION.					
BLOOD GROUP (ABO)	'B'				
Rh Type Method - Column Agalutination	POSITIVE				

REMARK: THE REPORTED RESULTS PERTAIN TO THE SAMPLE RECEIVED AT THE BLOOD CENTRE.

Interpretation:

Blood typing is used to determine an individual's blood group, to establish whether a person is blood group A, B, AB, or O and whether he or she is Rh positive or Rh negative. Blood typing has the following significance,

- Ensure compatibility between the blood type of a person who requires a transfusion of blood or blood components and the ABO and Rh type of the unit of blood that will be transfused.
- Determine compatibility between a pregnant woman and her developing baby (fetus). Rh typing is especially important during pregnancy because a mother and her fetus could be incompatible.
- Determine the blood group of potential blood donors at a collection facility.
- Determine the blood group of potential donors and recipients of organs, tissues, or bone marrow, as part of a workup for a transplant procedure.
- · Cross-matching test is done to assess compatibility of donor red cells to the patient.

End of Report -

Dr.Ritesh Kharche MD Pathology, PGD-HM

Consultant Pathologist and Director of

Laboratory Services RegNo: 2006/03/1680



 Patient Name
 : Mr. VIJAY MANRAL
 Age/Sex
 : 21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

Episode : OP

Ref. Doctor : self **Mobile No** :7078976859

DOB : 25/10/2003

Facility : SEVENHILLS HOSPITAL,

MUMBAI

HAEMATOLOGY

est Name		Result		Unit Bi	iological Reference Interva
Sample No: 00369136A	Collection Date :	28/10/24 08:57	Ack Date : 28/10/2024 0	9:37 Report Date	: 28/10/24 10:02
COMPLETE BLOOD C	OUNT (CBC) - EDTA V	VHOLE BLOOD			
Total WBC Count		6.23		x10^3/ul	4 - 10
Neutrophils		64		%	40 - 80
Lymphocytes		29.1		%	20 - 40
Eosinophils		1.1		%	1 - 6
Monocytes		5.3		%	2 - 10
Basophils		0.5 ▼ (L)	%	1 - 2
Absolute Neutrophil Cou	unt	3.99	•	x10^3/ul	2 - 7
Absolute Lymphocyte C	ount	1.82		x10^3/ul	0.8 - 4
Absolute Eosinophil Cou	ınt	0.06		x10^3/ul	0.02 - 0.5
Absolute Monocyte Cou	nt	0.33		x10^3/ul	0.12 - 1.2
Absolute Basophil Coun	t	0.03		x10^3/ul	0 - 0.1
RBCs		5.02		x10^6/ul	4.5 - 5.5
Hemoglobin		14.6		gm/dl	13 - 17
Hematocrit		42.7		%	35 - 45
MCV		85.2		fl	83 - 101
MCH		29.2		pg	27 - 32
MCHC		34.3		gm/dl	31.5 - 34.5
		2.10		3, 4.	



Patient Name : Mr. VIJAY MANRAL Age/Sex :21 Year(s) / Male

Episode : OP

Ref. Doctor: self Mobile No: 7078976859

DOB : 25/10/2003

Facility: SEVENHILLS HOSPITAL,

MUMBAI

RED CELL DISTRIBUTION WIDTH-CV (RDW-CV)	12.7	%	11 - 16
RED CELL DISTRIBUTION WIDTH-SD (RDW-SD)	40.9	fl	35 - 56
Platelet	272	x10^3/ul	150 - 410
Mean Platelet Volume (MPV)	9.3	fl	6.78 - 13.46
PLATELET DISTRIBUTION WIDTH (PDW)	15.8	%	9 - 17
PLATELETCRIT (PCT)	0.252	%	0.11 - 0.28
Comment	PS Findings: RBCs: Normocytic Normochromic WBCs: Normal Morphology Platelets: Adequate		

Method:-

HB Colorimetric Method.

RBC/PLT Electrical Impedance Method.

WBC data Flow Cytometry by Laser Method.

MCV,MCH,MCHC,RDW and rest parameters - Calculated.

All Abnormal Haemograms are reviewed confirmed microscopically.

NOTE: Wallach's Interpretation of Diagnostic Tests. 11th Ed, Editors: Rao LV. 2021

NOTE :-

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

End of Report

Dr.Pooja Vinod Mishra MD Pathology

Jr Consultant Pathologist, MMC Reg No. 2017052191



 Patient Name
 : Mr. VIJAY MANRAL
 Age/Sex
 : 21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

Episode : OP

Ref. Doctor : self **Mobile No** : 7078976859

DOB : 25/10/2003

Facility : SEVENHILLS HOSPITAL,

MUMBAI

RegNo: 2017/05/2191





Sex : Male Divisions:	Male rons:	υ <u>:</u>	BP			Weight : Hospital No.	M C		
HR P Dur/PR int ORS Dur OI_OIC int P/ORS/I axis		71 bpm 92 /127ms 79 ms 381/414 ms 46/12/40 °	RV5/SV1 RV5+SV1 RV6/SV2	amp 1.02 amp 1.64 amp 1.66	020 / 0. 623mV 643mV 663 / 0. 927mV	Minnesota 8-9-1 4-5-0(V1) 9-4-2(V4)	9000	821 Sinus	Arrhythmia
_ <	3	4	Ę	3	₹ <u> </u>	}	}		Ì
= <		3	1	4					
=	Ţ		}	Į	<u>EM</u>				<u> </u>
avr	2	}	>	}	**	<u> </u>	<u>\</u>	7	<u> </u>
aNL	1	}	{	}	A IIVS	}	À	3	¥
*	\$		1	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	%	<u>\$</u>			À
Bhy =	1	1	4	4	\frac{1}{2}	1	}	3	4

Patient Name : Mr. VIJAY MANRAL Age/Sex :21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

 Episode
 : OP

Ref. Doctor : self **Mobile No** : 7078976859

DOB : 25/10/2003

Facility: SEVENHILLS HOSPITAL,

MUMBAI

HAEMATOLOGY

Test Name		Result		Unit	Biol	ogical Reference Interval	
Sample No :	O0369136A	Collection Date :	28/10/24 08:57	Ack Date :	28/10/2024 09:37	Report Date :	28/10/24 11:08

ERYTHROCYTE SEDIMENTATION RATE (ESR)			
ESR	04	mm/hr	0 - 20

Method: Westergren Method

INTERPRETATION :-

ESR is a non-specific phenomenon, its measurement is clinically useful in disorders associated with an increased production of acute-phase proteins. It provides an index of progress of the disease in rheumatoid arthritis or tuberculosis, and it is of considerable value in diagnosis of temporal arteritis and polymyalgia rheumatica. It is often used if multiple myeloma is suspected, but when the myeloma is non-secretory or light chain, a normal ESR does not exclude this diagnosis.

An elevated ESR may occur as an early feature in myocardial infarction. Although a normal ESR cannot be taken to exclude the presence of organic disease, the vast majority of acute or chronic infections and most neoplastic and degenerative diseases are associated with changes in the plasma proteins that increased ESR values.

The ESR is influenced by age, stage of the menstrual cycle and medications taken (corticosteroids, contraceptive pills). It is especially low (0–1 mm) in polycythaemia, hypofibrinogenaemia and congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis, or sickle cells. In cases of performance enhancing drug intake by athletes the ESR values are generally lower than the usual value for the individual and as a result of the increase in haemoglobin (i.e. the effect of secondary polycythaemia).

End of Report

Dr.Ritesh Kharche MD Pathology, PGD-HM

Consultant Pathologist and Director of

Laboratory Services RegNo: 2006/03/1680

Patient Name : Mr. VIJAY MANRAL Age/Sex : 21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

 Episode
 : OP

 Ref. Doctor
 : self
 Mobile No
 : 7078976859

 DOB
 : 25/10/2003

Facility: SEVENHILLS HOSPITAL,

MUMBAI



Patient Name : Mr. VIJAY MANRAL Age/Sex :21 Year(s) / Male

DOB : 25/10/2003

Facility: SEVENHILLS HOSPITAL,

MUMBAI

Biochemistry

 Test Name
 Result
 Unit
 Biological Reference Interval

 Sample No:
 00369136B
 Collection Date:
 28/10/24 08:57
 Ack Date:
 28/10/2024 09:37
 Report Date:
 28/10/24 14:02

Blood Sugar FBS			
FBS Method - Hexokinase	88.3	mg/dl	70 - 100
GLUCOSE-PLASMA POST PRANDIAL			

American Diabetes Association Reference Range:

FASTING:-

Normal: < 100 mg/dl

Impaired fasting glucose(Prediabetes): 100 - 126 mg/dl

Diabetes : >= 126 mg/dl

Post-Prandial Blood Glucose:
Non- Diabetic: Up to 140mg/dL
Pre-Diabetic: 140-199 mg/dL
Diabetic :>200 mg/dL

References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

Interpretation :-

Conditions that can result in an elevated blood glucose level include: Acromegaly, Acute stress (response to trauma, heart attack, and stroke for instance), Chronic kidney disease, Cushing syndrome, Excessive consumption of food, Hyperthyroidism, Pancreatitis.

A low level of glucose may indicate hypoglycemia, a condition characterized by a drop in blood glucose to a level where first it causes nervous system symptoms (sweating, palpitations, hunger, trembling, and anxiety), then begins to affect the brain (causing confusion, hallucinations, blurred vision, and sometimes even coma and death). A low blood glucose level (hypoglycemia) may be

seen with:Adrenal insufficiency, Drinking excessive alcohol, Severe liver disease, Hypopituitarism, Hypothyroidism, Severe infections, Severe heart failure, Chronic kidney (renal) failure, Insulin overdose, Tumors that produce insulin (insulinomas), Starvation.

Sample No: 00369136C Collection Date: 28/10/24 08:57 Ack Date: 28/10/2024 09:37 Report Date: 28/10/24 11:10



Patient Name : Mr. VIJAY MANRAL Age/Sex :21 Year(s) / Male

Episode : OP

Ref. Doctor: self Mobile No: 7078976859

DOB : 25/10/2003

Facility: SEVENHILLS HOSPITAL,

MUMBAI

ALT(SGPT) - SERUM			
SGPT (Alanine Transaminase) - SERUM Method - IFCC	17.5	IU/L	0 - 45

References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

-, Their toxing on the money that money and brighteeness, our Eu, Eunere. Third of all 2010						
Total Bilirubin - SERUM Method - Diazo	2.08 ▲ (H)	mg/dl	0 - 2			
Direct Bilirubin SERUM Method - Diazotization	0.55 ▲ (H)	mg/dl	0 - 0.4			
Indirect Bilirubin - Calculated Method - Calculated	1.53 ▲ (H)	mg/dl	0.1 - 0.8			
Comment	Result rechecked with the same sample.					
BUN-SERUM						
Urea - SERUM Method - Urease	22.6	mg/dl	15 - 39			
BUN - SERUM Method - Urease-GLDH	10.56	mg/dl	4 - 18			

References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

,	•		· · · · · · · · · · · · · · · · · · ·		
CREATININE-SERUM					
Creatinine - SERUM Method - Jaffes Kinetic		1.2		mg/dl	0.5 - 1.3

References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

Notes :-

Creatinine is a chemical waste molecule that is generated from muscle metabolism. Creatinine is produced from creatine, a molecule of major importance for energy production in muscles. Approximataly 1-2% of the body's creatine is converted to creatinine every day. Creatinine is transported through the bloodstream to the kidneys. The kidneys filter out host of the creatinine and dispose of it in the urine. The kidneys maintain the blood creatinine in a normal ranges. Creatinine has been found to be a fairly reliable indicator of kidney function.



Patient Name : Mr. VIJAY MANRAL Age/Sex :21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

 Episode
 : OP

Ref. Doctor: selfMobile No: 7078976859

DOB : 25/10/2003

Facility: SEVENHILLS HOSPITAL,

MUMBAI

End of Report

Dr. Ritesh Kharche

MD Pathology, PGD-HM
Consultant Pathologist and Director of

Laboratory Services RegNo: 2006/03/1680 Dipa

Dr.Nipa Dhorda MDPathologist

RegNo: 91821



Blood Glucose (Both FBS & Both FBS & FBS) (L 149)- Report has been amended at Oct 28 2024 11:10AM by Asif Khan. BILIRUBIN - SERUM- Report has been amended at Oct 28 2024 2:36PM by JAY SHELAR.



 Patient Name
 : Mr. VIJAY MANRAL
 Age/Sex
 : 21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

Episode : OP

Ref. Doctor: selfMobile No: 7078976859

DOB : 25/10/2003

Facility : SEVENHILLS HOSPITAL,

MUMBAI

Urinalysis

Test Name	Resu	ılt	Unit	Bio	logical Reference Interval
Sample No: 00369139D	Collection Date : 28/10/24 09	Ack Date :	28/10/2024 09:37	Report Date :	28/10/24 12:26
Physical Examination					
QUANTITY		50		ml	
Colour		Pale Yellow			
Appearance		Slightly Hazy			
DEPOSIT		Absent			Absent
pH		Acidic			
Specific Gravity		1.010			
Chemical Examination					
Protein		Absent			Absent
Glucose		Absent			
ketones		Absent			
Blood		NEGATIVE			Negative
Bilirubin		Negative			
Urobilinogen		NORMAL			Normal
NITRITE		Absent			Absent
LEUKOCYTES		Absent			
Microscopic Examination	1				
Pus cells		OCCASIONAL		/HPF	
Epithelial Cells		OCCASIONAL		/HPF	

 Patient Name
 : Mr. VIJAY MANRAL
 Age/Sex
 : 21 Year(s) / Male

 UHID
 : SHHM.108957
 Order Date
 : 28/10/2024 08:48

Episode : OP

Ref. Doctor : self **Mobile No** :7078976859

DOB : 25/10/2003

Facility : SEVENHILLS HOSPITAL,

MUMBAI

RBC	Absent	/HPF	Absent
Cast	Absent	/LPF	
Crystal	Absent	/HPF	
Amorphous Materials	Absent		
Yeast	Absent		
Bacteria	Absent		

End of Report

Dr.Pooja Vinod Mishra

MD PathologyJr Consultant Pathologist, MMC Reg No.

2017052191 RegNo: 2017/05/2191



DIAGNOSTICS REPORT

 Patient Name
 : Mr. VIJAY MANRAL
 Order Date
 : 28/10/2024 08:48

 Aqe/Sex
 : 21 Year(s)/Male
 Report Date
 : 28/10/2024 11:26

UHID : SHHM.108957

Ref. Doctor : self Facility : SEVENHILLS HOSPITAL,

Address : 15 A1 202 SANGARSH NAGAR, MUMBAI

chandivali, Mumbai, Maharashtra, Mobile : 7078976859

400072

X-RAY CHEST PA VIEW

Both lungs are clear.

The frontal cardiac dimensions are normal.

The pleural spaces are clear.

Both hilar shadows are normal in position and density.

No diaphragmatic abnormality is seen.

The soft tissues and bony thorax are normal.

IMPRESSION: No pleuroparenchymal lesion is seen.

Dr.Bhujang Pai MBBS,MD

Consultant RegNo: 49380



Arcofemi Healthcare Pvt Ltd

(Formerly known as Arcofemi Healthcare Ltd) F-701A, Lado Sarai, Mehrauli, New Delhi - 110030

Email: wellness@mediwheel.in, Website: www.mediwheel.in Tel: +91-11-41195959, Fax: +91-11-29523020

CIN: U24240DL2011PTC216307

MEDICAL FITNESS CERTIFICATE

(To be signed by a registered medical practitioner holding a Medical degree)

This is to certify that Mr.Vijay Manral aged, 21yr. Based on the examination, I certify that he is in good dental and physical health and it is free from any physical defects such as deafness, color blindness, and any chronic or contagious diseases.

Place: Mumbai

Date: 28/10/2024

Name & Signature of

Medical officer



Arcofemi Healthcare Pvt Ltd

(Formerly known as Arcofemi Healthcare Ltd) F-701A, Lado Sarai, Mehrauli, New Delhi - 110030

Email: wellness@mediwheel.in, Website: www.mediwheel.in Tel: +91-11-41195959, Fax: +91-11-29523020

CIN: U24240DL2011PTC216307

MEDICAL FITNESS CERTIFICATE

(To be signed by a registered medical practitioner holding a Medical degree)

This is to certify that Mr.Vijay Manral aged, 21yr. Based on the examination, I certify that he is in good dental and physical health and it is free from any physical defects such as deafness, color blindness, and any chronic or contagious diseases.

Place: Mumbai

Date: 28/10/2024

Name & Signature of

Medical officer