

भारत सरकार GOVERNMENT OF INDIA



Saylee Prasad Rane जन्म तिथि / DOB: 14/09/1970

महिला / FEMALE

Mobile No.: 9869410174



मेरा आधार, मेरी पहचान

Regn. No. 072300

thutianiDiamostics (I) Pvti Littli Tell::2648:605 / 26134607/

SUBURBAN DIAGNOSTICS - KHAR WEST

SUBURBAN PRECISE TESTING . HEALTHIER LIVING


> Patient ID: Patient Name: RANE SAYLEE PRASAD 393948630

> > Date and Time: 8th Mar 25 12:04 PM

years months days

153 cm 56 kg

120/80 mmHg



430ms $70 \mathrm{ms}$ 334ms

P-R-T: 80° 57° 64° 132ms

ECG Within Normal Limits: Sinus Rhythm . Please correlate clinically.

Disha Vipulkumar Sheth MBBS, DNB Medicine Consultant Physician & Diabetologist Reg no. 2017084116

REPORTED BY

Discisimer. 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-inv physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG. asive tests and must be interpreted by a qualified



E P C R

Jame Baylet	· .
ge/Gender: 55/	
onsulting Dr. :-	Collected . 68/3/25
eg.Location : Khar West (Main Centre)	
	Reported :
GYNAECOLOGICAL CO	NSULTATION
PARAMETER	
EXAMINATION .	
RS : NAD - CVS	III MAD
BREAST EXAMINATION : PER ABDOMEN	N NAD
PER VAGINAL :	The second secon
MENSTRUAL HISTORY LMP: Hystere (tong	
PAST MENSTRUAL HISTORY	
And the second s	
OBSTETRIC HISTORY: 2 FIND	
PERSONAL HISTORY	
	III Day
BOWEL HABITS : Reem orug HIST	
PREVIOUS SURGERIES : Hy stere your (To	T I)
FAMILY HISTORY: N	27 2 1 2
The second secon	
CHIEF GYNAE COMPLAINTS: N)	
RECOMMENDATIONS - None	
, 00 _	
	and the second s

*** End Of Report ***

Rega. No. 072366



Е

R

O

Т

Date:- 08/03/25

Date: 08/03/25 CID: 393948630 Name: Mrs. Sanglee Rane Sex/Age: F1552.

EYE CHECK UP

Chief complaints: N

Systemic Diseases:

10

Past history:

NO

Unaided Vision:

Aided Vision:

N.V-N5(Bil) HNS D.V-6/5(Bil) 14 NS V4(16

Refraction:

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance				6/5				6/5
Near				NIE				()-

Colour Vision: (Normal) Abnormal

(Right Eye)

Remark:

Regn. No. 072350



CID

: 393948630

Name

: Ms. RANE SAYLEE PRASAD

Age / Sex

Reg. Location

: 55 Years/Female

Ref. Dr

: self

: Khar West Main Centre

Reg. Date

: 08-Mar-2025

Reported

: 10-Mar-2025 / 8:43

0

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size is within normal limits.

The domes of diaphragm are normal in position and outlines.

The visualized bony thorax appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

SUGGEST CLINICAL CORRELATION.

-----End of Report-----

Dr. Vishal Kumar Mulchandani

MD DMRE

REG No: 2006/03/1660 Consultant Radiologost



E

0 R

CID

: 393948630

Name

: Ms. RANE SAYLEE PRASAD

Age / Sex

: 55 Years/Female

Ref. Dr

Reg. Location

: self

: Khar West Main Centre

Reg. Date

: 08-Mar-2025

Reported : 08-Mar-2025 / 16:48

2D-ECHOCARDIOGRAPHY REPORT

No thinning / scarring / dyskinesia of LV wall noted. Normal LV systolic function.LVEF = 55-60 %. Good RV function.

Structurally Normal MV/ TV / PV/AV

LV / LA / RA / RV Normal in dimension. IAS / IVS is Intact.

No Left Ventricular Diastolic Dysfunction [LVDD].

No e/o thrombus in LA/LV. No e/o Pericardial effusion.

IVC normal in dimension and good inspiratory collapse.

IMPRESSION:

NORMAL LV SYSTOLIC FUNCTION, LVEF= 55-60 % NO RWMA, ALL VALVES NORMAL NO PAH, NO LVDD. IVC NORMAL



E

CID : 393948630

Name : Ms. RANE SAYLEE PRASAD

Age / Sex : 55 Years/Female

Ref. Dr : self Reg. Date : 08-Mar-2025

: 08-Mar-2025 / 16:48 : Khar West Main Centre Reported Reg. Location

LV STUDY	Value	Unit	COLOUR DOPPLER STUDY	Value	Unit
IVSd	10	mm	Mitral Valve E velocity	0.80	cm/s
LVIDd	46	mm	Mitral Valve A velocity	0.5	cm/s
LVPWd	10	mm	E/A Ratio	>1	-
IVSs	18	mm	Mitral Valve Deceleration Time	120	ms
LVIDs	26	mm	Med E' vel		cm/s
LVPWs	16	mm	E/E'	4	-
LA/AO	N		Aortic valve		
			AVmax	1.4	cm/s
			AV Peak Gradient	6	mmHg
2D STUDY			LVOT Vmax	1.2	cm/s
LVOT	20	mm	LVOT gradient	4	mmHg
LA	26	mm	Pulmonary Valve		
RA	28	mm	PVmax		cm/s
RV [RVID]	24	mm	PV Peak Gradient		mmHg
IVC	10	mm	Tricuspid Valve		
			TR jet vel.	2.6	cm/s
			PASP	28	mmHg

Disclaimer: 2D echocardiography is an observer dependent investigation. Minor variations in report are possible when done by two different examiners or even by same examiner on two different occasions. These variations may not necessarily indicate a change in the underlying cardiac condition. In the event of previous reports being available, these must be provided to improve clinical correlation.

-End of Report-

DR. DINESH ROHIRA DNB MEDICINE ECHO CARDIOLOGIST REG. No. 2008/04/0837

Nowie



Lab No. : 393948630 Ref By : SELF

Collected : 8/3/2025 10:16:00AM

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station 81, Swami Vivekananda Road, Khar West, Mumbai, Maharashtra - 400052 Age : 55 Years Gender : Female

Reported : 9/3/2025 2:44:27PM

Report Status : Interim

Processed at : SDRL, VIDYAVIHAR



MediWheel Full Body Health Female >40/2D ECHO CBC (Complete Blood Count), Blood

PARAMETER RBC PARAMETERS	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
Haemoglobin	13.5	12.0 - 15.0 g/dL	Spectrophotometric
RBC	4.6	3.8 - 4.8 mil/cmm	Elect. Impedance
PCV	39.4	36.0 - 46.0 %	Calculated
MCV	86.1	81.0 - 101.0 fL	Measured
MCH	29.6	27.0 - 32.0 pg	Calculated
MCHC	34.3	31.5 - 34.5 g/dL	Calculated
RDW	12.8	11.6 - 14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5710	4000 - 10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSOLUTE COU	NTS		
Lymphocytes	34.3	20.0 - 40.0 %	
Absolute Lymphocytes	1958.5	1000.0 - 3000.0 /cmm	Calculated
Monocytes	6.7	2.0 - 10.0 %	
Absolute Monocytes	382.6	200.0 - 1000.0 /cmm	Calculated
Neutrophils	56.1	40.0 - 80.0 %	
Absolute Neutrophils	3203.3	2000.0 - 7000.0 /cmm	Calculated
Eosinophils	2.5	1.0 - 6.0 %	
Absolute Eosinophils	142.8	20.0 - 500.0 /cmm	Calculated
Basophils	0.4	0.1 - 2.0 %	
Absolute Basophils	22.8	20.0 - 100.0 /cmm	Calculated

PLATELET PARAMETERS



Page 1 of 18



Lab No. : 393948630 Ref By : SELF

Collected: 8/3/2025 10:16:00AM

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station 81, Swami Vivekananda Road, Khar West, Mumbai, Maharashtra - 400052 Age : 55 Years Gender : Female

Reported : 9/3/2025 2:44:27PM

Report Status : Interim

Processed at : SDRL, VIDYAVIHAR



MediWheel Full Body Health Female >40/2D ECHO CBC (Complete Blood Count), Blood

PARAMETER Platelet Count	RESULTS 289000	BIOLOGICAL REF RANGE 150000 - 410000 /cmm	METHOD Elect. Impedance
MPV	7.9	6.0 - 11.0 fL	Measured
PDW	14.0	11.0 - 18.0 %	Calculated
RBC MORPHOLOGY			
Hypochromia			
Microcytosis			
Macrocytosis			
Anisocytosis			
Poikilocytosis			
Polychromasia			
Target Cells			
Basophilic Stippling			
Normoblasts			
Others	Normocytic Normochromic		
WBC MORPHOLOGY			
PLATELET MORPHOLOGY			
COMMENT			

Specimen: EDTA whole blood





Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 8/3/2025 10:16:00AM Reported : 9/3/2025 2:44:40PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE) Processed at : SDRL, VIDYAVIHAR

6th Floor, Gupte House, Near Khar Police Station 81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052



MediWheel Full Body Health Female >40/2D ECHO ERYTHROCYTE SEDIMENTATION RATE (ESR)

PARAMETERRESULTSBIOLOGICAL REF RANGEMETHODESR, EDTA WB19.002.00 - 30.00 mm/hrSedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.





: 393948630 Lab No. : SELF Ref Bv

: 08/03/2025 10:16:00AM Collected

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

: 55 Years Age : Female Gender

: 9/3/2025 2:44:46PM Reported

Report Status : Interim

Processed at : SDRL, VIDYAVIHAR



Hexokinase

MediWheel Full Body Health Female >40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGES METHOD

GLUCOSE (SUGAR) PP, Fluoride Plasma PP

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition

79.80





Lab No. : 393948630 Ref By : SELF

Collected : 08/03/2025 10:16:00AM

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

Age : 55 Years Gender : Female

Reported : 9/3/2025 2:44:58PM

Report Status : Interim

Processed at : SDRL, VIDYAVIHAR



MediWheel Full Body Health Female >40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
BLOOD UREA,Serum	20.80	19.29 - 49.28 mg/dL	Calculated
BUN, Serum	9.71	9.00 - 23.00 mg/dL	Urease with GLDH
CREATININE, Serum	0.62	0.55 - 1.02 mg/dL	Enzymatic
eGFR, Serum URIC ACID, Serum	104.98 6.20	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure:<15 3.10 - 7.80 mg/dL	Calculated Uricase/Peroxidase
PHOSPHORUS, Serum	3.80	2.40 - 5.10 mg/dL	Phosphomolybdate
		Ç	, ,
CALCIUM, Serum	9.90	8.70 - 10.40 mg/dL	Arsenazo
SODIUM, Serum	143.00	136.00 - 145.00 mmol/L	IMT
POTASSIUM, Serum	4.8	3.50 - 5.10 mmol/L	IMT
CHLORIDE Serum	106.00	98.00 - 107.00 mmol/L	IMT

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation





Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:44:58PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE) Processed at : SDRL, VIDYAVIHAR

81. Swami Vivekananda Road, Khar West.

6th Floor, Gupte House, Near Khar Police Station

Mumbai, Maharashtra - 400052



MediWheel Full Body Health Female >40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c) ,EDTA WB	5.6	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose	114.0	mg/dL	Calculated

Intended use:

(eAG),EDTA WB

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, plenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach □s interpretation of diagnostic tests 10th edition.



Page 6 of 18



Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:44:58PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE) Processed at : SDRL, VIDYAVIHAR 6th Floor, Gupte House, Near Khar Police Station

Mumbai, Maharashtra - 400052

81, Swami Vivekananda Road, Khar West,

MediWheel Full Body Health Female >40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGES	METHOD
TOTAL PROTEINS, Serum	7.00	5.70 - 8.20 g/dL	Biuret
Albumin Serum	4.80	3.20 - 4.80 g/dL	BCG
GLOBULIN Serum	2.20	2.30 - 3.50 g/dL	Calculated
A/G RATIO Serum	2.18	1.00 - 2.00	Calculated





Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:45:08PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)
6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052



MediWheel Full Body Health Female >40/2D ECHO LIVER FUNCTION TESTS

Processed at : SDRL, VIDYAVIHAR

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.56	0.30 - 1.20 mg/dL	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.14	0.00 - 0.30 mg/dL	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.42	<1.20 mg/dL	Calculated
SGOT (AST), Serum	20.50	<34.00 U/L	Modified IFCC
SGPT (ALT), Serum	12.00	10.00 - 49.00 U/L	Modified IFCC
GAMMA GT, Serum	23.00	<38.00 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	84.20	46.00 - 116.00 U/L	Modified IFCC





Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:45:08PM

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

MediWheel Full Body Health Female >40/2D ECHO LIPID PROFILE

Report Status : Interim

Processed at : SDRL, VIDYAVIHAR

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
CHOLESTEROL, Serum	259	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	94	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL Serum	67	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	192	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL Serum	173	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL Serum	19	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3	0-3.5 Ratio	Calculated

Reference:

- 1) Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III).
- 2) Pack Insert.



Page 9 of 18



Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:45:08PM

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

MediWheel Full Body Health Female >40/2D ECHO THYROID FUNCTION TESTS

Report Status : Interim

Processed at : SDRL, VIDYAVIHAR

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGES	METHOD
Free T3, Serum	4.40	3.50 - 6.50 pmol/L	CLIA
Free T4 Serum	10.50	11.50 - 22.70 pmol/L	CLIA
sensitiveTSH Serum	6.42	0.55-4.78 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	CLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1. TSH Values between high abnormal upto15 microlU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2. TSH values may be trasiently altered becuase of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone recovery phase of nonthyroidal illness, TSH Resistance
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio liodine Rx, post thyroidectomy, anti thyroid drugs, tyrosine kinase inhibitors & amiodarone amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	 High 	 High 	Hyperthyroidism, Graves disease,toxic multinodular goiter,toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum hydatiform mole)
Low	 Normal 	 Normal 	Subclinical Hyperthyroidism, recent Rx for hyperthy- roidism, drugs like steroids & dopamine, Non thyroidal illness.
Low			Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	 High 	 High 	Interfering anti TPO antibodies,Drug interference: Amiodarone,Heparin, Beta Blockers, steroids & anti epileptics.



Page 10 of 18



Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:45:08PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

MediWheel Full Body Health Female >40/2D ECHO THYROID FUNCTION TESTS

Processed at : SDRL, VIDYAVIHAR

PARAMETER RESULTS BIOLOGICAL REF RANGES METHOD

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1. O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)





Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:45:08PM

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

MediWheel Full Body Health Female >40/2D ECHO LIVER FUNCTION TESTS

Report Status : Interim

Processed at : SDRL, VIDYAVIHAR

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
TOTAL PROTEINS, Serum	7.00	5.70 - 8.20 g/dL	Biuret
Albumin Serum	4.80	3.20 - 4.80 g/dL	BCG
GLOBULIN Serum	2.20	2.30 - 3.50 g/dL	Calculated
A/G RATIO Serum	2.18	1.00 - 2.00	Calculated





Lab No. : 393948630 Age : 55 Years
Ref By : SELF Gender : Female

Collected : 8/3/2025 10:16:00AM Reported : 9/3/2025 2:45:22PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE) Processed at : SDRL, VIDYAVIHAR 6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052



MediWheel Full Body Health Female >40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP O

Rh Typing Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the
 first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of
 adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

 Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia



Page 13 of 18



 Lab No.
 : 393948630
 Age
 : 55 Years

 Ref By
 : SELF
 Gender
 : Female

Collected : 8/3/2025 10:16:00AM Reported : 9/3/2025 2:45:28PM

A/c Status : P Report Status : Interim

6th Floor, Gupte House, Near Khar Police Station

Mumbai, Maharashtra - 400052

81, Swami Vivekananda Road, Khar West,

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)



URINE EXAMINATION REPORT

Processed at

: SDRL, VIDYAVIHAR

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	Light scattering
Transparency	CLEAR	Clear	Light scattering
CHEMICAL EXAMINATION			
Specific Gravity	1.017	1.002-1.035	Refractive index
Reaction (pH)	5.5	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Negative	Negative	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	0.9	0-5/hpf	
Red Blood Cells / hpf	0.00	0-2/hpf	
Epithelial Cells / hpf	0.00	0-5/hpf	
Hyaline Casts	0.00	0-1/hpf	
Pathological cast	0.00	0-0.3/hpf	
Calcium oxalate monohydrate crystals	0.00	0-1.4/hpf	
Calcium oxalate dihydrate crystals	0.00	0-1.4/hpf	
Triple Phosphate crystals	0.00	0-1.4/hpf	
Uric acid crystals	0.00	0-1.4/hpf	
Amorphous debris	Absent	Absent	
Bacteria / hpf	16.40	0-29.5/hpf	
Yeast	Absent	Absent	
OTHERS			

Note: Microscopic examination is performed by Automated Cuvette based technology. All the Abnormal results are confirmed by reagent strips and Manual method. The Microscopic examination findings are mentioned in decimal numbers as they are the arithmetic mean of the multiple fields scanned using microscopy.

Reference: Pack Insert.



Page 14 of 18



: 393948630 Lab No. : SELF Ref By

: 8/3/2025 10:16:00AM Collected

A/c Status : P

: WALKIN - KHAR WEST (MAIN CENTRE) Collected at

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West.

Mumbai, Maharashtra - 400052

: 55 Years Age Gender : Female

: 9/3/2025 2:45:28PM Reported

Report Status : Interim

: SDRL, VIDYAVIHAR Processed at



URINE EXAMINATION REPORT

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Dr Trupti Shetty MD Pathology Deputy HOD

DPB HOD MD, Biochemistry Consultant Biochemist Dr Priyanka Sunil Pagare

MD Pathology Sr. Pathologist

Dr Vrushali Shroff MD Pathology Sr. Pathologist





Lab No. : 393948630 : 55 Years Age : SELF Ref Bv : Female Gender

: 08/03/2025 10:16:00AM Collected Reported

A/c Status : P

Collected at : WALKIN - KHAR WEST (MAIN CENTRE)

6th Floor, Gupte House, Near Khar Police Station

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

: 9/3/2025 2:45:34PM

Report Status : Interim

: WALKIN - KHAR WEST (MAIN CENTRE) Processed at

> 6th Floor, Gupte House, Near Khar Police Station, 81, Swami Vivekananda Road, Khar

West, Mumbai, Maharashtra - 400052

MediWheel Full Body Health Female >40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGES METHOD

GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting

_Please Repeat Sample





Lab No. : 393948630 Age : 55 Years Ref By : SELF Gender : Female

Collected : 08/03/2025 10:16:00AM Reported : 9/3/2025 2:45:46PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE) Processed at : WALKIN - KHAR WEST (MAIN CENTRE)
6th Floor, Gupte House, Near Khar Police Station 6th Floor, Gupte House, Near Khar Police

6th Floor, Gupte House, Near Khar Police Station, 81, Swami Vivekananda Road, Khar

West, Mumbai, Maharashtra - 400052

MediWheel Full Body Health Female >40/2D ECHO FUS and KETONES

PARAMETER RESULTS BIOLOGICAL REF RANGES METHOD

Urine Sugar (Fasting) _Sample Not Received

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052



Page 17 of 18



Lab No. : 393948630 Age : 55 Years Ref By : SELF Gender : Female

Collected : 8/3/2025 10:16:00AM Reported : 9/3/2025 2:45:57PM

A/c Status : P Report Status : Interim

Collected at : WALKIN - KHAR WEST (MAIN CENTRE) Processed at : WALKIN - KHAR WEST (MAIN CENTRE)
6th Floor, Gupte House, Near Khar Police Station 6th Floor, Gupte House, Near Khar Police

6th Floor, Gupte House, Near Khar Police Station, 81, Swami Vivekananda Road, Khar

West, Mumbai, Maharashtra - 400052

MediWheel Full Body Health Female >40/2D ECHO EXAMINATION OF FAECES

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

PHYSICAL EXAMINATION

EXAMINATION OF FAECES Sample Not Received

81, Swami Vivekananda Road, Khar West,

Mumbai, Maharashtra - 400052

CHEMICAL EXAMINATION

MICROSCOPIC EXAMINATION



Result/s to follow:

CYTOLOGY(PAP SMEAR), GENITAL, FEMALE, CONVENTIONAL

IMPORTANT INSTRUCTIONS

The published test results relate to the submitted specimen. All test results are dependent on the quality of the sample received by the laboratory. Laboratory tests should be clinically correlated by a physician and are merely a tool to help arrive at a diagnosis. Unforeseen circumstances may cause a delay in the delivery of the report. Inconvenience is regretted. Certain tests may require further testing at an additional cost for derivation of exact value. Kindly submit the request within 72 hours post-reporting. The Court/Forum at Mumbai shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of the test(s). Test results are not valid for medico-legal purposes. This computer-generated medical diagnostic report has been verified by a doctor or an authorized medical professional. A physical signature is not required for this report. (#) sample drawn from an external source.

If test results are alarming or unexpected, the client is advised to contact customer care immediately for possible remedial action.
Tel: 022-61700000, Email: comcomcomcomcustomerservice@suburbandiagnostics.com<a href="mailto:customerservice

West Reference Lab, Mumbai, is a CAP (8036028) Accredited laboratory.



Page 18 of 18