



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :15-Nov-2024 / 09:46 :15-Nov-2024 / 13:03

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	13.0	12.0-15.0 g/dL	Spectrophotometric	
RBC	4.28	3.8-4.8 mil/cmm	Elect. Impedance	
PCV	37.6	36-46 %	Measured	
MCV	88	80-100 fl	Calculated	
MCH	30.4	27-32 pg	Calculated	
MCHC	34.6	31.5-34.5 g/dL	Calculated	
RDW	14.1	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5960	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABS	SOLUTE COUNTS			
Lymphocytes	39.2	20-40 %		
Absolute Lymphocytes	2330.0	1000-3000 /cmm	Calculated	
Monocytes	5.0	2-10 %		
Absolute Monocytes	300.0	200-1000 /cmm	Calculated	
Neutrophils	54.1	40-80 %		
Absolute Neutrophils	3220.0	2000-7000 /cmm	Calculated	
Eosinophils	1.5	1-6 %		
Absolute Eosinophils	90.0	20-500 /cmm	Calculated	
Basophils	0.2	0.1-2 %		
Absolute Basophils	10.0	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count MPV	250000 8.9	150000-400000 /cmm 6-11 fl	Elect. Impedance Calculated
PDW <u>RBC MORPHOLOGY</u>	15.7	11-18 %	Calculated
Hypochromia Microcytosis	-		

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



Macrocytosis	-			
Reg. Location	: Borivali West (Main Centre)	Reported	:15-Nov-2024 / 15:14	
Consulting Dr.	: -	Collected	:15-Nov-2024 / 09:46	
Age / Gender	: 43 Years / Female		Use a QR Code Scanner Application To Scan the Code	т
Name	: MS.YOGITA JAIN			R
CID	: 2432016423			0
ECISE TESTING-NEAL	THICR LIVING			Р
IAGNOSTI	C S			E

Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic,Normochromic
Others WBC MORPHOLOGY	Normocytic,Normochromic
WBC MORPHOLOGY	

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a

2-20 mm at 1 hr.

period of time. Interpretation:

ESR, EDTA WB-ESR

Factors that increase ESR: Old age, Pregnancy, Anemia Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

8

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Authenticity Check

A UNA MALE AND A CONTRACTOR

R

Dr.JYOT THAKKER. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Sedimentation

Page 2 of 14

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144





R

Е

P

О

R

Collected Reported :15-Nov-2024 / 14:13 :15-Nov-2024 / 19:00

Hexokinase

MEDIWHEEL FULL BODYHEALTH CHECKUP FEMALE ABOVE 40/2D ECHOPARAMETERRESULTSBIOLOGICAL REF RANGEMETHOD

GLUCOSE (SUGAR) FASTING, 89.0 Fluoride Plasma Fasting Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

GLUCOSE (SUGAR) PP, Fluoride 117.9 Plasma PP Non-Diabetic: < 140 mg/dl Hexokinase Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 3 of 14



CID	: 2432016423
Name	: MS.YOGITA JAIN
Age / Gender	: 43 Years / Female
Consulting Dr.	: -
Reg. Location	: Borivali West (Main Centre)



E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :15-Nov-2024 / 09:46 :15-Nov-2024 / 15:56

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	20.7	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.70	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	110	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease: 30 -44 Severe decrease: 15-29 Kidney failure:<15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
URIC ACID, Serum	4.6	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.0	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.7	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	138	135-148 mmol/l	ISE
POTASSIUM, Serum	4.7	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	103	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 4 of 14





R

Е

Collected : Reported :

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

mg/dl

:15-Nov-2024 / 09:46 :15-Nov-2024 / 14:41

Calculated

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c) PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD Glycosylated Hemoglobin 5.5 Non-Diabetic Level: < 5.7 %</td> HPLC

Glycosylated Hemoglobin 5.5 (HbA1c), EDTA WB - CC

Estimated Average Glucose 111.1 (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 5 of 14



CID	: 2432016423
Name	: MS.YOGITA JAIN
Age / Gender	: 43 Years / Female
Consulting Dr. Reg. Location	: - : Borivali West (Main Centre)



E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:15-Nov-2024 / 09:46 :15-Nov-2024 / 15:19

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Transparency	Clear	Clear	-
CHEMICAL EXAMINATION			
Specific Gravity	1.010	1.002-1.035	Chemical Indicator
Reaction (pH)	6.0	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	8-10	0-20/hpf	
Yeast	Absent	Absent	
Others	-		



CID : 2432016423 Name : MS. YOGITA JAIN			
Age / Gender	: 43 Years / Female		Use a QR Code Scanner Application To Scan the Code
Consulting Dr.	: -	Collected	:15-Nov-2024 / 09:46
Reg. Location	: Borivali West (Main Centre)	Reported	:15-Nov-2024 / 15:19

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Thakke

Authenticity Check

R

E

P

0


R

т

Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 7 of 14





Collected Reported :15-Nov-2024 / 13:07 :16-Nov-2024 / 16:31

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO PAP SMEAR REPORT

<u>Specimen</u>: (G/SDC- 11614/24) Received Ezi prep vial.

Adequacy :

Satisfactory for evaluation. Endocervical and squamous metaplastic cells are present.

Microscopic :

Smear reveals mainly superficial and fewer intermediate squamous cells along with moderate neutrophilic infiltrate, lactobacilli and coccobacilli.

Interpretation :

Negative for intraepithelial lesion or malignancy.

Case was reviewed by Dr. Shital Joshi.

Report as per " THE BETHESDA SYSTEM" for cervicovaginal reporting.

Note : Pap test is a screening test for cervical cancer with inherent false negative results.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.VRUNDA SHETH MBBS,DNB(Path),Dip.FRCP. CHIEF OF HISTOPATHOLOGY & CYTOPATHOLOGY

Page 8 of 14





Collected Reported :15-Nov-2024 / 09:46 :15-Nov-2024 / 14:48

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

<u>RESULTS</u>

В

ABO GROUP

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist

Page 9 of 14



CID	: 2432016423
Name	: MS.YOGITA JAIN
Age / Gender	: 43 Years / Female
Consulting Dr. Reg. Location	: - : Borivali West (Main Centre)



E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :15-Nov-2024 / 09:46 :15-Nov-2024 / 15:56

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	151.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	90.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	44.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	106.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated I
LDL CHOLESTEROL, Serum	89.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	17.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.0	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskav

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 10 of 14



CID	: 2432016423
Name	: MS.YOGITA JAIN
Age / Gender	: 43 Years / Female
Consulting Dr.	: -
Reg. Location	: Borivali West (Main Centre)



E

P

0

R

т

Collected Reported :15-Nov-2024 / 09:46 :15-Nov-2024 / 15:18

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.0	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.64	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 microU/ml	ECLIA

Page 11 of 14



PRECISE TESTING - HEALTHIER LIVING				_
				P
CID	: 2432016423			0
Name	: MS.YOGITA JAIN			R
Age / Gender	: 43 Years / Female		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:15-Nov-2024 / 09:46	
Reg. Location	: Borivali West (Main Centre)	Reported	:15-Nov-2024 / 15:18	

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.

this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Authenticity Check

R

F

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 12 of 14

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



CID	: 2432016423
Name	: MS.YOGITA JAIN
Age / Gender	: 43 Years / Female
Consulting Dr. Reg. Location	: - : Borivali West (Main Centre)



E

P

0

R

т

Collected Reported :15-Nov-2024 / 09:46 :15-Nov-2024 / 15:18

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.31	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.16	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.15	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	19.9	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	15.8	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	15.7	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	54.1	35-105 U/L	Colorimetric

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskav

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 13 of 14





R

Е

P

o

R

т

Application To S

BIOLOGICAL REF RANGE METHOD

Collected Reported :15-Nov-2024 / 09:46 :15-Nov-2024 / 17:21

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO FUS and KETONES

PARAMETER

<u>RESULTS</u>

Urine Sugar (Fasting) Urine Ketones (Fasting) Absent Absent Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



M. Jain

Dr.MILLU JAIN M.D.(PATH) Pathologist

Page 14 of 14



CID NO: 2432016423	
PATIENT'S NAME: MS.YOGITA JAIN	AGE/SEX: 43Y/F
REF BY:	DATE: 18/11/2024

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic valves normal. Trivial PR, Mild TR, Trivial MR.
- Great arteries: Aorta: Normal a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.

10.No LV clot.

11.No Pericardial Effusion

12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2^{-#} Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086. HEALTHLINE: 022-61700000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

R E P O R

T



PATIENT'S NAME: MS.YOGITA JAIN		AGE/SEX: 43Y/F
REF BY:		DATE: 18/11/2024
 REF BY: AO root diameter IVSd LVIDd LVIDs LVPWd LA dimension RA dimension RV dimension Pulmonary flow vel: Pulmonary Gradient Tricuspid flow vel Tricuspid Gradient PASP by TR Jet TAPSE Aortic flow vel 	3.0 cm 0.9 cm 4.3 cm 2.2 cm 0.9 cm 3.6 cm 3.6 cm 3.0 cm 0.7 m/s 2.4 m/s 2.2 m/s 20 m/s 30 mm Hg 2.6 cm 1.1 m/s	AGE/SEX: 43Y/F DATE: 18/11/2024
 Aortic Gradient MV:E A vel IVC 	5 m/s 0.8 m/s 0.6 m/s	
9. IVC 0. E/E'	16 mm 8	

Impression:

Mild TR, Mild PH PASP by TR Jet 30 mm Hg.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN **Consultant Cardiologist** Reg. No. 87714

1

R

E

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

R E P 0 R Name: Yogile Jam Dr. : Age / Gender 43 F. Date: 15/11/24. Dr. **GYNAEC EXAMINATION REPORTS** PERSONAL HISTORY CHIEF COMPLAINTS : \mathcal{MO} , MARITAL STATUS : Married. **MENSTRUAL HISTORY:** (i) MENARCHE : 14 yrs (ii) PRESENT MENSTRUAL HISTORY: 4/10/24. Continous bleeding (iii) PAST MENSTRUAL HISTORY: Till 18th Oct. A. Applied with (iii) PAST MENSTRUAL HISTORY: Till 18th Oct. A. Applied with (No.) Merine Since 18th July 2020. G3 P2 A2 L2 (Both FTNO) Bleeding @ OO FIMTP. 21 days yele. **OBSTETRIC HISTORY** : **PAST HISTORY :** PREVIOUS SURGERIES : | MTP, ALLERGIES : MO. FAMILY HISTORY : Mil DRUG HISTORY : NO. BOWEL HABITS : Occasionaly constiputed. **BLADDER HABITS :** On some medication to reduce & Control bledeig. Murie (week. On Gynaec's recommendation. Does not remander namos

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E. Sector 18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388 MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086. HEALTHLINE: 022-61700000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

SUE	Name H WITHIER LIVING Jan
PRECISE	Name : My THIER LIVING Jan
	Dr. : ()

Age / Gender 43 | β . Date : |5|||24 R

P

0

R

Т

GYNAEC EXAMINATION REPORTS

GENERAL EXAMINATION

TEMPERATURE:

PULSE :

BP :

Per Abdomen :

Per vaginal :

RS :

CVs :

Breasts :

NAD OVE

RECOMMENDATIONS

ADVISE :

DR. MONALI SHAH BHMS, CGO BHMS, CGO Certified Clinical Dietitian Reg. No. 57282

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



uthenticity Check	

E P 0 R

Т

R

CID : 2432016423 : Ms Yogita jain Name : 43 Years/Female Age / Sex Ref. Dr : Borivali West **Reg.** Location

Use a QR Code Scanner Reg. Date Reported

Application To Scan the Code : 15-Nov-2024 : 15-Nov-2024 / 13:15

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report------End of Report------

franali

Dr. Pranali Mahale **MD**, Radiodiagnosis **Consultant Radiologist** Reg no. 2019/07/5682

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?

Acces

sionNo=2024111509441948

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1PageC005380 1



CID

Name

Age / Sex

Reg. Location

Ref. Dr

	1.
the Charle	E
Authenticity Check	
	P
	0
	R
Use a QR Code Scanner	1
Application To Scan the Code	
: 15-Nov-2024	
: 15-Nov-2024 / 11:10	

R

USG WHOLE ABDOMEN

Reg. Date

Reported

LIVER: Liver is normal in size, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

: 2432016423

: Ms Yogita jain

: Borivali West

: 43 Years/Female

PANCREAS:Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

<u>KIDNEYS</u>: Right kidney measures 9.8 x 3.6 cm. Left kidney measures 9.9 x 5.2 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS:</u> Uterus is anteverted, normal and measures 10.7 x 4.5 x 6.2 cm. **IUCD seen in situ and normal** in position.Uterine myometrium shows heterogenous echotexture. Endometrium is normal in thickness and measures 7.2 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal in size and echotexture. The right ovary measures 2.6 x 1.4 x 2.2 cm. The left ovary measures 3.9 x 3.1 x 3.9 cm. **A simple cyst of size 2.9 x 3.0 x 2.9 cm seen in right ovary.**

Bilateral adnexa is clear. No free fluid or obvious significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces sionNo=2024111509441844

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899D P325Ph6055349 MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086. HEALTHLINE: 022-61700000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



		Authenticity Check	E
RLIVING			Р
• 2422016422			0
: Ms Yogita jain			R
: 43 Years/Female		Use a QR Code Scanner Application To Scan the Code	Т
:	Reg. Date	: 15-Nov-2024	
: Borivali West	Reported	: 15-Nov-2024 / 11:10	
	: 43 Years/Female :	 R LIVING 2432016423 Ms Yogita jain 43 Years/Female Reg. Date 	R LIVING Authenticity Check : 2432016423

Opinion:

Right ovarian simple cyst.

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

Franal

Dr. Pranali Mahale MD,Radiodiagnosis Consultant Radiologist Reg no. 2019/07/5682


R

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?

Acces

sionNo=2024111509441844

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899D PagePh6005369



Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical bistory, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and nor derived from the ECG.

Dr Nitin Sonavane M.B.B.S.AFLH, D. DIAB, D. CARD Consultant Cardiologist 87714



Date:-

Name: Yogita Jain

CID:

Sex / Age 13 / F

R

E

P

0

R

Т

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

NIL RE LE 619 619 1 MIG HIG

Colour Vision: Normal / Abnormal

Remark:

Suburban Diagnostics (I) Pvt. Ltd. 301& 302, 3rd Figure Vini Eleganance Above Tanisq Je eller, L. T. Road, Borivali (West), Mumbai - 400 092

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

No.