

Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 09-Nov-2024 / 10:00 Reported : 09-Nov-2024 / 15:59

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC	(Comple	te Blood	Count),	Blood

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	13.4	13.0-17.0 g/dL	Spectrophotometric
RBC	4.82	4.5-5.5 mil/cmm	Elect. Impedance
PCV	40.7	40-50 %	Calculated
MCV	84.4	81-101 fl	Measured
MCH	27.8	27-32 pg	Calculated
MCHC	33.0	31.5-34.5 g/dL	Calculated
RDW	14.5	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	8170	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND AE	SOLUTE COUNTS		
Lymphocytes	33.6	20-40 %	
Absolute Lymphocytes	2745.1	1000-3000 /cmm	Calculated
Monocytes	7.3	2-10 %	
Absolute Monocytes	596.4	200-1000 /cmm	Calculated
Neutrophils	51.6	40-80 %	
Absolute Neutrophils	4215.7	2000-7000 /cmm	Calculated
Eosinophils	7.0	1-6 %	
Absolute Eosinophils	571.9	20-500 /cmm	Calculated
Basophils	0.5	0.1-2 %	
Absolute Basophils	40.9	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	287000	150000-410000 /cmm	Elect. Impedance
MPV	8.3	6-11 fl	Measured
PDW	14.3	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia -Microcytosis -



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. : - Collected : 09-Nov-2024 / 10:00

Reg. Location : Borivali West (Main Centre) Reported : 09-Nov-2024 / 19:00

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 19 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 2 of 12



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 09-Nov-2024 / 10:00 Reported : 09-Nov-2024 / 13:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	90.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP	106.0	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.38	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.18	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.20	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
SGOT (AST), Serum	37.4	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	54.1	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	29.0	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	107.0	40-130 U/L	Colorimetric
BLOOD UREA, Serum	27.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	12.8	6-20 mg/dl	Calculated
CREATININE, Serum	0.91	0.67-1.17 mg/dl	Enzymatic



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. :

eGFR, Serum

Reg. Location : Borivali West (Main Centre)

113

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Calculated

Collected : 09-Nov-2024 / 10:00

Reported :09-Nov-2024 / 13:12

(ml/min/1.73sqm)

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

59

Moderate to severe decrease:30

-44

Severe decrease: 15-29 Kidney failure: <15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

URIC ACID, Serum 5.5 3.5-7.2 mg/dl Enzymatic

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***









Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:09-Nov-2024 / 10:00

Reported :09-Nov-2024 / 17:36

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

6.1 Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Collected

Estimated Average Glucose (eAG), EDTA WB - CC

128.4 mg/dl

Calculated

HPLC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist

Page 5 of 12



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected :

Reported

: 09-Nov-2024 / 10:00 : 09-Nov-2024 / 19:40

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>URINE EXAMINATI</u>	ON REPORT	
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	Light scattering
Transparency	Clear	Clear	Light scattering
CHEMICAL EXAMINATION			
Specific Gravity	1.016	1.002-1.035	Refractive index
Reaction (pH)	5.5	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Negative	Negative	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	1.2	0-5/hpf	
Red Blood Cells / hpf	0.0	0-2 /hpf	
Epithelial Cells / hpf	0.0	0-5/hpf	
Hyaline Casts	0.0	0-1/hpf	
Pathological cast	0.0	0-0.3/hpf	
Calcium oxalate monohydrate crystals	0.0	0-1.4/hpf	
Calcium oxalate dihydrate crystals	0.0	0-1.4/hpf	
Triple phosphate crystals	0.0	0-1.4/hpf	
Uric acid crystals	0.0	0-1.4/hpf	
Amorphous debris	Absent	Absent	
Bacteria / hpf	13.8	0-29.5/hpf	
Yeast	Absent	Absent	



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:09-Nov-2024 / 10:00

Reported :09-Nov-2024 / 19:40

Collected

Note: Microscopic examination performed by Automated Cuvette based technology. All the Abnormal results are confirmed by reagent strips and Manual method. The Microscopic examination findings are mentioned in decimal numbers as the arithmetic mean of the multiple fields scanned using microscopy. Reference: Pack Insert.

Others

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist



CID : 2431420896

Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 09-Nov-2024 / 10:00

Collected Reported :09-Nov-2024 / 14:49

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD GROUPING & Rh TYPING**

RESULTS PARAMETER

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.TRUPTI SHETTY M. D. (PATH) **Pathologist**

Page 8 of 12



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:09-Nov-2024 / 10:00

Reported :09-Nov-2024 / 13:19

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	145.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	132.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	41.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	103.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	78.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	25.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.9	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.JYOT THAKKER..
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)

Page 9 of 12



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 09-Nov-2024 / 10:00

Reported :09-Nov-2024 / 13:12

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.54	0.35-5.5 microIU/ml microU/ml	ECLIA



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. : - Collected : 09-Nov-2024 / 10:00

Reg. Location : Borivali West (Main Centre) Reported :09-Nov-2024 / 13:12

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a QR Code Scanner Application To Scan the Code



Name : MR.KUNAL LADE

Age / Gender : 34 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:09-Nov-2024 / 12:09

Reported :09-Nov-2024 / 20:10

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent

Urine Sugar (PP)AbsentAbsentUrine Ketones (PP)AbsentAbsent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.JYOT THAKKER
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)

Page 12 of 12



ge / Gender : 34 Years/Male

onsulting Dr. :

eg.Location

: Borivali West (Main Centre)

Collected

Reported

: 09-Nov-2024 / 09:53

: 09-Nov-2024 / 17:13

T

R

E

P

0

R

PHYSICAL EXAMINATION REPORT

History and Complaints:

No Complaint

EXAMINATION FINDINGS:

Height (cms):

178

Weight (kg):

gh-

Temp (0c):

Afebrile

Skin:

NAD

Blood Pressure (mm/hg):

20/80

Nails:

NAD

Pulse:

86/min

Lymph Node:

Not Palpable

Systems

Cardiovascular: S1S2-Normal Chest-Clear Respiratory:

Genitourinary:

NAD

GI System:

NAD

CNS:

NAD

IMPRESSION:

ADVICE:

CHIEF COMPLAINTS:

1) Hypertension: 2) IHD

No **Arrhythmia** 3) No **Diabetes Mellitus**

4) No

Tuberculosis No **Asthama** No

Pulmonary Disease

No

No



MECISE TESTINGMERKUNALIVLADE

e / Gender : 34 Years/Male

sulting Dr.

Thyroid/ Endocrine disorders

8)

g.Location : Borivali West (Main Centre)

Collected

: 09-Nov-2024 / 09:53

R

E

P

O

R

T

Reported

: 09-Nov-2024 / 17:13

9)	Nervous disorders	No
10)	GI system	No
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or symptoms	No
13)	Blood disease or disorder	No
14)	Cancer/lump growth/cyst	No
15)	Congenital disease	No
16)	Surgeries	No
17)	Musculoskeletal System	No

PERSONAL HISTORY:

1)	Alcohol	No
2)	Smoking	No
3)	Diet	Mixed

4) Medication DR. NITIN SONAVANE M.D.B.S AFI.H. D.DIAB. D.CARD. CONSULTANT CARDIOLOGIST REGD. #0: 87714

*** End Of Report ***

No

No

Dr.NITIN SONAVANE **PHYSICIAN**

Subarban 301& 302, 312 1 Above Tan Borivali (1. 19, manual)



CID NO: 2431423177 AGE/SEX:34 Y/M PATIENT'S NAME: MR.KUNAL LADE DATE: 09/11/2024 **REF BY: ----**

R

E

0

R

T

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral, Tricuspid valves normal.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



AGE/SEX:34 Y/M PATIENT'S NAME: MR.KUNAL LADE DATE: 09/11/2024

		DATE. UMILIZA
REF BY:		
 AO root diameter IVSd LVIDd LVIDs 	3.0 cm 1.0 cm 4.6 cm 2.1 cm	
 LVPWd LA dimension RA dimension RV dimension Pulmonary flow vel: Pulmonary Gradient Tricuspid flow vel Tricuspid Gradient PASP by TR Jet TAPSE Aortic flow vel Aortic Gradient MV:E A vel IVC 	1.0 cm 3.5 cm 3.5 cm 3.0 cm 1.1 m/s 5 m/s 1.3 m/s 8 m/s 18 mm Hg 2.4 cm 1.3 m/s 7 m/s 0.9 m/s 0.8 m/s 17 mm	
20. E/E'		

Impression:

Normal 2d echo study.

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714

R

E

P

0

R

T



E

R

0

R

T

CID

: 2431420896

Name

: Mr KUNAL LADE

Age / Sex

: 34 Years/Male

Ref. Dr

Reg. Location

: Borivali West

Reg. Date

: 09-Nov-2024

Reported

: 09-Nov-2024 / 18:00

USG WHOLE ABDOMEN

LIVER: Liver is normal in size 12.8 cm, with mild generalized increase in parenchymal echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. Few calculus average of size 2-3 mm seen in gall bladder. A small cholesterol crystal noted along wall of GB.

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas obscured due to bowel gases.

KIDNEYS: Right kidney measures 10.4 x 5.4 cm. Left kidney measures 12.2 x 6.4 cm.

A calculus of size 4.5 mm mid pole of right kidney.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture. Prostate measures 2.7 x 3.5 x 2.7 cm and prostatic weight is 14-50 gm. No evidence of any obvious focal lesion.

No free fluid or size significant lymphadenopathy is seen.

Click here to view images << ImageLink>>



E

R

O R

T

CID

: 2431420896

Name

: Mr KUNAL LADE

Age / Sex

: 34 Years/Male

Ref. Dr

Reg. Location

: Borivali West

Reg. Date

: 09-Nov-2024

Reported

: 09-Nov-2024 / 18:00

Opinion:

- Grade I fatty infiltration of liver.
- Cholelithiasis without cholecystitis.
- Right renal calculus.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

Dr. Pranali Mahale MD, Radiodiagnosis Consultant Radiologist Reg no. 2019/07/5682

Click here to view images << ImageLink>>



R E

0

R

T

CID

: 2431420896

Name

: Mr KUNAL LADE

Age / Sex

Reg. Location

: 34 Years/Male

Ref. Dr

: Borivali West

Reg. Date

: 09-Nov-2024

Reported

: 09-Nov-2024 / 15:49

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

Dr. Pranali Mahale MD, Radiodiagnosis Consultant Radiologist Reg no. 2019/07/5682

Franchi


Click here to view images << ImageLink>>

PRECISE TESTING . HEALTHIER LIVING

SUBURBAN DIAGNOSTICS - BORIVALI WEST

Date and Time: 9th Nov 24 11:00 AM

Patient ID: Patient Name: KUNAL LADE 2431420896



34 NA NA years months days

Gender Male

Heart Rate 89bpm

Patient Vitals

Weight: 94 kg 120/80 mmHg

XX 178 cm

Measurements

350 ms88ms

58° 42° 45° 126ms

425ms

REPORTEDBY

H

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.



R Ε P 0 R

T

Date:-

CID: 2431420896

Name: Kunal. Lade

Sex / Age: 34/ M

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

Hil

Re CE 616 616 Hlb Hl6

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	r)						C4	
Near								

Colour Vision: Normal / Abnormal

Remark:

Suburba: Diagraphica (i) Pvt. Ltd. 301& 302, 3:41 (i) Regarding Above Tank government L. T. Road,

Borivali (West), Muamai - 400 092