

Name : Mr. GANESH KR SHARMA (41 /M)

Date : 08/03/2025

Address : BSM RESIDENCY, FLAT NO-5F, 6TH FLOOR, 12 NO MALLICK PARA LANE,
BEHIND DIAMOND PLAZA MALL, OTHER, KOLKATA, WEST BENGAL, INDIA

Examined by :

UHID : AMHL.0002105817

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238032



CHIEF COMPLAINTS

For corporate health checkup

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,
Hypertension,
Dyslipidemia, Thyroid
disorder, Heart disease,
Stroke, Asthma



SYSTEMIC REVIEW

Cardiovascular system

- Nil Significant

Respiratory system

- Nil Significant

Oral and dental

- Nil Significant

Gastrointestinal system

- Nil Significant

Genitourinary system

- Nil Significant

Central nervous system

- Nil Significant

Eyes

Vision - normal with glasses; Glasses - yes

ENT

- Nil Significant

Musculoskeletal system

Spine and joints

Back - pain; Back (lower) - pain

Skin

- Nil Significant

Weight

- stable



Past medical history

Past medical history - nil significant



Personal history

Marital status - Married

No. of children - 2

Diet - Vegetarian

Alcohol - does not consume alcohol

Smoking - No

Chews tobacco - No

Physical activity - Mild



Family history

Father - alive

Mother - alive

Hypertension - mother

Coronary artery
disease - none

Cancer - None

PHYSICAL EXAMINATION



General

Build - normal

Height - 166

Weight - 66

BMI - 23.95

Pallor - No

Oedema - no



Cardiovascular system

Heart rate (Per minute) - 84

Rhythm - Regular

- B.P. Sitting

Systolic(mm of Hg) - 120

Diastolic(mm of Hg) - 83

Name : Mr. GANESH KR SHARMA (41 /M)

UHID : AMHL.0002105817

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238032

Heart sounds - S1S2+

Respiratory system

Breath sounds - Normal vesicular breath sounds

Abdomen

Appearance - Normal

Organomegaly - No

Tenderness - No

Bowel sounds - Normal

Printed By : Benazir Begaum

Name : Mr. GANESH KR SHARMA (41 /M)

UHID : AMHL.0002105817

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238032

COMPLETE HAEMOGRAM PROFILE

Test Name	Result	Unit	Level	Range
Hemoglobin	13.6	g/dl	●	13.0-17.0
RBC COUNT	4.64	Million/ ul	●	4.5-5.5
Hematocrit - Hct:	44.2	%	●	41-53
MCV	95.3	fl	●	83-101
MCH	29.4	pg	●	27-32
MCHC	30.8 *	%	●	31.5-34.5
RDW	15.1 *	%	●	11.8-14.0
WBC Count	5300	/cu mm	●	4000-10000
Platelet Count	1.39 *	lacs/cu mm	●	1.5-4.0
Neutrophils	57	%	●	40-80
Lymphocytes	38	%	●	20-40
Monocytes	03	%	●	2-10
Eosinophils	02	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Normocytic Normochromic cells			
Platelets:	Adequate on the smear			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	7	mm/1st hr	●	0-15

URINE ROUTINE AND MICROSCOPY

Test Name	Result	Unit	Level	Range
Volume:	40	mL		
Colour:	Pale Straw			
Appearance	Clear			
Specific Gravity	1.005			
pH:	6.5			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	Nil	/hpf		
Pus Cells	Occasional/hpf			
Epithelial Cells	Occasional/hpf			

Casts: Not Found

Crystals: Not Found

URINE SUGAR - POST PRANDIAL (QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

URINE SUGAR- FASTING(QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(FASTING)	Nil			

BLOOD GROUPING AND TYPING (ABO AND RH)

Test Name	Result	Unit	Level	Range
ABO Group:	B			
Rh (D) Type:	POSITIVE			

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	65 *	U/L	●	0-50
ALBUMIN - SERUM	4.7	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	121 *	U/L	●	43-115

AST (SGOT) - SERUM	37	U/L	●	0-50
BILIRUBIN TOTAL - SERUM	1.0	mg/dL	●	0.3-1.2

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	160	mg/dL	●	0-200
Non-HDL Cholesterol	112			

CREATININE - SERUM

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	0.8 *	mg/dL	●	0.9-1.3
CREATININE - SERUM	0.8 *	mg/dL	●	0.9-1.3

● Within Normal Range
 ● Borderline High/Low
 ● Out of Range

Name : Mr. GANESH KR SHARMA (41 /M)

UHID : AMHL.0002105817

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238032

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	18	U/L	●	0-55

GLUCOSE - PLASMA (FASTING)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (FASTING)	79	mg/dL	●	70-99

GLUCOSE - PLASMA (POST PRANDIAL)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (POST PRANDIAL)	117	mg/dL	●	70-140

HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD

Test Name	Result	Unit	Level	Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD	4.8	%	●	Nondiabetic : 4 - 5.6 % Prediabetics : 5.7 - 6.4% Diabetes : >= 6.5% ADA Therapeutic goal : <7%

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
HDL CHOLESTEROL - SERUM	48	mg/dL	●	30-70
TC/HDL-C ratio serum	3		●	Optimal<3.5
LDL CHOLESTEROL -SERUM	93	mg/dL	●	Optimal: <100
VLDL CHOLESTEROL - SERUM (Calculated)	19	mg/dL	●	0-35

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.7	g/dL	●	6.4-8.3
Albumin/Globulin Ratio	1.6		●	1.0-2.0

GLOBULIN: (CALCULATED) - SERUM	3.0	g/dL	●	1.8-3.6
--------------------------------	-----	------	---	---------

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TOTAL T3: TRI IODOTHYRONINE - SERUM (Chemiluminescence)	1.19	ng/ml	●	0.87-1.78
TOTAL T4: THYROXINE - SERUM (Chemiluminescence)	8.55	µg/dL	●	5.48-14.28

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
TRIGLYCERIDES - SERUM	113	mg/dL	●	0-150

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TSH: THYROID STIMULATING HORMONE - SERUM (Chemiluminescence)	1.83	µIU/mL	●	0.38-5.33

URIC ACID - SERUM

Test Name	Result	Unit	Level	Range
URIC ACID - SERUM	5.1	mg/dL	●	2.6-7.2

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.4 *	mg/dL	●	0.0-0.2

PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL) - SERUM

Test Name	Result	Unit	Level	Range
PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL) - SERUM (Chemiluminescence)	0.42	ng/mL	●	0.00-6.50

BUN (BLOOD UREA NITROGEN)

Test Name	Result	Unit	Level	Range
-----------	--------	------	-------	-------

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. GANESH KR SHARMA (41 /M)

UHID : AMHL.0002105817

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238032

BUN (BLOOD UREA NITROGEN)	9.81	mg/dL	●	7.0-18.0
UREA - SERUM	21	mg/dL	●	13-43
UREA - SERUM	21	mg/dL	●	13-43

BUN/CREATININE RATIO

Test Name	Result	Unit	Level	Range
BUN/CREATININE RATIO	12.3			
UREA - SERUM	21	mg/dL	●	13-43
UREA - SERUM	21	mg/dL	●	13-43
CREATININE - SERUM	0.8 *	mg/dL	●	0.9-1.3
CREATININE - SERUM	0.8 *	mg/dL	●	0.9-1.3

X-RAY CHEST PA

* Chest skiagram does not reveal any significant abnormality.

TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

ULTRASOUND SCREENING WHOLE ABDOMEN

* Grade I fatty liver.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

DONE BY

Dr. HENA PARVIN

DNB RESIDENT

In consultation with

EKG

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

Biochemistry

A/G - RATIO

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. GANESH KR SHARMA (41 /M)

UHID : AMHL.0002105817

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238032

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

AICVD RISK SCORE REPORT

RISK STATUS

Low Risk

YOUR SCORE

4

ACCEPTABLE SCORE

5

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
3. To ensure the information in the report is up to date , accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515