

Tests you can trust

- Name : <u>Samprit Raj Behera(24Y/M)</u>
- Date : <u>09 Mar 2025</u>
- Test Asked : Mediwheel Health Checkup Below 40
- Report Status: Complete Report



First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]



Your reports are digitally verifiable Scan the QR code inside the report to check authenticity of reported values QR code will remain active for 30 days from report release date



Accredited by





NABL From 2005

ISO 9001: 2015 - From 2015

CAP From 2007

| PROCESSED AT Thyrocare D-37/1,TTC MID Navi Mumbai-40 | C,Turbhe, | | Tests you can trust |
|---|--|---|--|
| | Technologies Limited, D-37/3, TTC MIDC, Turbhe, | | |
| First No name ref. by test asked | ational Diagnostic Chain to have SAMPRIT RAJ BEHERA(24Y/M) SELF MEDIWHEEL HEALTH CHECKUP BELOW 40 | HOME CO Flat No 70 Navi Flat N | Ith NABL Accreditation" LLECTION : 2, Arihant Ansh, Sector 26, Vashi, No 702, Arihant Ansh, Sector 26, ri Mumbai Flat No 702, Arihant Ansh |
| Report Ava | ilability Summary | | |
| Note: Please refe | er to the table below for status of your tes | ts. | |
| 🕑 13 Ready | 0 Ready with Cancellation | O Processing | 🚫 0 Cancelled in Lab |
| TEST DETAILS | \$ | | REPORT STATUS |
| MEDIWHEEL H | EALTH CHECKUP BELOW 40 | | Ready \oslash |
| LIPID PROFIL | E | | Ready ⊘ |
| ERYTHROCYT | E SEDIMENTATION RATE (ESR) | | Ready ⊘ |
| HEMOGRAM - | 6 PART (DIFF) | | Ready ⊘ |
| T3-T4-USTSH | I | | Ready ⊘ |
| FASTING BLO | OD SUGAR(GLUCOSE) | | Ready ⊘ |
| HbA1c | | | Ready ⊘ |
| COMPLETE UF | RINE ANALYSIS | | Ready ⊘ |
| VITAMIN B-12 | 2 | | Ready ⊘ |
| LIVER FUNCT | ION TESTS | | Ready ⊘ |
| PHOSPHOROU | JS | | Ready ⊘ |
| SERUM ELECT | TROLYTES | | Ready ⊘ |
| KIDPRO | | | Ready ⊘ |
| 25-OH VITAM | IN D (TOTAL) | | Ready ⊘ |

TEST ASKED

Thyrocare D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



: MEDIWHEEL HEALTH CHECKUP BELOW 40

MC-2407 Cests you can trust

🕈 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 🔊 9870666333 🖙 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME : | SAMPRIT RAJ BEHERA(24Y/M) |
|--------|---------------------------|
|--------|---------------------------|

REF. BY : SELF

HOME COLLECTION :

Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703

| Tests outside reference range | | | | |
|------------------------------------|----------------|------------|---------------------|--|
| ST NAME | OBSERVED VALUE | UNITS | Bio. Ref. Interval. | |
| MPLETE HEMOGRAM | | | | |
| MPHOCYTE | 12.2 | % | 20-40 | |
| AN CORPUSCULAR HEMOGLOBIN(MCH) | 26.6 | pq | 27.0-32.0 | |
| AN CORPUSCULAR VOLUME(MCV) | 80 | fL | 83.0-101.0 | |
| UTROPHILS | 82.9 | % | 40-80 | |
| UTROPHILS - ABSOLUTE COUNT | 11.05 | X 10³ / μL | 2.0-7.0 | |
| D CELL DISTRIBUTION WIDTH (RDW-CV) | 14.2 | % | 11.6-14 | |
| TAL LEUCOCYTES COUNT (WBC) | 13.33 | X 10³ / μL | 4.0 - 10.0 | |
| TAL RBC | 5.6 | X 10^6/µL | 4.5-5.5 | |
| ECTROLYTES | | | | |
| TASSIUM | 5.62 | mmol/L | 3.5 - 5.1 | |
| PID | | | | |
| L / HDL RATIO | 1.1 | Ratio | 1.5-3.5 | |
| / HDL CHOLESTEROL RATIO | 2.1 | Ratio | 3 - 5 | |
| HER COUNTS | | | | |
| YTHROCYTE SEDIMENTATION RATE (ESR) | 25 | mm / hr | 0 - 15 | |
| NAL | | | | |
| OOD UREA NITROGEN (BUN) | 7.69 | mg/dL | 7.94 - 20.07 | |
| N / SR.CREATININE RATIO | 8.74 | Ratio | 9:1-23:1 | |
| EA (CALCULATED) | 16.46 | mg/dL | Adult : 17-43 | |
| VITAMIN | | | | |
| OH VITAMIN D (TOTAL) | 15.4 | ng/mL | 30-100 | |

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

Navi Mumbai-400 703

REF. BY

TEST ASKED



: MEDIWHEEL HEALTH CHECKUP BELOW 40





💡 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🛛 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME | : | SAMPRIT | RAJ | BEHERA(24Y/M) |
|------|---|---------|-----|---------------|
| | - | | | |

HOME COLLECTION :

Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

PATIENTID : SB25943958

: SELF

| TEST NAME | TECHNOLO | GY | VALUE | UNITS | |
|--|-----------|------------|----------------|-------------|--|
| HbA1c - (HPLC) | | | | | |
| | H.P.L.C | | 5.3 | % | |
| Bio. Ref. Interval. : | | | | | |
| Bio. Ref. Interval.: As per ADA Guidelines | | Guidance I | For Known Dia | abetics | |
| Below 5.7% : Normal | | Below 6.5% | : Good Contro | ol | |
| 5.7% - 6.4% : Prediabetic | | 6.5% - 7% | : Fair Control | | |
| >=6.5% : Diabetic | | 7.0% - 8% | : Unsatisfacto | ory Control | |
| | | >8% | : Poor Control | | |
| Method : Fully Automated H.P.L.C method | | | | | |
| AVERAGE BLOOD GLUCOSE (ABG) | CALCULATE | D | 105 | mg/dL | |
| Bio. Ref. Interval. : | | | | | |
| 90 - 120 mg/dl : Good Control | | | | | |
| 121 - 150 mg/dl : Fair Control | | | | | |
| 151 - 180 mg/dl : Unsatisfactory Control | | | | | |
| > 180 mg/dl : Poor Control | | | | | |
| Method : Derived from HBA1c values | | | | | |

Please correlate with clinical conditions.

Sample Collected on (SCT) :09 Ma

Sample Received on (SRT) Report Released on (RRT) Sample Type

Barcode



:09 Mar 2025 07:35

: 09 Mar 2025 11:40 : 09 Mar 2025 15:17 : EDTA Whole Blood : 0903000359/DS853

phulkorn

Dr Renuka MD(Path)



Dr Arshiya MD(Path)

Page : 1 of 13

Scan QR code to verify authenticity of reported results; active for 30 days from release time.

:DM295821

Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703





🕈 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 📼 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME | : SAMPRIT RAJ BEHERA(24Y/M) |
|------------|-------------------------------------|
| REF. BY | : SELF |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION :

| Navi Mumbai | -400703 Thane | |
|----------------|---------------------|--------------------|
| Mumbai Flat I | No 702, Arihant Ans | sh Sector 26 Vashi |
| Flat No 702, / | Arihant Ansh, Secto | or 26, Vashi, Navi |
| Flat No 702, / | Arihant Ansh, Secto | or 26, Vashi, Navi |

TEST NAME

| IESI NAME | TECHNOLOGY | VALUE | UNITS |
|--------------------------------------|---------------------|-------|---------|
| ERYTHROCYTE SEDIMENTATION RATE (ESR) | MODIFIED WESTERGREN | 25 | mm / hr |
| Bio. Ref. Interval. :- | | | |

Male : 0-15 Female : 0-20

Clinical Significance:

- An erythrocyte sedimentation rate (ESR) is a blood test that can rise if you have inflammation in your body. Its also used as a marker to monitor prognosis of an existing inflammatory/infective condition.
- Inflammation is your immune systems response to injury, infection, and many types of conditions,
- including immune system disorders, certain cancers and blood disorders.
- A high ESR test result may be from a condition that causes inflammation, such as: Arteritis, Arthritis, Systemic vasculitis, Polymyalgia rheumatica, Inflammatory bowel disease, Kidney disease, Infections like Tuberculosis etc, Rheumatoid arthritis and other autoimmune diseases, Heart disease, Certain cancers and many other Conditions.
- A low ESR test result may be caused by conditions such as: A blood disorder, such as: Polycythemia, Sickle cell disease (SCD), Leukocytosis, Heart failure, Certain kidney and liver problems etc.
- Certain physiological conditions also affect ESR results, these include : Pregnancy, menstrual cycle, ageing, obesity, drinking alcohol regularly, and exercise, Certain medicines and supplements also can affect ESR results.
- Hence Its always suggested to interpret ESR results in conjunction with Clinical History and other findings.

References :

https://medlineplus.gov/lab-tests/erythrocyte-sedimentation-rate-esr/

Please correlate with clinical conditions.

Method:- MODIFIED WESTERGREN

| Sample Collected on (SCT) | : 09 Mar 2025 07:35 | ~ |
|---------------------------|--|---------------------|
| Sample Received on (SRT) | : 09 Mar 2025 11:40 : 09 Mar 2025 15:17 | 2028 |
| Report Released on (RRT) | : 09 Mar 2025 15:17 (P) July | Anchange |
| Sample Type | EDTA Whole Blood | |
| Labcode | : 0903000359/DS853 Dr Renuka MD(Path) | Dr Arshiya MD(Path) |
| Barcode | : DM295821 | Page : 2 of 13 |
| | | |







🗣 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 오 9870666333 🖾 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation $^{\#}$

| NAME | : SAMPRIT RAJ BEHERA(24Y/M) |
|------------|-------------------------------------|
| REF. BY | : SELF |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION :

Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi

PATIENTID : SB25943958

| TEST NAME | METHODOLOGY | VALUE | UNITS | Bio. Ref. Interva |
|---|-----------------------|-------|------------------------|-------------------|
| HEMOGLOBIN | SLS-Hemoglobin Method | 14.9 | g/dL | 13.0-17.0 |
| Hematocrit (PCV) | CPH Detection | 44.8 | % | 40.0-50.0 |
| Total RBC | HF & EI | 5.6 | Χ 10^6/μL | 4.5-5.5 |
| Mean Corpuscular Volume (MCV) | Calculated | 80 | fL | 83.0-101.0 |
| Mean Corpuscular Hemoglobin (MCH) | Calculated | 26.6 | pq | 27.0-32.0 |
| Mean Corp.Hemo. Conc (MCHC) | Calculated | 33.3 | g/dL | 31.5-34.5 |
| Red Cell Distribution Width - SD (RDW-SD) | Calculated | 41.4 | fL | 39-46 |
| Red Cell Distribution Width (RDW - CV) | Calculated | 14.2 | % | 11.6-14 |
| RED CELL DISTRIBUTION WIDTH INDEX (RDWI) | Calculated | 202.9 | - | *Refer Note below |
| MENTZER INDEX | Calculated | 14.3 | - | *Refer Note below |
| TOTAL LEUCOCYTE COUNT (WBC) | HF & FC | 13.33 | Χ 10³ / μL | 4.0 - 10.0 |
| DIFFERENTIAL LEUCOCYTE COUNT | | | | |
| Neutrophils Percentage | Flow Cytometry | 82.9 | % | 40-80 |
| Lymphocytes Percentage | Flow Cytometry | 12.2 | % | 20-40 |
| Monocytes Percentage | Flow Cytometry | 2.6 | % | 2-10 |
| Eosinophils Percentage | Flow Cytometry | 1.7 | % | 1-6 |
| Basophils Percentage | Flow Cytometry | 0.3 | % | 0-2 |
| Immature Granulocyte Percentage (IG%) | Flow Cytometry | 0.3 | % | 0-0.5 |
| Nucleated Red Blood Cells % | Flow Cytometry | 0.01 | % | 0.0-5.0 |
| ABSOLUTE LEUCOCYTE COUNT | | | | |
| Neutrophils - Absolute Count | Calculated | 11.05 | Χ 10³ / μL | 2.0-7.0 |
| Lymphocytes - Absolute Count | Calculated | 1.63 | X 10 ³ / μL | 1.0-3.0 |
| Monocytes - Absolute Count | Calculated | 0.35 | X 10 ³ / μL | 0.2 - 1.0 |
| Basophils - Absolute Count | Calculated | 0.04 | X 10 ³ / μL | 0.02 - 0.1 |
| Eosinophils - Absolute Count | Calculated | 0.23 | X 10 ³ / μL | 0.02 - 0.5 |
| Immature Granulocytes (IG) | Calculated | 0.04 | X 10 ³ / μL | 0-0.3 |
| Nucleated Red Blood Cells | Calculated | 0.01 | X 10 ³ / μL | 0.0-0.5 |
| PLATELET COUNT | HF & EI | 228 | X 10 ³ / μL | 150-410 |
| Mean Platelet Volume (MPV) | Calculated | 10.5 | fL | 6.5-12 |
| Platelet Distribution Width (PDW) | Calculated | 12.4 | fL | 9.6-15.2 |
| Platelet to Large Cell Ratio (PLCR) | Calculated | 28.9 | % | 19.7-42.4 |
| Plateletcrit (PCT) | Calculated | 0.24 | % | 0.19-0.39 |

Remarks : Alert!!! Predominantly normocytic normochromic with ovalocytes. WBCs: Mild neutrophilic leukocytosis is present. Platelets: Appear adequate in smear.

*Note - Mentzer index (MI), RDW-CV and RDWI are hematological indices to differentiate between Iron Deficiency Anemia (IDA) and Beta Thalassemia Trait (BTT). MI >13, RDWI >220 and RDW-CV >14 more likely to be IDA. MI <13, RDWI <220, and RDW-CV <14 more likely to be BTT. Suggested Clinical correlation. BTT to be confirmed with HB electrophoresis if clinically indicated. Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height)

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode :09 Mar 2025 07:35 :09 Mar 2025 11:40 :09 Mar 2025 15:17 : EDTA Whole Blood : 0903000359/DS853 : DM295821

Perulkan

Dr Renuka MD(Path)

Dr Arshiya MD(Path) Page : 3 of 13

Thyrocare D-37/1,TTC MIDC,Turbhe,

Navi Mumbai-400 703

🕈 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖾 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME | : SAMPRIT RAJ BEHERA(24Y/M) |
|------------|-------------------------------------|
| REF. BY | : SELF |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION : Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

| TEST NAME | TECHNOLOGY | VALUE | UNITS | |
|---|------------|-------|-------|--|
| 25-OH VITAMIN D (TOTAL) Bio. Ref. Interval. :- | E.C.L.I.A | 15.4 | ng/mL | |

Deficiency : <=20 ng/ml || Insufficiency : 21-29 ng/ml Sufficiency : >= 30 ng/ml || Toxicity : >100 ng/ml

Clinical Significance:

Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health.

Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome. Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):9.20%, Inter assay (%CV):8.50% Kit Validation Reference : Holick M. Vtamin D the underappreciated D-Lightful hormone that is important for Skeletal and cellular health Curr Opin Endocrinol Diabetes 2002:9(1)87-98.

Please correlate with clinical conditions.

Method:- Fully Automated Electrochemiluminescence Compititive Immunoassay

| Sample Collected on (SCT) | : 09 Mar 2025 07:35 | ~ |
|---------------------------|--|---------------------|
| Sample Received on (SRT) | : 09 Mar 2025 11:47 : 09 Mar 2025 15:22 | Bons |
| Report Released on (RRT) | : 09 Mar 2025 15:22 | Darstweet |
| Sample Type | SERUM | 7.4.1 |
| Labcode | : 0903000383/DS853 Dr Renuka MD(Path) | Dr Arshiya MD(Path) |
| Barcode | : DF040422 | Page : 4 of 13 |
| | | |





Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



MC-2407 Contraction Contractio

🕈 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖙 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME | : SAMPRIT RAJ BEHERA(24Y/M) | HOME COLLECTION : |
|------------|-------------------------------------|--|
| REF. BY | : SELF | Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 | Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane |

| TEST NAME | TECHNOLOGY | VALUE | UNITS | | |
|------------------------|------------|-------|-------|--|--|
| VITAMIN B-12 | E.C.L.I.A | 279 | pg/mL | | |
| Bio. Ref. Interval. :- | | | | | |

Normal: 197-771 pg/ml

Clinical significance :

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):2.6%, Inter assay (%CV):2.3 %

Kit Validation Reference : Thomas L.Clinical laborator Diagnostics : Use and Assessment of Clinical laboratory Results 1st Edition,TH Books-Verl-Ges,1998:424-431

Please correlate with clinical conditions.

Method:- Fully Automated Electrochemiluminescence Compititive Immunoassay

| Sample Collected on (SCT) | : 09 Mar 2025 07:35 | |
|---------------------------|--|---------------------|
| Sample Received on (SRT) | : 09 Mar 2025 11:47 : 09 Mar 2025 15:22 | Bons |
| Report Released on (RRT) | : 09 Mar 2025 15:22 (P) www | Anstructure |
| Sample Type | SERUM | |
| Labcode | : 0903000383/DS853 Dr Renuka MD(Path) | Dr Arshiya MD(Path) |
| Barcode | : DF040422 | Page : 5 of 13 |
| | | |

NAME







💡 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖾 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

: SAMPRIT RAJ BEHERA(24Y/M)

| REF. BY | : SELF |
|------------|-------------------------------------|
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION :

Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

| PATIENTID | : SB25943958 |
|-----------|--------------|
| | |

| TEST NAME | TECHNOLOGY | VALUE | UNITS | Bio. Ref. Interval. |
|---------------------------|------------|-------|-------|---------------------|
| TOTAL CHOLESTEROL | PHOTOMETRY | 120 | mg/dL | < 200 |
| HDL CHOLESTEROL - DIRECT | PHOTOMETRY | 56 | mg/dL | 40-60 |
| LDL CHOLESTEROL - DIRECT | PHOTOMETRY | 60 | mg/dL | < 100 |
| TRIGLYCERIDES | PHOTOMETRY | 42 | mg/dL | < 150 |
| TC/ HDL CHOLESTEROL RATIO | CALCULATED | 2.1 | Ratio | 3 - 5 |
| TRIG / HDL RATIO | CALCULATED | 0.75 | Ratio | < 3.12 |
| LDL / HDL RATIO | CALCULATED | 1.1 | Ratio | 1.5-3.5 |
| HDL / LDL RATIO | CALCULATED | 0.93 | Ratio | > 0.40 |
| NON-HDL CHOLESTEROL | CALCULATED | 63.47 | mg/dL | < 160 |
| VLDL CHOLESTEROL | CALCULATED | 8.44 | mg/dL | 5 - 40 |

Please correlate with clinical conditions.

Method :

| CHOL - Cholesterol Oxidase | , Esterase, Pe | eroxidase | | | |
|--------------------------------|----------------|-----------|---------|---------|-------|
| HCHO - Direct Enzymatic Co | olorimetric | | | | |
| LDL - Direct Measure | | | | | |
| TRIG - Enzymatic, End Point | t | | | | |
| TC/H - Derived from serum | Cholesterol a | nd Hdl va | lues | | |
| TRI/H - Derived from TRIG | and HDL Valu | es | | | |
| LDL/ - Derived from serum | HDL and LDL | Values | | | |
| HD/LD - Derived from HDL | and LDL value | es. | | | |
| NHDL - Derived from serum | Cholesterol a | and HDL \ | /alues | | |
| VLDL - Derived from serum | Triglyceride v | alues | | | |
| *REFERENCE RANGES AS PE | R NCEP ATP I | II GUIDE | LINES: | | |
| TOTAL CHOLESTEROL | (mg/dl) | HDL | (mg/dl) | LDL | (mg/d |
| DESIRABLE | <200 | LOW | <40 | OPTIMAL | <100 |

| TOTAL CHOLESTEROL | (mg/dl) | HDL | (mg/dl) | LDL | (mg/dl) | TRIGLYCERIDES | (mg/dl) |
|-------------------|---------|------|---------|-----------------|---------|-----------------|---------|
| DESIRABLE | <200 | LOW | <40 | OPTIMAL | <100 | NORMAL | <150 |
| BORDERLINE HIGH | 200-239 | HIGH | >60 | NEAR OPTIMAL | 100-129 | BORDERLINE HIGH | 150-199 |
| HIGH | >240 | | | BORDERLINE HIGH | 130-159 | HIGH | 200-499 |
| | | | | HIGH | 160-189 | VERY HIGH | >500 |
| | | | | VERY HIGH | >190 | | |

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode

: 09 Mar 2025 07:35 : 09 Mar 2025 11:47 : 09 Mar 2025 15:22 : SERUM : 0903000383/DS853 : DF040422

Perulkan

Dr Renuka MD(Path)

Dr Arshiya MD(Path)

NAME







💡 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖾 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

: SAMPRIT RAJ BEHERA(24Y/M)

| REF. BY | : SELF |
|------------|-------------------------------------|
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION :

Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

| PATIENTID : SB25943958 | ' | | lanc | |
|------------------------------------|------------|-------|-------|--------------------|
| TEST NAME | TECHNOLOGY | VALUE | UNITS | Bio. Ref. Interval |
| ALKALINE PHOSPHATASE | PHOTOMETRY | 67.3 | U/L | 45-129 |
| BILIRUBIN - TOTAL | PHOTOMETRY | 1.02 | mg/dL | 0.3-1.2 |
| BILIRUBIN -DIRECT | PHOTOMETRY | 0.22 | mg/dL | < 0.3 |
| BILIRUBIN (INDIRECT) | CALCULATED | 0.8 | mg/dL | 0-0.9 |
| GAMMA GLUTAMYL TRANSFERASE (GGT) | PHOTOMETRY | 23.2 | U/L | < 55 |
| ASPARTATE AMINOTRANSFERASE (SGOT) | PHOTOMETRY | 26.4 | U/L | < 35 |
| ALANINE TRANSAMINASE (SGPT) | PHOTOMETRY | 18 | U/L | < 45 |
| SGOT / SGPT RATIO | CALCULATED | 1.47 | Ratio | < 2 |
| PROTEIN - TOTAL | PHOTOMETRY | 7.96 | gm/dL | 5.7-8.2 |
| ALBUMIN - SERUM | PHOTOMETRY | 4.67 | gm/dL | 3.2-4.8 |
| SERUM GLOBULIN | CALCULATED | 3.29 | gm/dL | 2.5-3.4 |
| SERUM ALB/GLOBULIN RATIO | CALCULATED | 1.42 | Ratio | 0.9 - 2 |

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method

BILT - Vanadate Oxidation

BILD - Vanadate Oxidation

BILI - Derived from serum Total and Direct Bilirubin values

GGT - Modified IFCC method

SGOT - IFCC* Without Pyridoxal Phosphate Activation

SGPT - IFCC* Without Pyridoxal Phosphate Activation

OT/PT - Derived from SGOT and SGPT values.

PROT - Biuret Method

SALB - Albumin Bcg¹method (Colorimetric Assay Endpoint)

- SEGB DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
- A/GR Derived from serum Albumin and Protein values

| Sample Collected on (SCT) | : 09 Mar 2025 07:35 | | 0.08 |
|---------------------------|---------------------|--------------------|---------------------|
| Sample Received on (SRT) | : 09 Mar 2025 11:47 | Deruskanne | 1 Pine Port |
| Report Released on (RRT) | : 09 Mar 2025 15:22 | Perus | Austrant - |
| Sample Type | : SERUM | | |
| Labcode | : 0903000383/DS853 | Dr Renuka MD(Path) | Dr Arshiya MD(Path) |
| Barcode | : DF040422 | | Page : 7 of 12 |

Page : 7 of 13

NAME







💡 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖾 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

: SAMPRIT RAJ BEHERA(24Y/M)

| REF. BY | : SELF |
|------------|-------------------------------------|
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION :

Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

| PATIENTID | : SB25943958 |
|-----------|--------------|
| | |

| TEST NAME | TECHNOLOGY | VALUE | UNITS | Bio. Ref. Interval. |
|----------------------------|------------------|-------|--------|---------------------|
| CALCIUM | PHOTOMETRY | 9.64 | mg/dL | 8.8-10.6 |
| URIC ACID | PHOTOMETRY | 7.2 | mg/dL | 4.2 - 7.3 |
| BLOOD UREA NITROGEN (BUN) | PHOTOMETRY | 7.69 | mg/dL | 7.94 - 20.07 |
| UREA (CALCULATED) | CALCULATED | 16.46 | mg/dL | Adult : 17-43 |
| CREATININE - SERUM | PHOTOMETRY | 0.88 | mg/dL | 0.72-1.18 |
| UREA / SR.CREATININE RATIO | CALCULATED | 18.7 | Ratio | < 52 |
| BUN / SR.CREATININE RATIO | CALCULATED | 8.74 | Ratio | 9:1-23:1 |
| PHOSPHOROUS | PHOTOMETRY | 3.98 | mg/dL | 2.4 - 5.1 |
| SODIUM | I.S.E - INDIRECT | 141.8 | mmol/L | 136 - 145 |
| POTASSIUM | I.S.E - INDIRECT | 5.62 | mmol/L | 3.5 - 5.1 |
| CHLORIDE | I.S.E - INDIRECT | 107 | mmol/L | 98 - 107 |

Please correlate with clinical conditions.

Method :

CALC - Arsenazo III Method, End Point. URIC - Uricase / Peroxidase Method BUN - Kinetic UV Assay. UREAC - Derived from BUN Value. SCRE - Creatinine Enzymatic Method UR/CR - Derived from UREA and Sr.Creatinine values. B/CR - Derived from serum Bun and Creatinine values PHOS - UNREDUCED PHOSPHOMOLYBDATE METHOD SOD - ION SELECTIVE ELECTRODE - INDIRECT POT - ION SELECTIVE ELECTRODE - INDIRECT CHL - ION SELECTIVE ELECTRODE - INDIRECT

| Sample Collected on (SCT) | : 09 Mar 2025 07:35 | | 0.12 |
|---------------------------|---------------------|--------------------|---------------------|
| Sample Received on (SRT) | : 09 Mar 2025 11:47 | Detrutkarre | 1 Dive Kor |
| Report Released on (RRT) | : 09 Mar 2025 15:22 | Petrus | Australian - |
| Sample Type | : SERUM | | |
| Labcode | : 0903000383/DS853 | Dr Renuka MD(Path) | Dr Arshiya MD(Path) |
| Barcode | . DF040422 | | 5 0 640 |

Page : 8 of 13

Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703







🕈 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🛛 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME | : SAMPRIT RAJ BEHERA(24Y/M) |
|------------|-------------------------------------|
| REF. BY | : SELF |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION : Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

PATIENTID SB25943958

| TEST NAME | TECHNOLOGY | VALUE | UNITS | Bio. Ref. Interval. |
|-----------------------------|------------|-------|--------|---------------------|
| TOTAL TRIIODOTHYRONINE (T3) | E.C.L.I.A | 116 | ng/dL | 80-200 |
| TOTAL THYROXINE (T4) | E.C.L.I.A | 7.93 | µg/dL | 4.8-12.7 |
| TSH - ULTRASENSITIVE | E.C.L.I.A | 1.06 | µIU/mL | 0.54-5.30 |

*** Comments :

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically. Method :

T3,T4 - Fully Automated Electrochemiluminescence Compititive Immunoassay USTSH - Fully Automated Electrochemiluminescence Sandwich Immunoassay

Disclaimer : Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

| Sample Collected on (SCT) | : 09 Mar 2025 07:35 | |
|---------------------------|---------------------|--------------------|
| Sample Received on (SRT) | : 09 Mar 2025 11:47 | al |
| Report Released on (RRT) | : 09 Mar 2025 15:22 | Detrutkon |
| Sample Type | : SERUM | Pene |
| Labcode | : 0903000383/DS853 | Dr Renuka MD(Path) |
| Barcode | : DF040422 | |

Dr Arshiya MD(Path) Page : 9 of 13

Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



UNITS

mL/min/1.73 m2

💡 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖾 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

TECHNOLOGY

CALCULATED

| NAME | : SAMPRIT RAJ BEHERA(24Y/M) |
|------------|-------------------------------------|
| REF. BY | : SELF |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION :

| Flat No 702, Arihant Ansh, Sector 26, Va Flat No 702, Arihant Ansh, Sector 26, Va | , |
|--|-------------|
| Mumbai Flat No 702, Arihant Ansh Secto Navi Mumbai-400703 Thane | or 26 Vashi |
| | |

VALUE

123

TEST NAME

EST. GLOMERULAR FILTRATION RATE (eGFR) Bio. Ref. Interval. :-

> = 90 : Normal

60 - 89 : Mild Decrease

45 - 59 : Mild to Moderate Decrease

30 - 44 : Moderate to Severe Decrease

15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions. Method:- 2021 CKD EPI Creatinine Equation

| 3 |
|---|
| |







💡 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖾 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME | SAMPRIT RAJ BEHERA(24Y/M) |
|------------|-------------------------------------|
| REF. BY | : SELF |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION : Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

PATIENTID : SB25943958

| TEST NAME | METHODOLOGY | VALUE | UNITS | Bio. Ref. Interval. |
|--------------------------------|----------------------|-------------|-----------|---------------------|
| Complete Urinogram | | | | |
| Physical Examination | | | | |
| VOLUME | Visual Determination | 3 | mL | - |
| COLOUR | Visual Determination | PALE YELLOW | - | Pale Yellow |
| APPEARANCE | Visual Determination | CLEAR | - | Clear |
| SPECIFIC GRAVITY | pKa change | 1.01 | - | 1.003-1.030 |
| PH | pH indicator | 5.5 | - | 5-8 |
| Chemical Examination | | | | |
| URINARY PROTEIN | PEI | ABSENT | mg/dL | Absent |
| URINARY GLUCOSE | GOD-POD | ABSENT | mg/dL | Absent |
| URINE KETONE | Nitroprusside | ABSENT | mg/dL | Absent |
| URINARY BILIRUBIN | Diazo coupling | ABSENT | mg/dL | Absent |
| UROBILINOGEN | Diazo coupling | Normal | mg/dL | <=0.2 |
| BILE SALT | Hays sulphur | ABSENT | - | Absent |
| BILE PIGMENT | Ehrlich reaction | ABSENT | - | Absent |
| URINE BLOOD | Peroxidase reaction | ABSENT | - | Absent |
| NITRITE | Diazo coupling | ABSENT | - | Absent |
| LEUCOCYTE ESTERASE | Esterase reaction | ABSENT | - | Absent |
| Microscopic Examination | | | | |
| MUCUS | Microscopy | ABSENT | - | Absent |
| RED BLOOD CELLS | Microscopy | ABSENT | cells/HPF | 0-5 |
| URINARY LEUCOCYTES (PUS CELLS) | Microscopy | ABSENT | cells/HPF | 0-5 |
| EPITHELIAL CELLS | Microscopy | 1 | cells/HPF | 0-5 |
| CASTS | Microscopy | ABSENT | - | Absent |
| CRYSTALS | Microscopy | ABSENT | - | Absent |
| BACTERIA | Microscopy | ABSENT | - | Absent |
| YEAST | Microscopy | ABSENT | - | Absent |
| PARASITE | Microscopy | ABSENT | - | Absent |

(Reference : *PEI - Protein error of indicator, *GOD-POD - Glucose oxidase-peroxidase)

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode

: 09 Mar 2025 07:35

- : 09 Mar 2025 11:27 : 09 Mar 2025 14:17
- . 05 Mai 2025 14.
- : URINE
- : 0903070034/DS853

: DK580181

Petrulkorni

Dr Renuka MD(Path)

Dr Arshiya MD(Path) Page : 11 of 13

Thyrocare D-37/1,TTC MIDC,Turbhe,

Navi Mumbai-400 703

MC-2407 Care

🕈 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 👂 9870666333 🖙 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

| NAME | : SAMPRIT RAJ BEHERA(24Y/M) |
|------------|-------------------------------------|
| REF. BY | : SELF |
| TEST ASKED | : MEDIWHEEL HEALTH CHECKUP BELOW 40 |

HOME COLLECTION : Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Flat No 702, Arihant Ansh, Sector 26, Vashi, Navi Mumbai Flat No 702, Arihant Ansh Sector 26 Vashi Navi Mumbai-400703 Thane

TEST NAME

FASTING BLOOD SUGAR(GLUCOSE)

TECHNOLOGY PHOTOMETRY
 VALUE
 UNITS

 96.86
 mg/dL

Bio. Ref. Interval. :-

| As per ADA Guideline: Fasting Plasma Glucose (FPG) | | |
|--|------------------------|--|
| Normal | 70 to 100 mg/dl | |
| Prediabetes | 100 mg/dl to 125 mg/dl | |
| Diabetes | 126 mg/dl or higher | |

Note :

The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.

Method:- GOD-PAP METHOD

~~ End of report ~~

| Sample Collected on (SCT) | : 09 Mar 2025 07:35 | 6 |
|--|--|---------------------|
| Sample Received on (SRT) | : 09 Mar 2025 11:15 : 09 Mar 2025 12:27 | Bone |
| Report Released on (RRT) | : 09 Mar 2025 12:27 (P)) | Nashington - |
| Sample Type 🛛 📮 | FLUORIDE PLASMA | 14-1 |
| Labcode | : 0903069577/DS853 Dr Renuka MD(Path) | Dr Arshiya MD(Path) |
| Barcode | : D0709780 | Page : 12 of 13 |
| Scan QR code to verify authenticity of | of reported results; active for 30 days from release time. | |

CONDITIONS OF REPORTING

- v The reported results are for information and interpretation of the referring doctor only.
- v It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- v Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- v Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- v Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- v This report is not valid for medico-legal purpose.
- v Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- v Thyrocare Discovery video link :- <u>https://youtu.be/nbdYeRgYyQc</u>

EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** The name is as declared by the client and recored by the personnel who collected the specimen.
- v **Ref.Dr** The name of the doctor who has recommended testing as declared by the client.
- v Labcode This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- v **Barcode** This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v **SCP** Specimen Collection Point This is the location where the blood or specimen was collected as declared by the client.
- v SCT Specimen Collection Time The time when specimen was collected as declared by the client.
- v SRT Specimen Receiving Time This time when the specimen reached our laboratory.
- v **RRT** Report Releasing Time The time when our pathologist has released the values for Reporting.
- v **Reference Range** Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- v Values out of reference range requires reconfirmation before starting any medical treatment.
- v Retesting is needed if you suspect any quality shortcomings.
- v Testing or retesting should be done in accredited laboratories.
- v For suggestions, complaints, clinical support or feedback, write to us at **customersupport@thyrocare.com** or call us on **022-3090 0000**



+T&C Apply, #As on 5th December 2024, *As per a survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023)