

Test Name



# **CHANDAN DIAGNOSTIC CENTRE**

Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

Unit

Rio Ref Interval

Method

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:21 Age/Gender Collected : 36 Y 1 M 16 D /M : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:14:44 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 15:03:39

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

# DEPARTMENT OF HAEMATOLOGY

Result

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) , B	lood			
Blood Group	0			ERYTHROCYTE MAGNETIZED
Rh ( Anti-D)	POSITIVE			TECHNOLOGY / TUBE AGGLUTINA ERYTHROCYTE
,				Magnetized Technology / Tube Agglutina
Complete Blood Count (CBC), EDTA	Whole Blood			
Haemoglobin	15.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	8,000.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils )	59.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	36.00	%	20-40	FLOW CYTOMETRY
Monocytes	1.00	%	2-10	FLOW CYTOMETRY
Eosinophils	4.00	%	1-6	FLOW CYTOMETRY
Basophils <b>ESR</b>	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	12.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



View Reports on Chandan 24x7 App





Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:21 Age/Gender Collected : 36 Y 1 M 16 D /M : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:14:44 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 15:03:39

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

# DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (99 if anaemic)	
Corrected	6.00	Mm for 1st hr.	< 9	
PCV (HCT)	44.80	%	40-54	CALCULATED
Platelet count				
Platelet Count	1.97	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.80	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	30.80	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.21	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.30	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	89.10	fl	80-100	CALCULATED PARAMETER
MCH	29.40	pg	27-32	CALCULATED PARAMETER
MCHC	31.20	%	30-38	CALCULATED PARAMETER
RDW-CV	13.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	51.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,720.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	320.00	/cu mm	40-440	

Dr. R. B. Varshney M.D. Pathology











Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR : 09/Mar/2025 09:08:23 Registered On Age/Gender : 36 Y 1 M 16 D /M Collected : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:08:39 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 12:06:01

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	141.72	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

## **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

**CLINICAL SIGNIFICANCE:-** Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP 174.90 mg/dl <140 Normal GOD POD
Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

## GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA Whole Blood

Glycosylated Haemoglobin (HbA1c)	6.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	43.90	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	130	mg/dl	

## **Interpretation:**

NOTE:-













Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:23 Age/Gender : 36 Y 1 M 16 D /M Collected : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:08:39 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 12:06:01

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

# **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.

- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.







<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

<sup>\*</sup>A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy c. Alcohol toxicity d. Lead toxicity





Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : 09/Mar/2025 09:08:23 : Mr.ASHISH KUMAR Registered On Age/Gender : 36 Y 1 M 16 D /M Collected : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:08:39 Visit ID : 09/Mar/2025 12:06:01 : CHFD0684972425 Reported

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

# DEPARTMENT OF BIOCHEMISTRY


## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

#### LIFOTRONIC Graph Report



Peak Name	Retention Time(s)	Absorbance	Area	Result (Area %)
HbA0	87	2175	17893	91.0
HbA1c	52	89	1059	6.2
La1c	37	48	419	2.4
HbF	26	20	31	0.2
Hba1b	19	44	190	1.1
Hba1a	13	22	64	0.4



BUN (Blood Urea Nitrogen) 5.36 mg/dL 7.0-23.0 CALCULATED

Interpretation:

Sample:Serum

Note: Elevated BUN levels can be seen in the following:







Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR : 09/Mar/2025 09:08:23 Registered On Age/Gender : 36 Y 1 M 16 D /M Collected : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:08:39 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 12:06:01

Dr. MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

**Test Name** Result Unit Bio. Ref. Interval Method

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

## Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

0.96 **MODIFIED JAFFES** Creatinine mg/dL Male 0.7-1.3

Sample:Serum Newborn 0.3-1.0 Infent 0.2-0.4 Child 0.3-0.7 Adolescent 0.5-1.0

#### **Interpretation:**

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

3.5-7.2 **URICASE Uric Acid** 5.48 mg/dL

Sample:Serum

## **Interpretation:**

Note:-

## Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

# LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	48.75	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	90.99	U/L	< 45	IFCC WITHOUT P5P
Gamma GT (GGT)	54.15	U/L	0-55	IFCC, KINETIC
Protein	6.17	g/dL	6.2-8.0	BIURET
Albumin	3.97	g/dL	3.4-5.4	B.C.G.
Globulin	2.20	am/dL	1.8-3.6	CALCULATED





Page 6 of 15





Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR : 09/Mar/2025 09:08:23 Registered On Age/Gender : 36 Y 1 M 16 D /M Collected : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:08:39 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 12:06:01

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

# DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
A:G Ratio	1.80		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	85.12	U/L	53-128	IFCC AMP KINETIC
Bilirubin (Total)	0.88	mg/dL	Adult	DIAZO
			0-2.0	
Bilirubin (Direct)	0.22	mg/dL	< 0.20	DIAZO
Bilirubin (Indirect)	0.66	mg/dL	< 1.8	CALCULATED
LIPID PROFILE, Serum				
Cholesterol (Total)	163.79	mg/dL	<200 Desirable 200-239 Borderline Hiç > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	38.70	mg/dL	35.0-79.5	DIRECT ENZYMATIC
Non-HDL Cholesterol	125.09	mg/dl	0-130	CALCULATED
LDL Cholesterol (Bad Cholesterol)	88	mg/dL	< 100 Optimal	CALCULATED
			100-129 Nr.	
			Optimal/Above	
			Optimal	1
			130-159 Borderline Hig	gn
			160-189 High > 190 Very High	
VLDL	37.59	mg/dL	10-33	CALCULATED
TC / HDL Cholesterol Ratio	4.23	mg/ at	3-5	CALCULATED
LDL / HDL Ratio	2.26		< 3.0	CALCULATED
Triglycerides	187.95	mg/dL	< 150 Normal	GPO-PAP
Trigiyeendes	107.70	mg/ at	150-199 Borderline Hig	
			200-499 High	J
			>500 Very High	

## **Interpretation:**

## Note:-

- 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
- 2. Lipid Association of India (LAI) recommends screening of all adults above the age of 20 years for Atherosclerotic Cardiovascular Disease (ASCVD) risk factors especially lipid profile. This should be done earlier if there is family history of premature heart disease, dyslipidemia, obesity or other risk factors
- 3. Triglycerides levels >150 mg/dL in fasting or >175 mg/dL in non-fasting are considered risk modifier for













Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : 09/Mar/2025 09:08:23 : Mr.ASHISH KUMAR Registered On Age/Gender : 36 Y 1 M 16 D /M Collected : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:08:39 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 12:06:01

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

# **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

ASCVD risk

Treatment Goals for Lipid lowering therapy (as per Lipid Association of India 2023)

#### TREATMENT GOAL

ASCVD RISK CATEGORY	LDL-C in mg/dL (Primary target)	NON HDL-C in mg/dL (Co-Primary target)		
Low	<100	<130		
Moderate	<100	<130		
High	< 70	<100		
Very High	< 50	<80		
Extreme (A)	<50 (<30 Optional)	<80 (< 60 optional)		
Extreme (B)	<30	<60		

## ASCVD Risk Stratification & Treatment goals in Indian population

Indians are at very high risk of developing ASCVD, they usually get the disease at an early age, have a more severe form of the disease and have poorer outcome as compared to the western populations. Many individuals remain asymptomatic before they get heart attack, ASCVD risk helps to identify high risk individuals even when there is no symptom related to heart disease. Risk stratification is important to guide lipid lowering therapy and to identify treatment goals.

CSI Clinical Practice guidelines (2024) recommends in the absence of formal risk calculator for Indian population, only risk factors can be used for risk assessment. Standard Risk factors are:

- Smoking/tobacco use
- 2. Hypertension
- 3. Diabetes
- 4. Family h/o Premature CAD (Men <55 years and women <60 years

## Risk Assessment\*

Low Moderate Risk High Risk Very High Risk Extremely High Risk













Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:23 Age/Gender Collected : 09/Mar/2025 09:07:29 : 36 Y 1 M 16 D /M UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 10:08:39 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 12:06:01

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name		Result	Unit	Bio. Ref. Interval	Method
		Presence of 2 or more standard factors with no manifest ASCVD	ASCVD- CAD/PVD/CeVD	ASCVD with recurrence vascular events	ent
	D. C	DM with 1 or more risk factor	Imaging->50% lesion in any two major vessels	ASCVD with HeFH High Lp(a)	&
No standard risk factor	Presence of any one standard risk factor	Heterozygous Familial Hypercholesterole- mia (HeFH) with no risk factor	DM>20 years or multiple risk factors TOD	3,	
		Hypertension with one or more risk factor or with Target organ damage (TOD)	HeFH-with ASCV or RF	D	
		CKD- eGFR 30-59 ml/min	CKD-eGFR <30 ml/min		

<sup>\*</sup> A more formal risk assessment may be used by clinicians according to their personal preferences and familiarity with the risk scores.

Dr. R. B. Varshney M.D. Pathology











# **CHANDAN DIAGNOSTIC CENTRE**

Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:22 Age/Gender Collected : 36 Y 1 M 16 D /M : 09/Mar/2025 13:30:53 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 13:50:07 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 14:08:33

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

# **DEPARTMENT OF CLINICAL PATHOLOGY** MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE,	Jrine			
Color Specific Gravity	CLEAR 1.015		Pale Yellow 1.001-1.030	VISUAL EXAMINATION PRE-TREATED POLYMERIC ION EXCHANGE RESIN
Reaction PH	Acidic (5.0)		5.0-8.0	METHYL RED BROMOTHYMOLBLUE
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	TETRA BROMOPHENOL BLUE METHYLRED
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	GLUCOSE OXIDASE PEROXIDASE CHROMOGEN REACTION
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	SODIUM NITROPRUSSIDE
Bile Salts	ABSENT		ABSENT	SULPHUR GRANULE
Bile Pigments	ABSENT		ABSENT	FOUCHET TEST
Bilirubin	ABSENT		ABSENT	DIAZONIUM SALT
Leucocyte Esterase	ABSENT		ABSENT	CARBOXYLIC ACID ESTER DIAZONIUM SALT
Urobilinogen(1:20 dilution)	ABSENT		ABSENT	DIAZONIUM SALT
Nitrite	ABSENT		ABSENT	SULFANANIC ACID TETRAHYDRO BENZOL
Blood	ABSENT		ABSENT	TETRA METHYL BENZIDINE
Microscopic Examination:				
Epithelial cells	1-2/h.p.f	cells/hpf	0.0-5.0	MICROSCOPIC EXAMINATION
Pus cells	ABSENT	WBC/hpf	0.0-5.0	MICROSCOPIC
RBCs	ABSENT	RBC/hpf	0.0-2.0	MICROSCOPY
Cast	ABSENT	·	ABSENT	MICROSCOPY



View Reports on Chandan 24x7 App





Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:22 Age/Gender Collected : 36 Y 1 M 16 D /M : 09/Mar/2025 13:30:53 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 13:50:07 Reported Visit ID : 09/Mar/2025 14:08:33 : CHFD0684972425

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Crystals	ABSENT		ABSENT	MICROSCOPY
Others	ABSENT			
SUGAR FASTING STAGE Uring				

## **SUGAR, FASTING STAGE**, Urine

Sugar, Fasting stage ABSENT gms%

## **Interpretation:**

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

# SUGAR, PP STAGE, Urine

Sugar, PP Stage ABSENT

# **Interpretation:**

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. R. B. Varshney M.D. Pathology











Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:22 Age/Gender : 36 Y 1 M 16 D /M Collected : 09/Mar/2025 09:07:29 UHID/MR NO : CHFD.0000339608 Received : 09/Mar/2025 09:55:57 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 13:35:56

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

## DEPARTMENT OF IMMUNOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Metho	d
THYROID PROFILE - TOTAL , Serum	
T3, Total (tri-iodothyronine) 160.00 ng/dl 84.61–201.7 CLIA	
T4, Total (Thyroxine) 8.11 ug/dl 3.2-12.6 CLIA	
TSH (Thyroid Stimulating Hormone) 2.600 µIU/mL 0.4 - 4.5 CLIA	
Interpretation:	
0.7-27 μIU/mL Premature 28-36 Wee	ek
$2.3-13.2 \mu IU/mL$ Cord Blood > 37Week	ζ
1.0-39.0 µIU/mL Child Birth 4 Days	S
1.7-9.1 μIU/mL Child 2-20 Week	K
0.7-6.4 μIU/mL Child (21 wk - 20 Yrs.)	
0.4-4.5 μIU/mL Adults 21-54 Year	
0.4-4.5 μIU/mL Adults 55-87 Years	;
Pregnancy	
0.3-4.5 µIU/mL First trimester	
0.5-4.6 µIU/mL Second trimester	
0.8-5.2 µIU/mL Third trimester  Whole blood heel puncture	
<u>whole blood neel puncture</u> <20.0 μIU/mL Newborn screen	

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

## <u>Note</u> :-

TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

Dr. R. B. Varshney M.D. Pathology





View Reports on Chandan 24x7 App







Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:24 Age/Gender Collected : 2025-03-09 10:35:37 : 36 Y 1 M 16 D /M UHID/MR NO : CHFD.0000339608 Received : 2025-03-09 10:35:37 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 15:00:05

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

## **DEPARTMENT OF X-RAY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### X-RAY DIGITAL CHEST PA

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

# **IMPRESSION:**

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.















Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:24 Age/Gender : 36 Y 1 M 16 D /M Collected : 2025-03-09 10:28:51 UHID/MR NO : CHFD.0000339608 Received : 2025-03-09 10:28:51 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 10:35:50

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

## **DEPARTMENT OF ULTRASOUND**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)**

## WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

#### LIVER

• Liver is enlarged in size 15.88 cm and shows diffuse increase in echogenecity s/o fatty liver grade-I. No obvious focal lesion is seen.

## PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

## BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

## **PANCREAS**

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

## GREAT VESSELS

• Great vessels are normal.

#### KIDNEYS

- Right kidney show 3.1 mm calculus , 4.4 mm calculus at upper pole & 4.3 mm calculus at lower pole.
- Left kidney shows 5.6 mm calculus at mid pole.
- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

## **SPLEEN**

• The spleen is normal in size and has a normal homogenous echo-texture.

# LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

## RETROPERITONEUM













Add: Mukut Complex, Near Distt. Hospital, Rikabganj, Ayodhya Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHISH KUMAR Registered On : 09/Mar/2025 09:08:24 Age/Gender : 36 Y 1 M 16 D /M Collected : 2025-03-09 10:28:51 UHID/MR NO : CHFD.0000339608 Received : 2025-03-09 10:28:51 Visit ID : CHFD0684972425 Reported : 09/Mar/2025 10:35:50

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

# DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• Retroperitoneum is free.

## ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.

#### URETERS

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

## URINARY BLADDER

• The urinary bladder is normal.

## **PROSTATE**

• The Prostate gland is normal in size.

## FINAL IMPRESSION:-

- BILATERAL RENAL CALCULI.
- MILD HEPATOMEGALY WITH GRADE-I FATTY LIVER.

Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG



Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups 365 Days Open

\*Facilities Available at Select Location







