

393834962

: PRASHANT MOHITE

Age / Gender : 31 Years/ Male

Consulting Dr. :

Collected

: 08/03/2025

PRECISE TESTING - HEALTHIER LIVING

Reg.Location : Swargate, Pune (Main Centre)

Reported

: 08/03/2025

PHYSICAL EXAMINATION REPORT

History and Complaints:

NO

EXAMINATION FINDINGS:

Height (cms):

177 cm

Weight (kg):

68 kg

Temp (0c):

Afebrile

Skin:

Normal

Blood Pressure (mm/hg): 138/88mmHg

Nails:

Healthy

Pulse:

74 /min

Lymph Node:

Not Palpable

Systems

Cardiovascular: S1 S2 Normal NO Murmurs

Respiratory:

Normal

Genitourinary:

Normal

GI System:

Soft non tender no Organomegaly

CNS:

Normal

IMPRESSION:

ADVICE:

CHIEF COMPLAINTS:

Hypertension:

NO

IHD

NO

3) Arrhythmia

NO

Diabetes Mellitus

NO

Tuberculosis

NO

6) Asthama

NO

Pulmonary Disease

NO

Dr. I. U. BAMB M.B.B.S., M.D. (Medicine) Reg. No. 39452



: PRASHANT MOHITE

Age / Gender : 31 Years/ Male

Consulting Dr. :

Collected

: 08/03/2025

PRECISE TESTING - HEALTHIER LIVING

Reg.Location

: Swargate, Pune (Main Centre)

Reported

: 08/03/2025

8)	Thyroid/ Endocrine disorders	NO
9)	Nervous disorders	NO
10)	GI system	NO
11)	Genital urinary disorder	NO
12)	Rheumatic joint diseases or symptoms	NO
13)	Blood disease or disorder	NO
14)	Cancer/lump growth/cyst	NO
15)	Congenital disease	NO
16)	Surgeries	NO
17)	Musculoskeletal System	NO

PERSONAL HISTORY:

1)	Alcohol	NO
2)	Smoking	NO
3)	Diet	Mixed
4)	Medication	NO

*** End Of Report ***

Dr.I U BAMB





PRECISE TESTING - HEALTHIER LIVING

Name Lab No. : Mr. PRASHANT MOHITE

: 393834962

Ref By Collected : SELF

A/c Status

Collected at

: 8/3/2025 9:56:00AM : P

. WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

Male

: 9/3/2025 11:35:52AM

Reported Report Status

: Final

Processed at

: PUNE LAB, PUNE SATARA ROAD



Aerfocami Healthcare Below 40 Male/Female CBC (Complete Blood Count), Blood

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	14.5	13.0 - 17.0 g/dL	Spectrophotometric
RBC	4.8	4.5 - 5.5 mil/cmm	Elect. Impedance
PCV	43.7	40.0 - 50.0 %	Calculated
MCV	91.0	81.0 - 101.0 fL	Measured
мсн	30.2	27.0 - 32.0 pg	Calculated
MCHC	33.1	31.5 - 34.5 g/dL	Calculated
RDW	13.1	11.6 - 14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4900	4000 - 10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSOL	LUTE COUNTS		
Lymphocytes	51,0	20.0 - 40.0 %	
Absolute Lymphocytes	2499.0	1000.0 - 3000.0 /cmm	Calculated
Monocytes	4.7	2.0 - 10.0 %	
Absolute Monocytes	230.3	200.0 - 1000.0 /cmm	Calculated
Neutrophils	39.4	40.0 - 80.0 %	
Absolute Neutrophils	1930.6	2000.0 - 7000.0 /cmm	Calculated
Eosinophils	4.9	1.0 - 6.0 %	
Absolute Eosinophils	240.1	20.0 - 500.0 /cmm	Calculated
Basophils	0.0	0.1 - 2.0 %	
Absolute Basophils	0.0	20.0 - 100.0 /cmm	Calculated

PLATELET PARAMETERS





PRECISE TESTING - HEALTHIER LIVING

Name Lab No. : Mr. PRASHANT MOHITE

: 393834962

Ref By

: SELF

Collected

: 8/3/2025 9:56:00AM

A/c Status

: P

Collected at

· WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

: Male

Reported

: 9/3/2025 11:35:52AM

Report Status Processed at

: Final

: PUNE LAB, PUNE SATARA ROAD

Aerfocami Healthcare Below 40 Male/Female CBC (Complete Blood Count), Blood

PARAMETER Platelet Count	RESULTS 234000	BIOLOGICAL REF RANGE 150000 - 410000 /cmm	METHOD Elect. Impedance
MPV	8.3	6.0 - 11.0 fL	Measured
PDW	14.3	11.0 - 18.0 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis			
Macrocytosis	-		
Anisocytosis	-		
Poikilocytosis	·		
Polychromasia	255		
Target Cells			
Others	Normocytic normochromic		

Specimen: EDTA whole blood





: Mr. PRASHANT MOHITE

Lab No.

: 393834962

Ref By

: SELF

Collected

: 8/3/2025 9:56:00AM

A/c Status

Collected at

: WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

Male

Reported

: 9/3/2025 11:35:52AM

Report Status Processed at

: Final

: PUNE LAB, PUNE SATARA ROAD



Aerfocami Healthcare Below 40 Male/Female

ERYTHROCYTE SEDIMENTATION RATE (ESR)

RESULTS

BIOLOGICAL REF RANGE

METHOD

PARAMETER ESR, EDTA WB

5.00

2.00 - 15.00 mm/hr

Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.





PRECISE TESTING - HEALTHIER LIVING

Name

: Mr. PRASHANT MOHITE

Lab No.

: 393834962

Ref By Collected : SELF

A/c Status

: 08/03/2025 09:56:00AM

: P

Collected at : WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender : Male

Reported

Processed at

: 9/3/2025 11:35:52AM

Report Status : Final

: PUNE LAB, PUNE SATARA ROAD

Aerfocami Healthcare Below 40 Male/Female

PARAMETER	RESULTS	BIOLOGICAL REF RANGES	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	94.10	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl	Hexokinase

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition

GLUCOSE (SUGAR) PP, Fluoride

Plasma PP

90.30

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Diabetic: >/= 126 mg/dl

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition

CREATININE, Serum

0.92

0.67 - 1.17 mg/dL

Enzymatic

Calculated

Hexokinase

eGFR, Serum

112.83

(ml/min/1.73sqm)

Normal or High: Above 90

Mild decrease: 60-89

Mild to moderate decrease: 45-59

Moderate to severe decrease:30-44

Severe decrease: 15-29

Kidney failure:<15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

Page 4 of 15





: Mr. PRASHANT MOHITE

Lab No.

: 393834962

Ref By

: SELF

Collected A/c Status : 8/3/2025 9:56:00AM

Collected at

: WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu

College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

: Male

Reported

: 9/3/2025 11:35:52AM

: Final Report Status

Processed at

: PUNE LAB, PUNE SATARA ROAD



Aerfocami Healthcare Below 40 Male/Female

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.74	0.10 - 1.20 mg/dL	Colorimetric
BILIRUBIN (DIRECT), Serum	0.36	<0.30 mg/dL	Diazo
BILIRUBIN (INDIRECT), Serum	0.38	0.10 - 1.00 mg/dL	Calculated
TOTAL PROTEINS, Serum	7.26	6.40 - 8.30 g/dL	Biuret
Albumin Serum	4.74	3.50 - 5.20 g/dL	BCG
GLOBULIN Serum	2.52	2.30 - 3.50 g/dL	Calculated
A/G RATIO Serum	1.88	1.00 - 2.00	Calculated
SGOT (AST), Serum	18.10	5.00 - 40.00 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	18.00	5.00 - 45.00 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	11.90	3.00 - 60.00 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	42.90	40.00 - 130.00 U/L	Colorimetric
BLOOD UREA, Serum	19.10	12.80 - 42.80 mg/dL	Urease GLDH
BUN, Serum	8.92	6.00 - 20.00 mg/dL	Calculated
URIC ACID, Serum	5.14	3.50 - 7.20 mg/dL	Enzymatic





PRECISE TESTING . HEALTHIER LIVING

Name

: Mr. PRASHANT MOHITE

Lab No.

. 393834962

Ref By

: SELF

Collected

· 08/03/2025 09:56:00AM

A/c Status

Collected at : WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

Reported

: 31 Years

Gender

: Male

· 9/3/2025 11:35:52AM

: Final Report Status

Processed at

PUNE LAB, PUNE SATARA ROAD

Aerfocami Healthcare Below 40 Male/Female

GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGES	METHOD
Glycosylated Hemoglobin (HbA1c) ,EDTA WB	5.3	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG),EDTA WB	105.4	mg/dL	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, plenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach s interpretation of diagnostic tests 10th edition.

Page 6 of 15

Corporate Identity Number (CIN) - U85110MH2002PTC136144





Name : Mr. PRASHANT MOHITE

Lab No. : 393834962

Ref By : SELF

. Collected : 08/03/2025 09:56:00AM

A/c Status : P

Collected at ; WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender ; Male

Reported : 9/3/2025 11:35:52AM

Report Status : Final

Processed at : PUNE LAB, PUNE SATARA ROAD

**

Aerfocami Healthcare Below 40 Male/Female

FUS and KETONES

PARAMETER

RESULTS

BIOLOGICAL REF RANGES

METHOD

Urine Sugar (Fasting)

Sample Not Received





: Mr. PRASHANT MOHITE

Lab No.

: 393834962

Ref By

: SELF

Collected

: 08/03/2025 09:56:00AM

A/c Status

: P

Collected at : WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

: Male

Reported

: 9/3/2025 11:35:52AM

: Final Report Status

: PUNE LAB, PUNE SATARA ROAD Processed at

Aerfocami Healthcare Below 40 Male/Female

Glucose & Ketones, Urine

PARAMETER

RESULTS

BIOLOGICAL REF RANGES

METHOD

Urine Sugar (PP)

Sample Not Received





PRECISE TESTING . HEALTHIER LIVING

Name

: Mr. PRASHANT MOHITE

Lab No. Ref By

: 393834962

Collected

: SELF

A/c Status

: 08/03/2025 09:56:00AM

: P

Collected at ; WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

: Male

Reported

9/3/2025 11:35:52AM

; Final Report Status

Processed at

: PUNE LAB, PUNE SATARA ROAD



Aerfocami Healthcare Below 40 Male/Female LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGES	METHOD
CHOLESTEROL, Serum	111	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	78	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL Serum	34	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymati colorimetric assay
NON HDL CHOLESTEROL, Serum	77	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL Serum	61	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL Serum	16	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2	0-3.5 Ratio	Calculated

Reference:

- 1) Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III).
- 2) Pack Insert.





PRECISE TESTING . HEALTHIER LIVING

Name : Mr. PRASHANT MOHITE

Lab No. : 393834962 Ref By : SELF

Collected : 08/03/2025 09:56:00AM

A/c Status : I

Collected at : WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age : 31 Years Gender : Male

Reported : 9/3/2025 11:35:52AM

Report Status : Final

Processed at : PUNE LAB, PUNE SATARA ROAD



Aerfocami Healthcare Below 40 Male/Female THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGES	METHOD
Free T3, Serum	6.77	3.50 - 6.50 pmol/L	ECLIA
Free T4 Serum	15.10	11.50 - 22.70 pmol/L	ECLIA
sensitiveTSH Serum	1.55	0.35 - 5.50 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- TSH Values between high abnormal upto15 microlU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone recovery phase of nonthyroidal illness, TSH Resistance
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, anti thyroid drugs, tyrosine kinase inhibitors & amiodarone amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	нідһ	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for hyperthy- roidism, drugs like steroids & dopamine, Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies,Drug interference: Amiodarone,Heparin, Beta Blockers, steroids & anti- epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%







: Mr. PRASHANT MOHITE

Lab No.

: 393834962

Ref By

· SELF

Collected

: 08/03/2025 09:56:00AM

A/c Status

Collected at : WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

Processed at

: Male

Reported

: 9/3/2025 11:35:52AM

: Final Report Status

: PUNE LAB, PUNE SATARA ROAD



Aerfocami Healthcare Below 40 Male/Female THYROID FUNCTION TESTS

PARAMETER

RESULTS

BIOLOGICAL REF RANGES

METHOD

(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1. O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- Interpretation of the thyroid function tests, Dayan et al. THE LANCET. Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)





Name : Mr. PRASHANT MOHITE

Lab No. : 393834962 : SELF Ref By

: 8/3/2025 9:56:00AM **Gollected**

A/c Status : P

PARAMETER

Collected at

: WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

: 31 Years Age

: Male Gender

: 9/3/2025 11:35:52AM Reported

: Final Report Status

: PUNE LAB, PUNE SATARA ROAD Processed at



Aerfocami Healthcare Below 40 Male/Female **EXAMINATION OF FAECES**

RESULTS

BIOLOGICAL REF RANGE

METHOD

PHYSICAL EXAMINATION

EXAMINATION OF FAECES

Sample Not Received

CHEMICAL EXAMINATION

MICROSCOPIC EXAMINATION





: Mr. PRASHANT MOHITE

Lab No.

: 393834962

Ref By

: SELF

Collected

Collected at

· 8/3/2025 9:56:00AM

A/c Status

: WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age

: 31 Years

Gender

: Male

Reported

: 9/3/2025 11:35:52AM

: Final Report Status

Processed at

: PUNE LAB, PUNE SATARA ROAD



Aerfocami Healthcare Below 40 Male/Female

BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP

Rh Typing

Positive

NOTE: Test performed by Semi-automated column agglutination technology (CAT).

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia

Page 13 of 15





PRECISE TESTING - HEALTHIER LIVING

Name : Mr. PRASHANT MOHITE

Lab No. : 393834962 Ref By : SELF

: 8/3/2025 9:56:00AM Collected

A/c Status

OTHERS

: P Collected at : WALKIN - PUNE LAB, PUNE SATARA ROAD

Seraph Centre, Opp. BSNL Exchange, Shahu

College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

Age : 31 Years Gender : Male

: 9/3/2025 11:35:52AM Reported

Report Status : Final

Processed at : PUNE LAB, PUNE SATARA ROAD



URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	ā
Transparency	Clear	Clear	
CHEMICAL EXAMINATION			
Specific Gravity	1.01	1.002-1.035	Chemical Indicator
Reaction (pH)	6.0	5-8	Chemical Indicator
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Negative	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	0-1	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple Phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	1-2	0-20/hpf	

Leucocyte esterase:

Absent





: Mr. PRASHANT MOHITE Name

: 393834962 Lab No. Ref By SELF

Collected : 8/3/2025 9:56:00AM

A/c Status

: P

: WALKIN - PUNE LAB, PUNE SATARA ROAD Collected at

Seraph Centre, Opp. BSNL Exchange, Shahu

College Road, Off, Pune - Satara Rd, behind

Panchami Hotel, Pune 411009

: 31 Years Age

Gender · Male

: 9/3/2025 11:35:52AM Reported

: Final Report Status

: PUNE LAB, PUNE SATARA ROAD Processed at

URINE EXAMINATION REPORT

PARAMETER

Dr Atiya Shaikh MD Pathology Consultant Pathologist

BIOLOGICAL REF RANGE

METHOD

Dr.Chandrakant Nanasaheb Pawar MD Pathology

Chief of Lab

End of report



IMPORTANT INSTRUCTIONS

The published test results relate to the submitted specimen. All test results are dependent on the quality of the sample received by the laboratory Laboratory tests should be clinically correlated by a physician and are merely a tool to help arrive at a diagnosis. Unforeseen circumstances may cause a delay in the delivery of the report. Inconvenience is regretted. Certain tests may require further testing at an additional cost for derivation of exact value. Kindly submit the request within 72 hours post-reporting. The Court/Forum at Mumbai shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of the test(s). Test results are not valid for medico-legal purposes. This computer-generated medical diagnostic report has been verified by a doctor or an authorized medical professional. A physical signature is not required for this report.

(#) sample drawn from an external source.

If test results are alarming or unexpected, the client is advised to contact customer care immediately for possible remedial action.

Tel: 022-61700000, Email: customerservice@suburbandiagnostics.com <mailto:customerservice@suburbandiagnostics.com>

West Reference Lab, Mumbai, is a CAP (8036028) Accredited laboratory.



Name: Prowskout Monite

CID: 393832912

Sex / Age: 31-17

Date: 8/3/25

EYE EXAMINATION

VISION

Distance Vision Without Glasses	Right Eye CIG	Left Eye & LC
Distance Vision With Glasses	Right Eye	Left Eye
Near Vision Without Glasses	Right Eye	Left Eye of C
Near Vision With Glasses	Right Eye	Left Eye

GENERAL EXAMINATION:

LIDS

CORNEA

CONJUCTIVAE EYE MOVEMENTS COLOUR VISION

DR LU.BAMB

M.B.B.S MD (Medicine)


Reg No 39452

SUBURBAN DIAGNOSTICS - SWARGATE, PUNE

SUBURBAN STICS PRECISE TESTING HEALTHIER LIVING

Patient Name: PRASHANT MOHITE Patient ID: 393834962

Date and Time: 8th Mar 25 11:04 AM



ECG Within Normal Limits: Sinus Rhythm Within Normal limit. Please correlate clinically.

SUBURBAN DIAGNOSTICS PVT. LTD.
Seraph Centre, Opp. Pentagon Mall,
Near Panchami Hotel,
Shahu College Road, Pune-411 009,

M.B.B.S., M.D. (Medicine) San onesiciones Reg. No. 39452

7. Le Analysis, in this report is mosed on ECO adote and should be used as an affirmative clinical 2.1 Patent value are as entered by the ellipseum and new threshold from the ECO.



CID

: 393834962

Name

: Mr. PRASHANT MOHITE

Age / Sex

Reg. Location

: 31 Years/Male

Ref. Dr

: self

: Swargate, Pune Main Centre

Reg. Date

: 08-Mar-2025

R

Ε

P

0

R

Reported

: 08-Mar-2025 / 12:54

ULTRASOUND ABDOMEN & PELVIS

LIVER: Size, shape and echopattern are normal. No focal lesions noted. No IHBR dilatation. Hepatic veins appear normal. Portal vein and common bile duct show normal caliber.

GALL BLADDER: Partially distended. No evidence of any pericholecystic collection.

PANCREAS: Normal in size and echotexture. Pancreatic duct is normal.

SPLEEN: Normal in size and echopattern. No focal lesion. Splenic vein is normal.

RIGHT KIDNEY: Measures 9.6 x 4.3 cm. Normal in size and echogenicity. No calculus or hydronephrosis. Corticomedullary differentiation is maintained.

LEFT KIDNEY: Measures 9.7 x 4.5 cm. Normal in size and echogenicity. No calculus or hydronephrosis. Corticomedullary differentiation is maintained.

Retroperitonium and flanks obscured due to bowel gas. Prominent bowel loops seen in the abdomen.

Paraaortic and paracaval region appears to be normal.

No evidence of lymphnodes noted.

No free fluid in abdomen.

URINARY BLADDER: Well distended. No calculi. Wall thickness is normal.

PROSTATE: Normal in size and shows normal echotexture.


IMPRESSION: USG Abdomen and pelvis study is within normal limits.

Clinical correlation is indicated.----End of Report

DR. NIKHIL G. JOSHI M.B.B.S., D.M.R.E.

REG. NO. 2001/02/397

Click here to view images << ImageLink>>





आपका आधार क्रमांक / Your Aadhaar No.:


2102 5197 9424

मेरा आधार, मेरी पहचान



भारत सरकार

Government of India





जन्म तिथि / DOB: 16/04/1993 पुरुष / Mølø

2102 5197 9424



मेरा आधार, मेरी पहचान

Mob no - 8485841159



SUBURBAN DIAGNOSTICS PVT. LTD.
Seraph Centre, Opp. Pentagon Mail.
Mear Panchams Hotel,
Mear Panchams Hotel,
Shahu College Road, Pune-411 009.
Shahu College Road, Pune-411 009.



E

R

R

CID : 393834962

Name : Mr. PRASHANT MOHITE

Age / Sex : 31 Years/Male

Ref. Dr : self

Reg. Location : Swargate, Pune Main Centre

Reg. Date

: 08-Mar-2025

Reported : 08-Mar-2025 / 11:20

X-RAY CHEST PA VIEW

The lung fields are clear with no parenchymal lesion.

The cardiothoracic ratio is maintained and the cardiac outline is normal.

The domes of the diaphragm are normal.

The cardio and costophrenic angles are clear.

Bony thorax is normal.

IMPRESSION: Essentially normal X-ray of the chest.

Clinical correlation is indicated.

-----End of Report-----

DR. NIKHIL G. JOSHI M.B.B.S., D.M.R.E. REG. NO. 2001/02/397