

..

### भारत सरकार GOVERNMENT OF INDIA



रंजीता कुमारी Ranjeeta Kumari जन्म निथि/ DOB: 15/12/1993 महिला / FEMALE



2908 4252 0827

आधार-आम आदमी का अधिकार



BUD



## भारतीय विशिष्ट पहचान प्राधिकरण UNIQUE IDENTIFICATION AUTHORITY OF INDIA

पताः

संबोधित: महेंद्र प्रसाद, चांदमारी रोड लेन न-2, नज़दीक़ आनन्द नाय शिव मन्दिरं, सम्पतचक, पटना, बिहार - 800020 Address:

D/O: Mahendra Prasad, CHANDMARI ROAD LANE NO-2, NEAR ANAND NATH SHIV MANDIR, Sampalchak, Palna, Bihar - 800020


2908 4252 0827

Aadhaar-Aam Admi ka Adhikar



110/10

Dung F



Patient Name	RANJEETA KUMARI	Date	16-11-2024	
Age/Sex	30/F	Ref. Dr.	CORPORATE	

# CHEST X-ray(PA)

### **FINDINGS**:

Normal bronchovascular markings in bilateral lung fields

Bilateral hila are normal.

Trachea appears normal.

Visualized bones are grossly normal.

Cardiac shadow is within normal limits

Bilateral costophrenic angles are clear.

### **Impression:**

• No significant abnormality detected.

Dr. Sandip Maheshwari

MD Radio diagnosis





info@aarogyamdiagnostics.com
www.aarogyamdiagnostics.com

Name :- Ranjeeta Kumari Refd by :- Dr. Corp Age/Sex:-30Yrs/F Date :-16/11/24

### Thanks for referral.

# REPORT OF USG OF WHOLE ABDOMEN

Liver :- Normal in size (11.1cm) with normal echotexture. No focal or diffuse

lesion is seen. IHBR are not dilated. PV is normal in course and calibre with

echofree lumen.

G. Bladder:- It is normal in shape, size & position. It is echofree & shows no evidence of

calculus, mass or sludge.

**CBD** :- It is normal in calibre & is echofree.

Pancreas :- Normal in shape, size & echotexture. No evidence of parenchymal / ductal

calcification is seen. No definite peripancreatic collection is seen.

Spleen :- Normal in size(9.5cm) with normal echotexture. No focal lesion is seen.

No evidence of varices is noticed.

Kidneys :- Both kidneys are normal in shape, size & position. Sinus as well as cortical

echoes are normal. No evidence of calculus, space occupying lesion or

hydronephrosis is seen.

Right Kidney measures 9.8cm and Left Kidney measures 10.2cm.

**Ureters** :- Ureters are not dilated.

U. Bladder:- It is echofree. No evidence of calculus, mass or diverticulum is seen.

Uterus :- Normal in size (7.7cm x 3.7cm) and anteverted in position with normal

myometrial echotexture and endometrial thickness. ET-5.8mm

Ovaries :- Both ovaries show normal echotexture and follicular pattern. Right ovary

measures 28mm x 18mm and Left ovary measures 30mm x 17mm.

No pelvic (POD) collection is seen.

Others :- No ascites or abdominal adenopathy is seen.

No free subphrenic / basal pleural space collection is seen.

<u>IMPRESSION</u>:- Normal scan of Abdomen.

Dr. Arun Kumar MBBS, DMRD (Radio-Diagnosis) Consultant Radiologist



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

@ www.aarogyamdlagnostics.com

Romjeeta

Kun ord

ff. 3 Replanding 3 Ed. Morayfz











MC-2024
Lab Facility: Unipath House, Besides Sahjanand College, Opp. Kamdhenu Complex, Panjarapole, Ambawadi, Ahmedabad-380015 Gujarat
Phone: +91-79-49006800 I WhatsApp: 6356005900 I Email: info@unipath.in I Website: www.unipath.in
Regd. Of· ce: 5th Floor, Doctor House, Nr. Parimal Garden, Ahmedabad-380006 Gujarat
CIN: U85195GJ2009PLC057059

	41104100319 <b>TE</b>	TEST REPORT			
Reg.No	: 41104100319	Reg.Date	: 17-Nov-2024 15:51	Collection	: 17-Nov-2024 15:51
Name	: RANJEETA KUMARI			Received	: 17-Nov-2024 15:51
Age	: 30 Years	Sex	: Female	Report	: 17-Nov-2024 17:00
Referred By	: AAROGYAM DIAGNOSTICS @ PATNA			Dispatch	: 17-Nov-2024 17:21
Referral Dr	: 🗆	Status	: Final	Location	: 41 - PATNA

Test Name	Results	Units	Bio. Ref. Interval	
	THYROID FUN	CTION TEST		
T3 (triiodothyronine), Total	0.80	ng/mL	0.70 - 2.04	
T4 (Thyroxine),Total	8.22	μg/dL	5.5 - 11.0	
TSH (Thyroid stimulating hormone)	H <b>5.078</b>	μIU/mL	0.35 - 4.94	

Sample Type: Serum

#### Comments:

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

### TSH levels During Pregnancy:

First Trimester: 0.1 to 2.5 μIU/mL
 Second Trimester: 0.2 to 3.0 μIU/mL
 Third trimester: 0.3 to 3.0 μIU/mL

Referance : Carl A.Burtis, Edward R. Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

----- End Of Report -----

Dr. Rina Prajapati D.C.P. DNB (Path) G-21793

Dr. Chandani Dangarosia

MBBS, DPB Page 1 of eg. No.:- G- 1060

We are open 24 x 7 & 365 days



9264278360, 9065875700, 8789391403

www.aarogyamdiagnostics.com

Date 16/11/2024 Srl No. 6 Patient Id 2411160006
Name Mrs. RANJEETA KUMARI Age 30 Yrs. Sex F
Ref. By Dr.MEDIWHEEL

Test NameValueUnitNormal ValueBOB<br/>HB A1C5.0%

### **EXPECTED VALUES:**

Metabolicaly healthy patients = 4.8 - 5.5 % HbAlC Good Control = 5.5 - 6.8 % HbAlC Fair Control = 6.8-8.2 % HbAlC Poor Control = >8.2 % HbAlC

### **REMARKS:-**

In vitro quantitative determination of HbAIC in whole blood is utilized in long term monitoring of glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

\*\*\*\* End Of Report \*\*\*\*

Dr.R.B.RAMAN MBBS, MD

**CONSULTANT PATHOLOGIST** 



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	16/11/2024	Srl No.	6	Patient Id	2411160006
Name	Mrs. RANJEETA KUMARI	Age	30 Yrs.	Sex	F
Ref. By Dr.MEDIWHEEL					

Test Name	Value	Unit	Normal Value
COMPLETE BLOOD COUNT (CBC)			
HAEMOGLOBIN (Hb)	11.9	gm/dl	11.5 - 16.5
TOTAL LEUCOCYTE COUNT (TLC)	8,400	/cumm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (DLC	<b>;</b> )		
NEUTROPHIL	58	%	40 - 75
LYMPHOCYTE	34	%	20 - 45
EOSINOPHIL	02	%	01 - 06
MONOCYTE	06	%	02 - 10
BASOPHIL	00	%	0 - 0
ESR (WESTEGREN's METHOD)	18	mm/lst hr.	0 - 20
R B C COUNT	3.88	Millions/cmm	3.8 - 4.8
P.C.V / HAEMATOCRIT	35.7	%	35 - 45
MCV	92.01	fl.	80 - 100
MCH	30.67	Picogram	27.0 - 31.0
MCHC	33.3	gm/dl	33 - 37
PLATELET COUNT	2.18	Lakh/cmm	1.50 - 4.00
BLOOD GROUP ABO	"B"		
RH TYPING	POSITIVE		
BLOOD SUGAR FASTING	78.5	mg/dl	70 - 110
SERUM CREATININE	0.63	mg%	0.5 - 1.3
BLOOD UREA	16.1	mg /dl	15.0 - 45.0
SERUM URIC ACID	3.77	mg%	2.5 - 6.0
LIVER FUNCTION TEST (LFT)			

### LIVER FUNCTION TEST (LFT)



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

	Date Name Ref. By D	16/11/2024 Mrs. RANJEETA KUMARI r.MEDIWHEEL		Srl No. ( Age 3	6 0 Yrs.	Patient Id Sex	2411160006 F
T	est Name		Value		Unit	Normal Val	lue
	BILIRUBIN '	TOTAL	0.83		mg/dl	0 - 1.0	
	CONJUGAT	ED (D. Bilirubin)	0.26		mg/dl	0.00 - 0.40	)
	UNCONJUC	GATED (I.D.Bilirubin)	0.57		mg/dl	0.00 - 0.70	)
	TOTAL PRO	DTEIN	7.13		gm/dl	6.6 - 8.3	
	ALBUMIN		4.38		gm/dl	3.4 - 5.2	
	GLOBULIN		2.75		gm/dl	2.3 - 3.5	
	A/G RATIO		1.593				
	SGOT		27.5		IU/L	5 - 35	
	SGPT		11.3		IU/L	5.0 - 45.0	
	ALKALINE I	PHOSPHATASE B	68.9		U/L	35.0 - 104	.0
	GAMMA GT		22.8		IU/L	6.0 - 42.0	
	LIPID PROF						
	TRIGLYCE		85.1		mg/dL	25.0 - 165	.0
	TOTAL CHO	DLESTEROL	117.8		mg/dL	29.0 - 199	.0
	H D L CHOL	LESTEROL DIRECT	49.5		mg/dL	35.1 - 88.0	)
	VLDL		17.02		mg/dL	4.7 - 22.1	
	L D L CHOL	ESTEROL DIRECT	51.28		mg/dL	63.0 - 129	.0
	TOTAL CHO	DLESTEROL/HDL RATIO	2.38			0.0 - 4.97	
	LDL / HDL	CHOLESTEROL RATIO	1.036			0.00 - 3.55	5
	THYROID P	PROFILE					
	QUANTITY		20		ml.		



9264278360, 9065875700, 8789391403

☑ info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 16/11/2024 Srl No. 6 Patient Id 2411160006
Name Mrs. RANJEETA KUMARI Age 30 Yrs. Sex F
Ref. By Dr.MEDIWHEEL

Test Name		Value	Unit	Normal Value			
COLOUR		PALE YELLOW					
	TRANSPARENCY	CLEAR					
	SPECIFIC GRAVITY	1.030					
	PH	6.5					
	ALBUMIN	NIL					
	SUGAR	NIL					
MICROSCOPIC EXAMINATION							
	PUS CELLS	1-2	/HPF				
	RBC'S	NIL	/HPF				
	CASTS	NIL					
	CRYSTALS	NIL					
	EPITHELIAL CELLS	1-3	/HPF				
	BACTERIA	NIL					
	OTHERS	NIL					

Assay performed on enhanced chemi lumenescence system ( Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

- 1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.
- 2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.
- 3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.



9264278360, 9065875700, 8789391403

www.aarogyamdiagnostics.com

Date 16/11/2024 Srl No. 6 Patient ld 2411160006

Name Mrs. RANJEETA KUMARI Age 30 Yrs. Sex

Ref. By Dr.MEDIWHEEL

Test Name Value Unit Normal Value

- 4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

\*\*\*\* End Of Report \*\*\*\*

Dr.R.B.RAMAN MBBS, MD

**CONSULTANT PATHOLOGIST**