



CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 15:10

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	11.8	12.0-15.0 g/dL	Spectrophotometric
RBC	4.59	3.8-4.8 mil/cmm	Elect. Impedance
PCV	35.3	36-46 %	Measured
MCV	77	80-100 fl	Calculated
MCH	25.7	27-32 pg	Calculated
MCHC	33.5	31.5-34.5 g/dL	Calculated
RDW	15.1	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	7280	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	34.9	20-40 %	
Absolute Lymphocytes	2540.0	1000-3000 /cmm	Calculated
Monocytes	6.1	2-10 %	
Absolute Monocytes	450.0	200-1000 /cmm	Calculated
Neutrophils	53.5	40-80 %	
Absolute Neutrophils	3870.0	2000-7000 /cmm	Calculated
Eosinophils	5.0	1-6 %	
Absolute Eosinophils	360.0	20-500 /cmm	Calculated
Basophils	0.5	0.1-2 %	
Absolute Basophils	40.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	239000	150000-400000 /cmm	Elect. Impedance
MPV	9.1	6-11 fl	Calculated
PDW	18.3	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			
Hypochromia	Mild		
Microcytosis	Occasional		



Use a QR Code Scanner
Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 18:28

Macrocytosis -
Anisocytosis -
Poikilocytosis -
Polychromasia -
Target Cells -
Basophilic Stippling -
Normoblasts -
Others -
WBC MORPHOLOGY -
PLATELET MORPHOLOGY -
COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR **24** 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 18:14

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	84.9	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP	101.4	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.41	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.18	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.23	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.3	1 - 2	Calculated
SGOT (AST), Serum	28.6	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	30.0	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	28.1	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	85.1	35-105 U/L	Colorimetric
BLOOD UREA, Serum	25.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	11.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.76	0.51-0.95 mg/dl	Enzymatic



Use a QR Code Scanner
Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 17:10

eGFR, Serum	105	(ml/min/1.73sqm)	Calculated
		Normal or High: Above 90	
		Mild decrease: 60-89	
		Mild to moderate decrease: 45-59	
		Moderate to severe decrease: 30-44	
		Severe decrease: 15-29	
		Kidney failure: <15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

URIC ACID, Serum	6.3	2.4-5.7 mg/dl	Enzymatic
------------------	-----	---------------	-----------

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 16:50

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.7	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	116.9	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 17:47

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Transparency	Clear	Clear	-
<u>CHEMICAL EXAMINATION</u>			
Specific Gravity	1.005	1.002-1.035	Chemical Indicator
Reaction (pH)	6.5	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
(WBC)Pus cells / hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+(>20/hpf)	0-20/hpf	
Yeast	Absent	Absent	
Others	-		



Use a QR Code Scanner
Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 17:47

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



M. Jain

Dr.MILLU JAIN
M.D.(PATH)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 15:12

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	B
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:
ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr. Vrushi Shroff

Dr.VRUSHALI SHROFF
M.D.(PATH)
Pathologist



CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 18:14

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	191.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	80.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	48.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	142.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	127.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	15.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.6	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Dr. JAGESHWAR MANDAL
CHOUPAL
MBBS, DNB PATH
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 17:10

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.1	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.79	0.35-5.5 microU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 microU/ml	ECLIA



CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 17:10

Use a QR Code Scanner
Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:57
Reported : 15-Nov-2024 / 19:37

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
FUS and KETONES

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***




Dr.JAGESHWAR MANDAL
CHOUPAL
MBBS, DNB PATH
Pathologist




Use a QR Code Scanner Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)


Haemoglobin




WBC Total Count




Platelet Count




ESR



CHOLESTEROL



TRIGLYCERIDES







Use a QR Code Scanner Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)


HDL CHOLESTEROL




LDL CHOLESTEROL




BLOOD UREA




BUN



CREATININE



URIC ACID







Use a QR Code Scanner
 Application To Scan the Code

CID : 2432016519
 Name : MRS.GARIMA SINGH
 Age / Gender : 35 Years / Female
 Consulting Dr. : -
 Reg. Location : Kandivali East (Main Centre)


TOTAL PROTEINS




ALBUMIN




GLOBULIN




SGOT (AST)



SGPT (ALT)



ALKALINE PHOSPHATASE







Use a QR Code Scanner
Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)


GAMMA GT




BILIRUBIN (DIRECT)




Glycosylated Hemoglobin (HbA1c)




Estimated Average Glucose (eAG)



Free T3



Free T4







Use a QR Code Scanner Application To Scan the Code

CID : 2432016519
Name : MRS.GARIMA SINGH
Age / Gender : 35 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)


sensitiveTSH



GLUCOSE (SUGAR) FASTING



GLUCOSE (SUGAR) PP



Name : MRS. GARIMA SINGH

Age / Gender : 35 Years/Female

Consulting Dr. :

Reg. Location : Kandivali East (Main Centre)

Collected : 15-Nov-2024 / 09:52

Reported : 16-Nov-2024 / 08:41

PHYSICAL EXAMINATION REPORT

History and Complaints:

No

EXAMINATION FINDINGS:

Height (cms): 162 cms
Temp (0c): Afebrile
Blood Pressure (mm/hg): 110/70
Pulse: 72/min

Weight (kg): 79 kgs
Skin: Acne
Nails: Normal
Lymph Node: Not palpable

Systems

Cardiovascular: Normal
Respiratory: Normal
Genitourinary: Normal
GI System: Normal
CNS: Normal

IMPRESSION:

*Turic acid
Bordelline dyslipidemia*

ADVICE:

*Low fatty diet
medctn for ↑ uric acid*

Name : MRS.GARIMA SINGH

Age / Gender : 35 Years/Female

Consulting Dr. :

Collected : 15-Nov-2024 / 09:52

Reg.Location : Kandivali East (Main Centre)

Reported : 16-Nov-2024 / 08:41

CHIEF COMPLAINTS:

- | | |
|--|------|
| 1) Hypertension: | No |
| 2) IHD | No |
| 3) Arrhythmia | No |
| 4) Diabetes Mellitus | No |
| 5) Tuberculosis | No |
| 6) Asthama | No |
| 7) Pulmonary Disease | No |
| 8) Thyroid/ Endocrine disorders | No |
| 9) Nervous disorders | No |
| 10) GI system | No |
| 11) Genital urinary disorder | No |
| 12) Rheumatic joint diseases or symptoms | No |
| 13) Blood disease or disorder | No |
| 14) Cancer/lump growth/cyst | No |
| 15) Congenital disease | No |
| 16) Surgeries | LSCS |
| 17) Musculoskeletal System | No |

PERSONAL HISTORY:

- | | |
|---------------|------------|
| 1) Alcohol | Occasional |
| 2) Smoking | Occasional |
| 3) Diet | Mixed |
| 4) Medication | No |

Dr. Jagruti Dhale
MBBS
Consultant Physician
Reg. No. 69548


*** End Of Report ***

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.
Row house No. 3, Aangan,
Thakur Village, Kandivali (east),
Mumbai - 400101.
Tel : 61700000

J. Dhale
Dr. JAGRUTI DHALE

Patient Name: GARIMA SINGH
Patient ID: 2432016519

Date and Time: 15th Nov 24 10:55 AM



Copyright 2014-2024 Triog Health, All Rights Reserved



Age **35** NA NA
years months days

Gender **Female**

Heart Rate **62bpm**

Patient Vitals

BP: 110/70 mmHg

Weight: 79 kg

Height: 162 cm

Pulse: NA

SpO2: NA

Resp: NA

Others:

Measurements

QRSD: 82ms

QT: 392ms

QTcB: 397ms

PR: 136ms

P-R-T: 25° 67° 50°

REPORTED BY

DR. AKHIL PARULEKAR
MBBS, MD, MEDICINE, DNB Cardiology
Cardiologist
2012082483

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

Date: - 15/11/2024

CID: 24320/6519

Name: - Mrs. Geetima Singh

Sex/Age: 35/F

EYE CHECK UP

Chief complaints: NO

Systemic Diseases: NO

Past history: NO

Unaided Vision:

Aided Vision:

Refraction:

	(Right Eye)				(Left Eye)			
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	-	-		6/6	-	-	-	6/6
Near	-	-	-	N/G	-	-	-	N/G

Colour Vision: Normal / Abnormal

Remark: Normal

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.
Row House No. 3, Aangan,
Thakur Village, Kandivli (east),
Mumbai - 400101.
Tel : 61700000



Use a QR Code Scanner
Application To Scan the Code

CID : 2432016519
Name : Mrs GARIMA SINGH
Age / Sex : 35 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre
Reg. Date : 15-Nov-2024
Reported : 15-Nov-2024 / 12:55

2D & M-MODE ECHOCARDIOGRAM REPORT

MITRAL VALVE: has thin leaflets with normal subvalvar motion.
No mitral regurgitation .

AORTIC VALVE : has three thin leaflets with normal opening
No aortic regurgitation.

LEFT VENTRICLE : is normal , has normal wall thickness , No regional wall motion abnormality . Normal LV systolic contractions. EF - 60%.

LEFT ATRIUM: is normal.

RIGHT ATRIUM & RIGHT VENTRICLE: normal in size.

TRICUSPID VALVE & PULMONARY VALVES : normal.
NO TR / PH.

No pericardial effusion.

IMP : Normal LV systolic function. EF-60%.
Normal other chambers and valves.
No regional wall motion abnormality/ scar.
No clot / vegetation / thrombus / pericardial effusion.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024111509542422>



CID : 2432016519
Name : Mrs GARIMA SINGH
Age / Sex : 35 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 15-Nov-2024
Reported : 15-Nov-2024 / 12:55

Use a QR Code Scanner
Application To Scan the Code

M- MODE :

LA (mm)	28
AORTA (mm)	20
LVDD (mm)	44
LVSD (mm)	30
IVSD (mm)	10
PWD (mm)	09
EF	60%
E/A	1.3

-----End of Report-----

Dr. Akhil Parulekar
DNB CARDIOLOGIST
Reg. No- 2012082483

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024111509542422>

CID : 2432016519
Name : Mrs GARIMA SINGH
Age / Sex : 35 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre
Reg. Date : 15-Nov-2024
Reported : 15-Nov-2024 / 11:45

Use a QR Code Scanner
Application To Scan the Code

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (14.8 cm) shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualized and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.
No evidence of any calculus, hydronephrosis or mass lesion seen.
Right kidney measures 10.8 x 3.7 cm. Left kidney measures 10.6 x 4.6 cm.

SPLEEN:

The spleen is normal in size (9.9 cm) and echotexture. No evidence of focal lesion is noted.
There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

UTERUS:

The uterus is anteverted and appears normal. It measures 7.5 x 3.5 x 5.4 cm in size.
The endometrial thickness is 9 mm. IUCD is noted in situ.

OVARIES:

Both the ovaries are well visualized and appears normal.
There is no evidence of any ovarian or adnexal mass seen.
Right ovary = 2.9 x 1.9 cm Left ovary = 2.3 x 2.0 cm

[Click here to view images <<ImageLink>>](#)

Page no 1 of 2

CID : 2432016519
Name : Mrs GARIMA SINGH
Age / Sex : 35 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 15-Nov-2024
Reported : 15-Nov-2024 / 11:45

Use a QR Code Scanner
Application To Scan the Code

IMPRESSION:-

No significant abnormality is seen.

-----End of Report-----



DR. SUMIT M PATIL
MD Radio diagnosis
Reg no.2019/01/0135

[Click here to view images <<ImageLink>>](#)

CID : 2432016519
Name : Mrs GARIMA SINGH
Age / Sex : 35 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 15-Nov-2024
Reported : 15-Nov-2024 / 14:18

Use a QR Code Scanner
Application To Scan the Code


X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----



DR. SUMIT M PATIL
MD Radio diagnosis
Reg no.2019/01/0135

[Click here to view images <<ImageLink>>](#)