



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:18 Collected Age/Gender : 53 Y O M 29 D /F : 2025-03-08 12:38:39 UHID/MR NO : ALDP.0000162364 Received : 2025-03-08 12:38:39 Visit ID Reported : ALDP0458442425 : 09/Mar/2025 11:44:07

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ECG / EKG

1. Machnism, Rhythm Sinus, Regular

2. Atrial Rate 97 /mt

3. Ventricular Rate 97 /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal Configuration: Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T – Wave Normal

FINAL IMPRESSION

Sinus Rhythm, Short PR Interval. Please correlate clinically















Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:14 Age/Gender Collected : 53 Y O M 29 D /F : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 15:09:17

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blo	ood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), EDTA	Whole Blood			
Haemoglobin	13.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	11,200.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	47.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	49.00	%	20-40	FLOW CYTOMETRY
Monocytes	3.00	%	2-10	FLOW CYTOMETRY
Eosinophils	1.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	6.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:14 Age/Gender Collected : 53 Y O M 29 D /F : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 15:09:17

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (9 if anaemic)	
Corrected	-	Mm for 1st hr.	< 20	
PCV (HCT)	41.00	%	40-54	CALCULATED
Platelet count				
Platelet Count	1.77	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.25	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.80	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	87.20	fl	80-100	CALCULATED PARAMETER
MCH	27.10	pg	27-32	CALCULATED PARAMETER
MCHC	31.10	%	30-38	CALCULATED PARAMETER
RDW-CV	12.80	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	41.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,264.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	112.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:07:16 : Mrs.SUMAN MALVIYA Registered On Age/Gender : 53 Y 0 M 29 D /F Collected : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 14:40:12

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	209.00	mg/dl	< 100 Normal 100-125 Pre-diabetes	GOD POD	

Result Rechecked

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP415.40 mg/dl <140 Normal GOD POD
Sample:Plasma After Meal
140-199 Pre-diabetes

140-199 Pre-diabetes >200 Diabetes

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA Whole Blood

Glycosylated Haemoglobin (HbA1c)

Glycosylated Haemoglobin (HbA1c)

11.30

% NGSP

HPLC (NGSP)

100.10

mmol/mol/IFCC

Estimated Average Glucose (eAG)

278

mg/dl

Interpretation:











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:16 Age/Gender : 53 Y O M 29 D /F Collected : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 14:40:12

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.

BUN (Blood Urea Nitrogen) 8.97 mg/dL 7.0-23.0 CALCULATED Sample:Serum

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:07:16 : Mrs.SUMAN MALVIYA Registered On Age/Gender : 53 Y O M 29 D /F Collected : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 14:40:12

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

est Name	Result	Unit	Bio. Ref. Interval	Method	
----------	--------	------	--------------------	--------	--

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

Creatinine 0.65 Female- 0.6-1.1 **MODIFIED JAFFES** mg/dL Sample:Serum

Newborn 0.3-1.0 Infent 0.2-0.4 Child 0.3-0.7 Adolescent 0.5-1.0

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 3.43 mg/dL 2.6-6.0 **URICASE**

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	37.30	U/L	< 31	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	51.70	U/L	< 34	IFCC WITHOUT P5P
Gamma GT (GGT)	72.40	U/L	0-38	IFCC, KINETIC
Protein	6.99	g/dL	6.2-8.0	BIURET
Albumin	4.21	g/dL	3.4-5.4	B.C.G.
Globulin	2.78	gm/dL	1.8-3.6	CALCULATED
A:G Ratio	1.51		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	145.63	U/L	42-98	IFCC AMP KINETIC
Bilirubin (Total)	0.60	mg/dL	Adult	DIAZO







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:07:16 : Mrs.SUMAN MALVIYA Registered On Collected Age/Gender : 53 Y O M 29 D /F : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 14:40:12

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			0-2.0	
Bilirubin (Direct)	0.19	mg/dL	< 0.20	DIAZO
Bilirubin (Indirect)	0.41	mg/dL	< 1.8	CALCULATED
LIPID PROFILE, Serum				
Cholesterol (Total)	213.00	mg/dL	<200 Desirable 200-239 Borderline Hiç > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	54.80	mg/dL	35.0-79.5	DIRECT ENZYMATIC
Non-HDL Cholesterol	158.20	mg/dl	0-130	CALCULATED
LDL Cholesterol (Bad Cholesterol)	80	mg/dL	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline Hiç 160-189 High > 190 Very High	CALCULATED
VLDL	78.36	mg/dL	10-33	CALCULATED
TC / HDL Cholesterol Ratio	3.89		3-5	CALCULATED
LDL / HDL Ratio	1.46		< 3.0	CALCULATED
Triglycerides	391.80	mg/dL	< 150 Normal 150-199 Borderline Hiç 200-499 High >500 Very High	GPO-PAP gh

Interpretation:

Note:-

- 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
- 2. Lipid Association of India (LAI) recommends screening of all adults above the age of 20 years for Atherosclerotic Cardiovascular Disease (ASCVD) risk factors especially lipid profile. This should be done earlier if there is family history of premature heart disease, dyslipidemia, obesity or other risk factors
- 3. Triglycerides levels >150 mg/dL in fasting or >175 mg/dL in non-fasting are considered risk modifier for ASCVD risk

Treatment Goals for Lipid lowering therapy (as per Lipid Association of India 2023)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : 08/Mar/2025 10:07:16 : Mrs.SUMAN MALVIYA Registered On Age/Gender : 53 Y O M 29 D /F Collected : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 14:40:12

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

TREATMENT GOAL

ASCVD RISK CATEGORY	LDL-C in mg/dL (Primary target)	NON HDL-C in mg/dL (Co-Primary target)		
Low	<100	<130		
Moderate	<100	<130		
High	<70	<100		
Very High	< 50	<80		
Extreme (A)	<50 (<30 Optional)	<80 (< 60 optional)		
Extreme (B)	<30	<60		

ASCVD Risk Stratification & Treatment goals in Indian population

Indians are at very high risk of developing ASCVD, they usually get the disease at an early age, have a more severe form of the disease and have poorer outcome as compared to the western populations. Many individuals remain asymptomatic before they get heart attack, ASCVD risk helps to identify high risk individuals even when there is no symptom related to heart disease. Risk stratification is important to guide lipid lowering therapy and to identify treatment goals.

CSI Clinical Practice guidelines (2024) recommends in the absence of formal risk calculator for Indian population, only risk factors can be used for risk assessment. Standard Risk factors are:

- 1. Smoking/tobacco use
- 2. Hypertension
- 3. Diabetes
- 4. Family h/o Premature CAD (Men <55 years and women <60 years

Risk Assessment*

Low Moderate Risk High Risk Very High Risk Extremely High Risk

Presence of 2 or more standard

factors with no manifest

ASCVDASCVD with recurrent

ASCVD CAD/PVD/CeVD vascular events









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:16 Age/Gender Collected : 53 Y O M 29 D /F : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID Reported : 08/Mar/2025 14:40:12 : ALDP0458442425

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name		Result	Unit	Bio.	. Ref. Interval	Method
No standard risk factor	Presence of any one standard risk factor	DM with 1 or more risk factor Heterozygous Familial Hypercholesterole- mia (HeFH) with no risk factor	Imaging->50% lesion in any two major vessels DM>20 years or multiple risk factors, TOD		ASCVD with HeFH (&
		Hypertension with one or more risk factor or with Target organ damage (TOD)	HeFH-with ASCV or RF	/D		
		CKD- eGFR 30-59 ml/min	CKD-eGFR <30 ml/min			

^{*} A more formal risk assessment may be used by clinicians according to their personal preferences and familiarity with the risk scores.

Dr.Akanksha Singh (MD Pathology)









Urobilinogen(1:20 dilution)

Nitrite

Blood



CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:15 Age/Gender Collected : 08/Mar/2025 15:11:14 : 53 Y O M 29 D /F UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 15:16:28 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 18:49:08

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS **Test Name** Result Unit Bio. Ref. Interval Method **URINE EXAMINATION, ROUTINE, Urine** LIGHT YELLOW Pale Yellow VISUAL EXAMINATION Specific Gravity 1.015 1.001-1.030 PRE-TREATED POLYMERIC ION **EXCHANGE RESIN** Reaction PH Acidic (5.0) 5.0-8.0 METHYL RED **BROMOTHYMOLBLUE Appearance CLEAR** Protein **ABSENT** < 10 Absent TETRA BROMOPHENOL mg % **BLUE METHYLRED** 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) Sugar **ABSENT** gms% < 0.5 (+)**GLUCOSE OXIDASE** 0.5-1.0(++)**PEROXIDASE CHROMOGEN** 1-2 (+++) > 2 (++++) **REACTION** Ketone **ABSENT** mg/dl Serum-0.1-3.0 **SODIUM NITROPRUSSIDE** Urine-0.0-14.0 Bile Salts **ABSENT ABSENT SULPHUR GRANULE Bile Pigments ABSENT ABSENT FOUCHET TEST** Bilirubin **ABSENT ABSENT DIAZONIUM SALT** Leucocyte Esterase **ABSENT ABSENT** CARBOXYLIC ACID **ESTER DIAZONIUM** SALT

Microscopic Examination:				
Epithelial cells	0-1/h.p.f	cells/hpf	0.0-5.0	

ABSENT

ABSENT

ABSENT

-		·		EXAMINATION
Pus cells	0-1/h.p.f	WBC/hpf	0.0-5.0	MICROSCOPIC
RBCs	ABSENT	RBC/hpf	0.0-2.0	MICROSCOPY
Cast	ABSENT		ABSENT	MICROSCOPY





ABSENT

ABSENT

ABSENT

View Reports on Chandan 24x7 App



DIAZONIUM SALT

SULFANANIC ACID TETRAHYDRO BENZOL

TETRA METHYL BENZIDINE

MICROSCOPIC





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:15 Collected Age/Gender : 53 Y O M 29 D /F : 08/Mar/2025 15:11:14 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 15:16:28 Visit ID Reported : 08/Mar/2025 18:49:08 : ALDP0458442425

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method		
Crystals	ABSENT		ABSENT	MICROSCOPY		
Others	ABSENT					
Urine Microscopy is done on centrifuged urine sediment.						

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage **ABSENT** gms%

Interpretation:

(+)< 0.5

0.5-1.0 (++)

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

ABSENT Sugar, PP Stage

Interpretation:

< 0.5 gms% (+)

0.5-1.0 gms% (++)

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:16 Age/Gender : 53 Y O M 29 D /F Collected : 08/Mar/2025 11:14:12 UHID/MR NO : ALDP.0000162364 Received : 08/Mar/2025 12:09:33 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 18:07:37

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Ur	nit	Bio. Ref. Interval	Method		
THYROID PROFILE - TOTAL , Serum							
T3, Total (tri-iodothyronine)	119.00	ng/	/dl	84.61–201.7	CLIA		
T4, Total (Thyroxine)	11.30	ug/	/dl	3.2-12.6	CLIA		
TSH (Thyroid Stimulating Hormone)	1.440	μIU/	/mL	0.4 - 4.5	CLIA		
Interpretation:							
•		0.7-27	μIU/m	L Premature	28-36 Week		
		2.3-13.2	μIU/m	L Cord Blood	> 37Week		
		1.0-39.0	•		Birth 4 Days		
		1.7-9.1	μIU/m		2-20 Week		
		0.7-6.4	μIU/m	`			
		0.4-4.5	μIU/m		21-54 Years		
		0.4-4.5	μIU/m	L Adults	55-87 Years		
		<u>Pregnancy</u>					
		0.3-4.5	•				
		0.5-4.6	μIU/m				
		0.8-5.2	•		er		
	Whole blood heel puncture						
		< 20.0	μIU/m	nL Newborn scre	een		

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

<u>Note</u> :-

TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

Dr. Akanksha Singh (MD Pathology)





View Reports on Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:18 Age/Gender Collected : 53 Y O M 29 D /F : 2025-03-08 11:04:53 UHID/MR NO : ALDP.0000162364 Received : 2025-03-08 11:04:53 Visit ID Reported : ALDP0458442425 : 08/Mar/2025 15:53:37

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.

Please correlare clinically.



Dr. Shashikant MBBS,MD (Radiodiagnosis)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SUMAN MALVIYA Registered On : 08/Mar/2025 10:07:18 Age/Gender : 53 Y O M 29 D /F Collected : 2025-03-08 12:02:01 UHID/MR NO : ALDP.0000162364 Received : 2025-03-08 12:02:01 Visit ID : ALDP0458442425 Reported : 08/Mar/2025 12:13:59

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Enlarged in size (18.4 cm), shape and raised echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER:- Not visualized (Post cholecystectomy status)

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size, shape and echogenicity. No evidence of mass lesion is seen.

BOTH KIDNEYS: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS:- Not visualized (Post hysterectomy status)

OVARIES & ADNEXA:- No obvious, ovarian adnexal pathology is seen.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen.

IMPRESSION: Hepatomegaly with grade II fatty changes in liver.

Please correlate clinically.



Dr. Shashikant MBBS,MD (Radiodiagnosis)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name Registered On : 08/Mar/2025 10:07:19 : Mrs.SUMAN MALVIYA Collected Age/Gender : 53 Y O M 29 D /F : 2025-03-08 14:43:27 UHID/MR NO : ALDP.0000162364 Received : 2025-03-08 14:43:27 Visit ID : ALDP0458442425 Reported : 09/Mar/2025 09:50:24

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Tread Mill Test (TMT)

NORMAL

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION



Dr. R K VERMA

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open

*Facilities Available at Select Location







View Reports on Chandan 24x7 App





UHID/MR NO

Visit ID



CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206

Patient Name : Mrs.SUMAN MALVIYA Age/Gender

: 53 Y O M 29 D /F Collected : ALDP.0000162364 : ALDP0458442425

Received Reported

Registered On

: 08/Mar/2025 10:22AM : 08/Mar/2025 11:15AM : 08/Mar/2025 04:29PM

: 08/Mar/2025 10:07AM

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor CARE LTD -

Status : Final Report

: MEDIWHEEL - ARCOFEMI HEALTH CARE LTD. Contract By

[52610]CREDIT

DEPARTMENT OF CYTOLOGY

SPECIMEN: PAP SMEAR

CYTOLOGY NO: 87/25-26

GROSS: 2 Slides.

MICROSCOPIC: Adequate for evaluation.

Cellular smears show intermediate and parabasal squamous cells with minimal inflammation.

Endocervical cells are not seen.

IMPRESSION: Negative for intraepithelial lesion or malignancy.

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION

Dr. Akanksha Singh (MD Pathology)

This report is not for medico legal purpose. If clinical correlation is not established kindly repeate the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * *Facilities Available at Selected Location





