Patient Name	: Mr. VIRAJ PUJARE	Age/Sex	: 31 Year(s) / Male
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9892855282
		DOB	: 21/04/1993
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

Blood Bank

Test Name			Result					
Sample No :	O0368725A	Collection Date :	26/10/24 09:02	Ack Date :	26/10/2024 12:19	Report Date :	26/10/24 15:13	
BLOOD GF	ROUPING/ CRO	OSS-MATCHING E	BY SEMI AUTO	MATION.				
BLOOD GRO	oup (ABO)		' B	T				

POSITIVE

REMARK: THE REPORTED RESULTS PERTAIN TO THE SAMPLE RECEIVED AT THE BLOOD CENTRE.

Interpretation:

Method - Column Agglutination

Rh Type

Blood typing is used to determine an individual's blood group, to establish whether a person is blood group A, B, AB, or O and whether he or she is Rh positive or Rh negative. Blood typing has the following significance,

• Ensure compatibility between the blood type of a person who requires a transfusion of blood or blood components and the ABO and Rh type of the unit of blood that will be transfused.

• Determine compatibility between a pregnant woman and her developing baby (fetus). Rh typing is especially

important during pregnancy because a mother and her fetus could be incompatible.

• Determine the blood group of potential blood donors at a collection facility.

• Determine the blood group of potential donors and recipients of organs, tissues, or bone marrow, as part of a workup for a transplant procedure.

• Cross-matching test is done to assess compatibility of donor red cells to the patient.

— End of Report -

Dr.Pooja Vinod Mishra MD Pathology Jr Consultant Pathologist, MMC Reg No. 2017052191 RegNo: 2017/05/2191



Patient Name	: Mr. VIRAJ PUJARE	Ang/Sev	
Facient Name	· MI. VINAS FOSARE	Age/Sex	: 31 Year(s) / Male
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9892855282
		DOB	: 21/04/1993
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

HAEMATOLOGY

st Name		Result		Unit	Bio	logical Reference Interva
Sample No: 00368725A	Collection Date :	26/10/24 09:02	Ack Date : 26	5/10/2024 09:21	Report Date :	26/10/24 10:24
COMPLETE BLOOD CO	UNT (CBC) - EDTA \	WHOLE BLOOD				
Total WBC Count		7.79			x10^3/ul	4 - 10
Neutrophils		51.8			%	40 - 80
Lymphocytes		33.6			%	20 - 40
Eosinophils		9.6	(H)		%	1 - 6
Monocytes		4.9	. ,		%	2 - 10
Basophils		0.1	/ (L)		%	1 - 2
Absolute Neutrophil Cour	t	4.04	. <i>1</i>		x10^3/ul	2 - 7
Absolute Lymphocyte Cou	unt	2.62			x10^3/ul	0.8 - 4
Absolute Eosinophil Coun	t		▲ (H)		x10^3/ul	0.02 - 0.5
Absolute Monocyte Count	:	0.38	- \		x10^3/ul	0.12 - 1.2
Absolute Basophil Count		0.01			x10^3/ul	0 - 0.1
RBCs		4.95			x10^6/ul	4.5 - 5.5
Hemoglobin		14.4			gm/dl	13 - 17
Hematocrit		42.5			%	35 - 45
MCV		85.9			fl	83 - 101
МСН		29.1			pg	27 - 32
МСНС		33.9				
		33.9			gm/dl	31.5 - 34.5



Patient Name	: Mr. VIRAJ PUJARE	Age/S	Ex : 31 Yea	ır(s) / Male
UHID	: SHHM.108834	Order	Date : 26/10/	2024 08:45
Episode	: OP			
Ref. Doctor	: self	Mobile	e No : 98928	55282
		DOB	: 21/04/	1993
		Facilit	ry : SEVEN MUMB	HILLS HOSPITAL, AI
RED CELL DIST	RIBUTION WIDTH-CV (RDW-CV)	13.6	%	11 - 16
RED CELL DIST	RIBUTION WIDTH-SD (RDW-SD)	44.7	fl	35 - 56
Platelet		292	x10^3/ul	150 - 410
Mean Platelet \	/olume (MPV)	8.8	fl	6.78 - 13.46
PLATELET DIS	TRIBUTION WIDTH (PDW)	16.1	%	9 - 17
PLATELETCRIT	(PCT)	0.257	%	0.11 - 0.28
Comment		PS Findings: RBCs: Normocytic Normoo WBCs: Eosinophilia Platelets: Adequate	chromic	

Method:-HB Colorimetric Method. RBC/PLT Electrical Impedance Method. WBC data Flow Cytometry by Laser Method. MCV,MCH,MCHC,RDW and rest parameters - Calculated.

All Abnormal Haemograms are reviewed confirmed microscopically.

NOTE: Wallach's Interpretation of Diagnostic Tests. 11th Ed, Editors: Rao LV. 2021

NOTE :-

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

Dr.Pooja Vinod Mishra MD Pathology Jr Consultant Pathologist, MMC Reg No. 2017052191



End of Report

Patient Name	: Mr. VIRAJ PUJARE	Age/Sex: 31 Year(s) / Male	
UHID	: SHHM.108834	Order Date : 26/10/2024 08:45	
Episode	: OP		ĺ
Ref. Doctor	: self	Mobile No : 9892855282	ĺ
		DOB : 21/04/1993	ſ
		Facility : SEVENHILLS HOSPITAL,	ſ
l		MUMBAI	

RegNo: 2017/05/2191





P Dur PR int ORS Dur 01/01C int P ORS/T axis	71 bpm 95 /127ms 93 ms 386/419 ms 30/30/15 °		amp amp	1. 101/1. 092mV 2. 193mV 1. 751/0. 911mV		Minnesota 9-4-2(V4)	Code	Diagnosis 800 Sinus	sis Info nus Rhythm	
-	$\left\{ \right\}$	ł	3	1	17	ł	Ę	}	E	
3	Į	3		Ş		Ì				L
=			ļ		EN J					Ļ
ave	Ę	Ę	Ł	Ę	A A			L	Ł	Ł
avr					vs	1	1	1	Ł	4
ave	ł	~					{		1	\downarrow
Rhy II		5	5	5	4	4	3	5	5	2

Patient Name	: Mr. VIRAJ PUJARE	Age/Sex	: 31 Year(s) / Male
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9892855282
		DOB	: 21/04/1993
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

HAEMATOLOGY

Sample No : 00368725A Collection Date : 26/10/24 09:02 Ack Date : 26/10/2024 09:21	Report Date :	26/10/24 13:05
ERYTHROCYTE SEDIMENTATION RATE (ESR)		
ESR 7 mm	nm/hr	0 - 20

Method: Westergren Method

INTERPRETATION :-

ESR is a non-specific phenomenon, its measurement is clinically useful in disorders associated with an increased production of acute-phase proteins. It provides an index of progress of the disease in rheumatoid arthritis or tuberculosis, and it is of considerable value in diagnosis of temporal arteritis and polymyalgia rheumatica. It is often used if multiple myeloma is suspected, but when the myeloma is non-secretory or light chain, a normal ESR does not exclude this diagnosis.

An elevated ESR may occur as an early feature in myocardial infarction. Although a normal ESR cannot be taken to exclude the presence of organic disease, the vast majority of acute or chronic infections and most neoplastic and degenerative diseases are associated with changes in the plasma proteins that increased ESR values.

The ESR is influenced by age, stage of the menstrual cycle and medications taken (corticosteroids, contraceptive pills). It is especially low (0–1 mm) in polycythaemia, hypofibrinogenaemia and congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis, or sickle cells. In cases of performance enhancing drug intake by athletes the ESR values are generally lower than the usual value for the individual and as a result of the increase in haemoglobin (i.e. the effect of secondary polycythaemia).



End of Report

Dr.Nipa Dhorda MD Pathologist RegNo: 91821

Patient Name	: Mr. VIRAJ PUJARE	Age/Sex	: 31 Year(s) / Male
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9892855282
		DOB	: 21/04/1993
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI



Patient Name	: Mr. VIRAJ PUJARE	Age/Sex	: 31 Year(s) / Male
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9892855282
		DOB	: 21/04/1993
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

Biochemistry

Test Name			Resu	llt		Unit	Bio	logical Reference Interval
Sample No :	O0368725B	Collection Date :	26/10/24 09	:02	Ack Date :	26/10/2024 09:21	Report Date :	28/10/24 13:11
Blood Sug	ar FBS							
FBS Method - Hexa	okinase			92.8			mg/dl	70 - 100
GLUCOSE-	PLASMA POST	PRANDIAL						
Glucose,Pos	st Prandial			110			mg/dl	70 - 140

American Diabetes Association Reference Range :

FASTING:-Normal : < 100 mg/dl Impaired fasting glucose(Prediabetes) : 100 - 126 mg/dl Diabetes : >= 126 mg/dl

Post-Prandial Blood Glucose: Non- Diabetic: Up to 140mg/dL Pre-Diabetic: 140-199 mg/dL Diabetic :>200 mg/dL

References: 1)Pack Insert of Bio system 2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

Interpretation :-

Conditions that can result in an elevated blood glucose level include: Acromegaly, Acute stress (response to trauma, heart attack, and stroke for instance), Chronic kidney disease, Cushing syndrome, Excessive consumption of food, Hyperthyroidism, Pancreatitis.

A low level of glucose may indicate hypoglycemia, a condition characterized by a drop in blood glucose to a level where first it causes nervous system symptoms (sweating, palpitations, hunger, trembling, and anxiety), then begins to affect the brain (causing confusion, hallucinations, blurred vision, and sometimes even coma and death). A low blood glucose level (hypoglycemia) may be

seen with:Adrenal insufficiency, Drinking excessive alcohol, Severe liver disease, Hypopituitarism, Hypothyroidism, Severe infections, Severe heart failure, Chronic kidney (renal) failure, Insulin overdose, Tumors that produce insulin (insulinomas), Starvation.



Patient Name	: Mr. VIRAJ PUJARE	Age/Sex	: 31 Year(s) / Male
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9892855282
		DOB	: 21/04/1993
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

ALT(SGPT) - SERUM			
SGPT (Alanine Transaminase) - SERUM Method - IFCC	20.9	IU/L	0 - 45

References :

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

,,,,, ,			
Total Bilirubin - SERUM <i>Method - Diazo</i>	0.89	mg/dl	0 - 2
Direct Bilirubin SERUM Method - Diazotization	0.35	mg/dl	0 - 0.4
Indirect Bilirubin - Calculated Method - Calculated	0.54	mg/dl	0.1 - 0.8
BUN-SERUM			
Urea - SERUM Method - Urease	26.1	mg/dl	15 - 39
BUN - SERUM Method - Urease-GLDH	12.20	mg/dl	4 - 18

References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

CREATININE-SERUM			
Creatinine - SERUM Method - Jaffes Kinetic	1.13	mg/dl	0.5 - 1.3

References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

Notes :-

Creatinine is a chemical waste molecule that is generated from muscle metabolism.Creatinine is produced from creatine, a molecule of major importance for energy production in muscles.Approximataly 1-2% of the body's creatine is converted to creatinine every day. Creatinine is transported through the bloodstream to the kidneys. The kidneys filter out host of the creatinine and dispose of it in the urine.The kidneys maintain the blood creatinine in a normal ranges. Creatinine has been found to be a fairly reliable indicator of kidney function.



Patient Name	: Mr. VIRAJ PUJARE	Age/Sex	: 31 Year(s) / Male	
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45	
Episode	: OP			
Ref. Doctor	: self	Mobile No	: 9892855282	
		DOB	: 21/04/1993	
		Facility	: SEVENHILLS HOSPITAL,	
			MUMBAI	

— End of Report –

A

Dr.Ritesh Kharche MD Pathology, PGD-HM Consultant Pathologist and Director of Laboratory Services RegNo: 2006/03/1680





Patient Name	: Mr. VIRAJ PUJARE	Age/Sex	: 31 Year(s) / Male
UHID	: SHHM.108834	Order Date	: 26/10/2024 08:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9892855282
		DOB	: 21/04/1993
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

Urinalysis

est Name		Result		Unit	Bio	logical Reference Interva
Sample No: 00368725D	Collection Date : 26/	/10/24 09:02	Ack Date :	26/10/2024 09:22	Report Date :	26/10/24 13:18
Physical Examination						
QUANTITY		40			ml	
Colour		Pale	Yellow			
Appearance		Clea	r			
DEPOSIT		Abse	ent			Absent
рН		Acid	ic			
Specific Gravity		1.01	.0			
Chemical Examination						
Protein		Abse	ent			Absent
Glucose		Abse	ent			
ketones		Abse	ent			
Blood		NEG	ATIVE			Negative
Bilirubin		Neg	ative			
Urobilinogen		norr	nal			Normal
NITRITE		Abse	ent			Absent
LEUKOCYTES		Abse	ent			
Microscopic Examination	1					
Pus cells		2-3			/HPF	
Epithelial Cells		4-6			/HPF	

Dationt Name					
Patient Name	: Mr. VIRAJ PUJARE		Age/Sex	: 31 Year(s)	/ Male
UHID	: SHHM.108834		Order Date	: 26/10/202	4 08:45
Episode	: OP				
Ref. Doctor	: self		Mobile No	: 98928552	82
			DOB	:21/04/199	3
			Facility	: SEVENHIL MUMBAI	LS HOSPITAL,
RBC		absent		/HPF	Absent
Cast		absent		/LPF	
Crystal		absent		/HPF	
Amorphous Ma	terials	Absent			
Yeast		Absent			
Bacteria		Absent			

- End of Report -



Dr.Nipa Dhorda MD Pathologist RegNo: 91821



Patient Name Age/Sex UHID	: Mr. VIRAJ PUJARE : 31 Year(s)/Male : SHHM.108834	Order Date Report Date	 26/10/2024 08:45 26/10/2024 16:27
Ref. Doctor	: self	Facility	: SEVENHILLS HOSPITAL,
Address	 NEW SIDDHARTH NAGAR, NEAR HINDU SMASHAN BHUMI, GHATKOPAR WEST,Mumbai, Maharashtra, 400072 	Mobile	MUMBAI : 9892855282

DIAGNOSTICS REPORT

X-RAY CHEST PA VIEW

Both lungs are clear.

The frontal cardiac dimensions are normal.

The pleural spaces are clear.

Both hilar shadows are normal in position and density.

No diaphragmatic abnormality is seen.

The soft tissues and bony thorax are normal.

IMPRESSION: No pleuroparenchymal lesion is seen.

Kul.

Dr.Bhujang Pai MBBS,MD

Consultant RegNo: 49380



Arcofemi Healthcare Pvt Ltd

(Formerly known as Arcofemi Healthcare Ltd) F-701A, Lado Sarai, Mehrauli, New Delhi - 110030 Email: wellness@mediwheel.in, Website: www.mediwheel.in Tel: +91-11-41195959, Fax: +91-11-29523020 CIN: U24240DL2011PTC216307

MEDICAL FITNESS CERTIFICATE

(To be signed by a registered medical practitioner holding a Medical degree)

This is to certify that <u>Mr. Vijay Pujare</u> aged,<u>32yr</u>. Based on the examination, I certify that he is in good dental and physical health and it is free from any physical defects such as deafness, color blindness, and any chronic or contagious diseases.

Place: **Mumbai** Date: 26/10/2024

vitesh Kumar Name & Signature of

Medical officer