

Name : Mr. SUMAN CHAKRABORTY (47 /M)

Date : 08/03/2025

Address : 132, KABI SATYEN DUTTA ROAD, NIMTA, KOLKATA, KOLKATA, WEST BENGAL, INDIA

Examined by :

UHID : AMHL.0002090484

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH237980



CHIEF COMPLAINTS

For corporate health checkup

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,
Dyslipidemia, Thyroid
disorder, Heart disease,
Stroke
Hypertension Medication - regular
Asthma Control - good;
Medication - inhalers



SYSTEMIC REVIEW

Cardiovascular system

High blood pressure - yes; Medication - yes

Respiratory system

- Nil Significant

Oral and dental

- Nil Significant

Gastrointestinal system

- Nil Significant

Genitourinary system

- Nil Significant

Eyes

Vision - normal with glasses; Glasses - yes

ENT

- Nil Significant

Musculoskeletal system

Spine and joints

- Nil Significant

Skin

- Nil Significant

Weight

- stable



Past medical history

Jaundice - yes



Personal history

Marital status - Widower
No. of children - 2
Diet - Non Vegetarian
Alcohol - consumes alcohol
Frequency - weekly
Units - 18
Smoking - Yes
Type - Cigarette
Number - 5
Frequency - weekly
Chews tobacco - No
Physical activity - Moderate



Family history

Father - alive
Mother - has expired
Diabetes - father, sister
Hypertension - father, mother, sister
Coronary artery
disease - sister
Cancer - mother
Type - Breast

PHYSICAL EXAMINATION



General

Build - over weight
Height - 166
Weight - 73
BMI - 26.49
Pallor - No

Oedema - no



Cardiovascular system

Heart rate (Per minute) - 86
Rhythm - Regular
- B.P. Sitting
Systolic(mm of Hg) - 143
Diastolic(mm of Hg) - 97
Heart sounds - S1S2+

Respiratory system

Breath sounds - Normal vesicular breath sounds



Abdomen

Appearance - Normal
Organomegaly - No
Tenderness - No
Bowel sounds - Normal

Ophthalmology consultation

Ophthalmology findings - OCULAR MOVEMENTS:
(RE):FULL (LE):FULL
ANTERIOR SEGMENTS:
(RE):WNL (LE):WNL
VISUAL ACUITY
DISTANCE:WITH GLASS
(RE):6/6 (LE):6/6 VISUAL
ACUITY NEAR:WITH
GLASS (RE):N6 (LE):N6
ADVICE:*To continue
present glass*Review after
1yr/SOS

Name : Mr. SUMAN CHAKRABORTY (47 /M)

UHID : AMHL.0002090484

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH237980

COMPLETE HAEMOGRAM PROFILE

Test Name	Result	Unit	Level	Range
Hemoglobin	13.9	g/dl	●	13.0-17.0
RBC COUNT	4.52	Million/ ul	●	4.5-5.5
Hematocrit - Hct:	40.8 *	%	●	41-53
MCV	90.3	fl	●	83-101
MCH	30.7	pg	●	27-32
MCHC	34.0	%	●	31.5-34.5
RDW	13.7	%	●	11.8-14.0
WBC Count	5300	/cu mm	●	4000-10000
Platelet Count	1.56	lacs/cu mm	●	1.5-4.0
Neutrophils	71	%	●	40-80
Lymphocytes	20	%	●	20-40
Monocytes	07	%	●	2-10
Eosinophils	02	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Normocytic Normochromic cells			
Platelets:	Adequate on the smear			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	13	mm/1st hr	●	0-15

URINE ROUTINE AND MICROSCOPY

Test Name	Result	Unit	Level	Range
Volume:	50	mL		
Colour:	Pale Straw			
Appearance	Clear			
Specific Gravity	1.005			
pH:	6.0			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	Nil	/hpf		
Pus Cells	Occasional/hpf			
Epithelial Cells	Occasional/hpf			

Casts: Not Found
Crystals: Not Found

URINE SUGAR - POST PRANDIAL (QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

URINE SUGAR- FASTING(QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(FASTING)	Nil			

BLOOD GROUPING AND TYPING (ABO AND RH)

Test Name	Result	Unit	Level	Range
ABO Group:	B			
Rh (D) Type:	POSITIVE			

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	36	U/L	●	0-50
ALBUMIN - SERUM	4.6	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	65	U/L	●	43-115
AST (SGOT) - SERUM	25	U/L	●	0-50
BILIRUBIN TOTAL - SERUM	1.5 *	mg/dL	●	0.3-1.2

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	153	mg/dL	●	0-200
Non-HDL Cholesterol	116			

CREATININE - SERUM

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	1.1	mg/dL	●	0.9-1.3

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. SUMAN CHAKRABORTY (47 /M)

UHID : AMHL.0002090484

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH237980

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	23	U/L	●	0-55

GLUCOSE - PLASMA (FASTING)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (FASTING)	100 *	mg/dL	●	70-99

GLUCOSE - PLASMA (POST PRANDIAL)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (POST PRANDIAL)	92	mg/dL	●	70-140

HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD

Test Name	Result	Unit	Level	Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD	5.1	%	●	Nondiabetic : 4 - 5.6 % Prediabetics : 5.7 - 6.4% Diabetes : >= 6.5% ADA Therapeutic goal : <7%

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
HDL CHOLESTEROL - SERUM	37	mg/dL	●	30-70
TC/HDL-C ratio serum	4 *		●	Optimal<3.5
LDL CHOLESTEROL -SERUM	106	mg/dL	●	Optimal: <100
VLDL CHOLESTEROL - SERUM (Calculated)	10	mg/dL	●	0-35

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.7	g/dL	●	6.4-8.3
Albumin/Globulin Ratio	1.5		●	1.0-2.0

GLOBULIN: (CALCULATED) - SERUM	3.1	g/dL	●	1.8-3.6
--------------------------------	-----	------	---	---------

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TOTAL T3: TRI IODOTHYRONINE - SERUM (Electrochemiliminescence (ECLIA))	1.5	ng/ml	●	0.8-2

TOTAL T4: THYROXINE - SERUM (Electrochemiliminescence (ECLIA))	8.3	ug/dL	●	5.1-14.1
--	-----	-------	---	----------

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
TRIGLYCERIDES - SERUM	58	mg/dL	●	0-150

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TSH: THYROID STIMULATING HORMONE - SERUM (Electrochemiliminescence (ECLIA))	1.69	μIU/mL	●	0.27-4.2

URIC ACID - SERUM

Test Name	Result	Unit	Level	Range
URIC ACID - SERUM	7.7 *	mg/dL	●	2.6-7.2

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.3 *	mg/dL	●	0.0-0.2

BUN (BLOOD UREA NITROGEN)

Test Name	Result	Unit	Level	Range
BUN (BLOOD UREA NITROGEN)	10.7	mg/dL	●	7.0-18.0
UREA - SERUM	23	mg/dL	●	13-43

BUN/CREATININE RATIO

Test Name	Result	Unit	Level	Range
-----------	--------	------	-------	-------

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. SUMAN CHAKRABORTY (47 /M)

UHID : AMHL.0002090484

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH237980

BUN/CREATININE RATIO	9.7			
BUN (BLOOD UREA NITROGEN)	10.7	mg/dL	●	7.0-18.0
UREA - SERUM	23	mg/dL	●	13-43
CREATININE - SERUM	1.1	mg/dL	●	0.9-1.3

ECG

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

ULTRASOUND SCREENING WHOLE ABDOMEN

* Grade I fatty liver.

Suggested clinical correlation, follow up and further evaluation.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

X-RAY CHEST PA

* Mildly prominent horizontal fissure.

TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

[INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE\(LAB,RADIOLOGY & CARDIOLOGY\)](#)

Biochemistry

A/G - RATIO

Histopathology

PAP SMEAR /CERVICAL SMEAR

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. SUMAN CHAKRABORTY (47 /M)

UHID : AMHL.0002090484

Date : 08/03/2025

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH237980

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

AICVD RISK SCORE REPORT

RISK STATUS

Low Risk

YOUR SCORE

5

ACCEPTABLE SCORE

6

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
3. To ensure the information in the report is up to date , accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515