



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 10:42:32
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 11:05:58
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 14:09:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood	I			
Haemoglobin	12.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC)	6,200.00	/Cu mm	4000-10000	IMPEDANCE METHOD
DLC				
Polymorphs (Neutrophils)	58.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	36.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	1.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	16.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5	



80-91 Yr 15.8







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 10:42:32
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 11:05:58
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 14:09:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy	
			Early gestation - 48 (62	
			if anaemic) Leter gestation - 70 (95	
			if anaemic))
Corrected	-	Mm for 1st hr.	,	
PCV (HCT)	38.00	%	40-54	
Platelet count				
Platelet Count	1.25	LACS/cu mm	1 5-4 0	ELECTRONIC
	1120			IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.16	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.87	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	79.10	fl	80-100	CALCULATED PARAMETER
MCH	24.60	pg	27-32	CALCULATED PARAMETER
MCHC	31.10	%	30-38	CALCULATED PARAMETER
RDW-CV	13.20	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	39.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,596.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	62.00	/cu mm	40-440	

AS

Page 2 of 12









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 10:42:32
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 11:05:58
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 15:03:11
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interv	al Method
GLUCOSE FASTING , <i>Plasma</i> Glucose Fasting	74.20	100	00 Normal -125 Pre-diabetes 26 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	85.30	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	31.70	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	98	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.



View Reports on

Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 10:42:32
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 11:05:58
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 15:03:11
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)	12.20	mg/dL	7.0-23.0	С
Sample:Serum				

CALCULATED

View Reports on

Chandan 24x7 App









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

	: Mrs.SHRIVASTAVA KAMI	NA	Registered	On : C	9/Nov/2024 10:25	5:13
0	: 36 Y 1 M 11 D /F		Collected		9/Nov/2024 10:42	
	: ALDP.0000154096		Received		9/Nov/2024 11:05	
	: ALDP0304252425		Reported	: C	9/Nov/2024 15:03	3:11
	: Dr. MEDIWHEEL-ARCOF CARE LTD -	EMI HEALTH	Status	: F	inal Report	
		DEPARTMEN	T OF BIOCH	EMISTRY		
	MEDIWHE	EL BANK OF B				
Test Name		Result	U	nit Bic	o. Ref. Interval	Method
Interpretation: Note: Elevated BUN	N levels can be seen in the	e following:				
High-protein diet, Deh	ydration, Aging, Certain me	edications, Burns,	Gastrointestin	nal (GI) bleed	ling.	
Low BUN levels can) be seen in the following:	:				
Low-protein diet, over	rhydration, Liver disease.					
			,	0 5 1 00		
reatinine ample:Serum Interpretation:		0.87	mg/dl	0.5-1.20	DOM	IFIED JAFFES
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor	ngle creatinine value must be er creatinine concentration. T ncentration. Serum creatinin ly and may result in anomale	interpreted in lig The trend of serur le concentrations	ht of the patien n creatinine co may increase v	ts muscle ma ncentrations o vhen an ACE	ss. A patient with a g over time is more im E inhibitor (ACE) is t	greater muscle portant than taken. The assay
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild	er creatinine concentration. T ncentration. Serum creatinin	interpreted in lig The trend of serur le concentrations	ht of the patien n creatinine co may increase v	ts muscle ma ncentrations o vhen an ACE	ss. A patient with a g over time is more im E inhibitor (ACE) is t	greater muscle portant than taken. The assay zed, icteric or
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild lipemic. Interpretation: Note:- Elevated uric acid le	er creatinine concentration. T ncentration. Serum creatinin	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 3.71	ht of the patien n creatinine co may increase v m samples hav mg/dl	ts muscle ma ncentrations o vhen an ACE e heterophilio 2.5-6.0	ss. A patient with a g over time is more im E inhibitor (ACE) is antibodies, hemoly	greater muscle portant than taken. The assay zed, icteric or
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild lipemic. Interpretation: Note:- Elevated uric acid le	er creatinine concentration. T ncentration. Serum creatinin ly and may result in anomale evels can be seen in the fo tein diet, alcohol), Chronic k	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 3.71	ht of the patien n creatinine co may increase v m samples hav mg/dl	ts muscle ma ncentrations o vhen an ACE e heterophilio 2.5-6.0	ss. A patient with a g over time is more im E inhibitor (ACE) is antibodies, hemoly	greater muscle portant than taken. The assay zed, icteric or
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Dric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMMA	evels can be seen in the for tein diet, alcohol), Chronic k GT), Serum	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 3.71	ht of the patien n creatinine co may increase v m samples hav mg/dl	ts muscle ma ncentrations o when an ACE e heterophilio 2.5-6.0	ss. A patient with a gover time is more im inhibitor (ACE) is to antibodies, hemoly URICA	greater muscle portant than taken. The assay zed, icteric or ASE
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid let Drugs, Diet (high-prot FT (WITH GAMMA	evels can be seen in the fo tein diet, alcohol), Chronic k GT), Serum inotransferase (AST)	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 3.71	ht of the patien n creatinine co may increase v m samples hav mg/dl	ts muscle ma ncentrations o vhen an ACE e heterophilio 2.5-6.0	ss. A patient with a gover time is more im inhibitor (ACE) is the antibodies, hemoly URICA	greater muscle portant than taken. The assay zed, icteric or
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot	evels can be seen in the fo tein diet, alcohol), Chronic k GT), Serum inotransferase (AST)	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 Sllowing: kidney disease, H	ht of the patien n creatinine co may increase v m samples hav mg/dl ypertension, O	ts muscle ma ncentrations of when an ACE e heterophilio 2.5-6.0 besity.	ss. A patient with a gover time is more im inhibitor (ACE) is the c antibodies, hemoly URICA	greater muscle portant than taken. The assay zed, icteric or ASE MITHOUT P5P
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMMA (SGOT / Aspartate Am SGPT / Alanine Amino	evels can be seen in the fo tein diet, alcohol), Chronic k GT), Serum inotransferase (AST)	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 Sllowing: kidney disease, H 22.40 19.70	ht of the patien n creatinine co may increase v m samples hav mg/dl ypertension, C U/L U/L	ts muscle ma ncentrations of when an ACE e heterophilio 2.5-6.0 besity. < 35 < 40	ss. A patient with a gover time is more im inhibitor (ACE) is the c antibodies, hemoly URICA	greater muscle portant than taken. The assay zed, icteric or ASE WITHOUT P5P WITHOUT P5P MIZED SZAZING
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMIMA SGOT / Aspartate Am SGPT / Alanine Amino Gamma GT (GGT)	evels can be seen in the fo tein diet, alcohol), Chronic k GT), Serum inotransferase (AST)	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 Sllowing: kidney disease, H 22.40 19.70 15.30	ht of the patien n creatinine co may increase v m samples hav mg/dl ypertension, O U/L U/L IU/L	ts muscle ma ncentrations of when an ACE e heterophilio 2.5-6.0 besity. < 35 < 40 11-50	ss. A patient with a gover time is more im E inhibitor (ACE) is the c antibodies, hemoly URICA URICA	greater muscle portant than taken. The assay zed, icteric or ASE WITHOUT P5P WITHOUT P5P WITHOUT P5P MIZED SZAZING
ample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Dric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMIMA (SGOT / Aspartate Am SGPT / Alanine Amino Gamma GT (GGT) Protein	evels can be seen in the fo tein diet, alcohol), Chronic k GT), Serum inotransferase (AST)	e interpreted in lig The trend of serur le concentrations ous values if seru 3.71 Sllowing: kidney disease, H 22.40 19.70 15.30 6.27	ht of the patien n creatinine co may increase v m samples hav mg/dl ypertension, C U/L U/L U/L IU/L gm/dl	ts muscle ma ncentrations of when an ACE e heterophilio 2.5-6.0 besity. < 35 < 40 11-50 6.2-8.0	ss. A patient with a gover time is more im inhibitor (ACE) is the c antibodies, hemoly URICA URICA IFCC 1 IFCC 1 BIURI BIURI B.C.G	greater muscle portant than taken. The assay zed, icteric or ASE WITHOUT P5P WITHOUT P5P WITHOUT P5P MIZED SZAZING









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 10:42:32
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 11:05:58
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 15:03:11
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	erval Method
Alkaline Phosphatase (Total)	72.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	1.44	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.54	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.90	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	135.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP ligh
HDL Cholesterol (Good Cholesterol)	47.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	80	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Opti 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	12.02	mg/dl	10-33	CALCULATED
Triglycerides	60.10	mg/dl	< 150 Normal 150-199 Borderline F 200-499 High >500 Very High	GPO-PAP ligh

AS

Dr.Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 11:17:31
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 15:02:39
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 15:48:51
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE , υ	Irine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	20-25/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 11:17:31
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 15:02:39
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 15:48:51
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

IVIEDIVV	HEEL BAINK OF BARU	DA FEIVIALE	ABOVE 40 IRS		
Test Name	Result	Unit	Bio. Ref. Interval	Method	
SUGAR, FASTING STAGE, Urine					
Sugar, Fasting stage	ABSENT	gms%			
Interpretation: (+) < 0.5 (++) 0.5-1.0 (+++) 1-2					

(++++) > 2

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:13
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 09/Nov/2024 10:42:32
UHID/MR NO	: ALDP.0000154096	Received	: 09/Nov/2024 11:05:58
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 17:48:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit I	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine)	97.00	ng/dl 8	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.55	ug/dl 3	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.660	μlU/mL (0.27 - 5.5	CLIA
Interpretation:		0.3-4.5 μIU/mL 0.5-4.6 μIU/mL 0.8-5.2 μIU/mL 0.5-8.9 μIU/mL 0.7-27 μIU/mL 2.3-13.2 μIU/mL 0.7-64 μIU/mL 1-39 μIU/mL	 Second Trim Third Trimes Adults Premature Cord Blood Child(21 wk AL Child 	ester ter 55-87 Years 28-36 Week > 37Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:14
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 2024-11-09 10:52:56
UHID/MR NO	: ALDP.0000154096	Received	: 2024-11-09 10:52:56
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 17:50:52
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Note is made bifid left 4th rib.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:14
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 2024-11-09 16:23:03
UHID/MR NO	: ALDP.0000154096	Received	: 2024-11-09 16:23:03
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 16:24:05
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Normal in size (12.7 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER :- Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (9.1cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size 8.2 x 3.3 cm, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size 8.3 x 3.9 cm, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS :- Is normal in size (5.7 x 3.7 x 4.9 cm). No focal myometrial lesion is seen. Endometrium is normal in thickness 17.9 mm.

OVARIES :- Bilateral ovaries are normal in size, shape and echogenicity. Right ovary - mm, Left ovary - mm.

ADNEXA :- No obvious adnexal pathology is seen.

HIGH RESOLUTION :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION : No significant abnormality seen.

Please correlate clinically.

*** End Of Report ***

Result/s to Follow:









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SHRIVASTAVA KAMNA	Registered On	: 09/Nov/2024 10:25:14
Age/Gender	: 36 Y 1 M 11 D /F	Collected	: 2024-11-09 16:23:03
UHID/MR NO	: ALDP.0000154096	Received	: 2024-11-09 16:23:03
Visit ID	: ALDP0304252425	Reported	: 09/Nov/2024 16:24:05
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION



Dr. R K VERMA MBBS, PGDGM

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open *Facilities Available at Select Location

acilities Available at Select Location Page 12 of 12



Home Sample Collection 08069366666



