



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:00
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:29:00
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 15:36:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF HAEMATOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
	Result	Unit	DIU. REI. IIItei vai	Methou
Blood Group (ABO & Rh typing) , Blood				
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	17.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	7,000.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils )	68.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	26.00	%	20-40	FLOW CYTOMETRY
Monocytes	3.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils <b>ESR</b>	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	4.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



Page 1 of 11







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:00
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:29:00
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 15:36:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	NR	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	52.00	%	40-54	
Platelet Count	2.90	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	38.90	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.33	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.87	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	103.90	fl	80-100	CALCULATED PARAMETER
MCH	34.90	pg	27-32	CALCULATED PARAMETER
MCHC	33.60	%	30-38	CALCULATED PARAMETER
RDW-CV	14.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	58.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,760.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	140.00	/cu mm	40-440	



# DR.KIRITI KANAUJIA MBBS MD(PATH)











Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 14:24:33
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 15:44:37
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 16:38:21
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , Plasma Glucose Fasting	122.80	mg/dl	< 100 Normal	GOD POD
5		5	100-125 Pre-diabetes ≥ 126 Diabetes	

### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

**CLINICAL SIGNIFICANCE:-** Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	127.50	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

Dr. Anupam Singh (MBBS MD Pathology)



Home Sample Collection 08069366666



Page 3 of 11







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:35:58
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 17:11:33
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit Bio	o. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C) <sup>3</sup> Glycosylated Haemoglobin (HbA1c) Glycosylated Haemoglobin (HbA1c) Estimated Average Glucose (eAG)	** , <i>EDTA BLOOD</i> 5.10 32.00 99	% NGSP mmol/mol/IFCC mg/dl		HPLC (NGSP)

#### Interpretation:

#### <u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level



Home Sample Collection 08069366666

View Reports on

Chandan 24x7 App

Page 4 of 11







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:35:58
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 17:11:33
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

|--|

declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

### Dr. Anupam Singh (MBBS MD Pathology)

SIN No:66793921



Home Sample Collection 08069366666









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:59:39
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 14:10:38
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd. -	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
<b>BUN (Blood Urea Nitrogen)</b> Sample:Serum	9.21	mg/dL	7.0-23.0	CALCULATED

#### **Interpretation:**

#### Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

#### Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

Creatinine	1.09	mg/dl	0.7-1.30	MODIFIED JAFFES
Sample:Serum				

#### Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid Sample:Serum	5.28	mg/dl	3.4-7.0	URICASE
,				

Interpretation:
Note:-
Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum				
SGOT / Aspartate Aminotransferase (AST)	32.00	U/L	< 35	IFCC WITHOUT P5P











Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:59:39
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 14:10:38
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SGPT / Alanine Aminotransferase (ALT)	22.60	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	26.90	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.21	gm/dl	6.2-8.0	BIURET
Albumin	4.10	gm/dl	3.4-5.4	B.C.G.
Globulin	2.11	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.94		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	110.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.86	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.29	mg/dl	< 0.30	<b>JENDRASSIK &amp; GROF</b>
Bilirubin (Indirect)	0.57	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	205.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP 1
HDL Cholesterol (Good Cholesterol)	48.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	141	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	15.80	mg/dl	10-33	CALCULATED
Triglycerides	79.00	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP 1

# Dr. Anupam Singh (MBBS MD Pathology)



Page 7 of 11









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 14:28:07
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 14:44:35
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 16:14:32
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Uri	ine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic ( 6.0 )			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Sugai	ADJLINI	yms <i>i</i> o	0.5-1.0 (++)	DIFSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	Serum-0.1-3.0	BIOCHEMISTRY
			Urine-0.0-14.0	
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Othors	ΔΟΩΓΝΙΤ			EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
		-		



View Reports on

Chandan 24x7 App







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 14:28:07
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 14:44:35
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 16:14:32
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

1.					
Test Name	Result	Unit	Bio. Ref. Interval	Method	
Interpretation:					

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5 \\ (++) & 1 \\ (+++) & 1 \\ (++++) & > 2 \end{array}$ 

## SUGAR, PP STAGE , Urine

Sugar, PP Stage

ABSENT

#### Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%



### DR.KIRITI KANAUJIA MBBS MD(PATH)

Page 9 of 11









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:05:12
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 13:13:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF IMMUNOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.84	ng/mL	<4.1	CLIA

#### Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone<sup>-</sup>
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

### THYROID PROFILE - TOTAL \*\* , Serum

T3, Total (tri-iodothyronine)	104.08	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	9.00	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.430	μlU/mL	0.27 - 5.5	CLIA

### Interpretation:

0.3-4.5	µIU/mL	First Trimest	ter	
0.5-4.6	µIU/mL	Second Trimester		
0.8-5.2	µIU/mL	Third Trimes	ter	
0.5-8.9	µIU/mL	Adults	55-87 Years	
0.7-27	µIU/mL	Premature	28-36 Week	
2.3-13.2	µIU/mL	Cord Blood	> 37Week	
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)	
1-39	µIU/mL	Child	0-4 Days	
1.7-9.1	µIU/mL	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or





Page 10 of 1





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85110UP2003PLC193493

Patient Name	: Mr. SOMANSHU CHATURVEDI	Registered On	: 09/Nov/2024 09:18:01
Age/Gender	: 33 Y 1 M 6 D /M	Collected	: 09/Nov/2024 09:48:59
UHID/MR NO	: CALI.0000030128	Received	: 09/Nov/2024 11:05:12
Visit ID	: IDCD0404162425	Reported	: 09/Nov/2024 13:13:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3)** Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, X-RAY DIGITAL CHEST PA, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER), Tread Mill Test (TMT)



Dr. Anupam Singh (MBBS MD Pathology)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups \* 365 Days Open \*Facilities Available at Select Location

SIN No:66793921



Home Sample Collection 08069366666



Page 11 of 11