



Patient Name : Mrs.ARTI GUPTA Age/Gender : 38 Y 2 M 20 D/F

UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:51AM

Received : 09/Nov/2024 10:21AM Reported : 09/Nov/2024 01:48PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

PERIPHERAL SMEAR, WHOLE BLOOD EDTA

Dr. SHWETA GUPTA MBBS,MD (Pathology) Consultant Pathology

SIN No:BED240245674







: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF

TPA ID : DGD

Collected

: 09/Nov/2024 09:51AM

Received

: 09/Nov/2024 10:21AM : 09/Nov/2024 01:48PM

Reported : 09/Nov/2024 Status : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
HEMOGRAM , WHOLE BLOOD EDTA				
HAEMOGLOBIN	13.2	g/dL	12-15	CYANIDE FREE COLOUROMETER
PCV	40.70	%	40-50	PULSE HEIGHT AVERAGE
RBC COUNT	4.17	Million/cu.mm	3.8-4.8	Electrical Impedence
MCV	97.6	fL	83-101	Calculated
MCH	31.8	pg	27-32	Calculated
MCHC	32.5	g/dL	31.5-34.5	Calculated
R.D.W	16.7	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	7,230	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT	(DLC)			
NEUTROPHILS	71.9	%	40-80	Electrical Impedance
LYMPHOCYTES	19.3	%	20-40	Electrical Impedance
EOSINOPHILS	1.2	%	1-6	Electrical Impedance
MONOCYTES	6.8	%	2-10	Electrical Impedance
BASOPHILS	0.8	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	5198.37	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	1395.39	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	86.76	Cells/cu.mm	20-500	Calculated
MONOCYTES	491.64	Cells/cu.mm	200-1000	Calculated
BASOPHILS	57.84	Cells/cu.mm	0-100	Calculated
Neutrophil lymphocyte ratio (NLR)	3.73		0.78- 3.53	Calculated
PLATELET COUNT	176000	cells/cu.mm	150000-410000	IMPEDENCE/MICROSCOPY
ERYTHROCYTE SEDIMENTATION RATE (ESR)	5	mm at the end of 1 hour	0-20	Modified Westergren
PERIPHERAL SMEAR				

RBCs ARE NORMOCYTIC NORMOCHROMIC.

TLC , DLC WITHIN NORMAL LIMIT. NO IMMATURE CELLS ARE SEEN. PLATELETS ARE ADEQUATE.

Page 2 of 14



Dr. SHWETA GUPTA MBBS,MD (Pathology) Consultant Pathology SIN No:BED240245674





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

: Dr.SELF

: DGD

Emp/Auth/TPA ID

Collected

: 09/Nov/2024 09:51AM

Received Reported : 09/Nov/2024 10:21AM : 09/Nov/2024 01:48PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Dr. SHWETA GUPTA
MBBS,MD (Pathology)
Consultant Pathology
SIN No:BED240245674





Patient Name : Mrs.ARTI GUPTA
Age/Gender : 38 Y 2 M 20 D/F
UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:51AM
Received : 09/Nov/2024 10:21AM
Reported : 09/Nov/2024 01:51PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
BLOOD GROUP ABO AND RH FACTOR	, WHOLE BLOOD EDTA			
BLOOD GROUP TYPE	В			Forward & Reverse Grouping with Slide/Tube Aggluti
Rh TYPE	POSITIVE			Forward & Reverse Grouping with Slide/Tube Agglutination

Page 4 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No Visit ID

: SCHI.0000025220 : SCHIOPV38935

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : DGD Collected

: 09/Nov/2024 01:46PM

Received

: 09/Nov/2024 02:55PM

Reported Status

: 09/Nov/2024 04:41PM : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE, FASTING, NAF PLASMA	97	mg/dL	70-100	GOD - POD

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:

- 1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.
- 2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS, SODIUM FLUORIDE PLASMA (2 HR)	114	mg/dL	70-140	GOD - POD

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Page 5 of 14



Dr. SHWETA GUPTA MBBS, MD (Pathology) Consultant Pathology SIN No:PLP1488006







Patient Name : Mrs.ARTI GUPTA

Age/Gender : 38 Y 2 M 20 D/F UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:52AM

Received : 09/Nov/2024 12:59PM Reported : 09/Nov/2024 02:38PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
HBA1C (GLYCATED HEMOGLOBIN),	WHOLE BLOOD EDTA			
HBA1C, GLYCATED HEMOGLOBIN	5.7	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	117	mg/dL		Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:


REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- 1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic
- Control by American Diabetes Association guidelines 2023.
- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control A: HbF >25%
 - B: Homozygous Hemoglobinopathy.
 - (Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 6 of 14





SIN No:EDT240094074





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF

: DGD

Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 10:22AM

: Final Report

Reported

: 09/Nov/2024 01:24PM

Status Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method			
LIPID PROFILE, SERUM							
TOTAL CHOLESTEROL	144	mg/dL	<200	CHE/CHO/POD			
TRIGLYCERIDES	71	mg/dL	<150	Enzymatic			
HDL CHOLESTEROL	52	mg/dL	>40	CHE/CHO/POD			
NON-HDL CHOLESTEROL	92	mg/dL	<130	Calculated			
LDL CHOLESTEROL	77.8	mg/dL	<100	Calculated			
VLDL CHOLESTEROL	14.2	mg/dL	<30	Calculated			
CHOL / HDL RATIO	2.77		0-4.97	Calculated			
ATHEROGENIC INDEX (AIP)	0.01		<0.11	Calculated			

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

Page 7 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF

: DGD

Collected

: 09/Nov/2024 09:52AM

Received Reported : 09/Nov/2024 10:22AM : 09/Nov/2024 01:24PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
LIVER FUNCTION TEST (LFT) , SERUM				
BILIRUBIN, TOTAL	0.50	mg/dL	0.20-1.30	DIAZO METHOD
BILIRUBIN CONJUGATED (DIRECT)	0.30	mg/dL	0.0-0.3	Calculated
BILIRUBIN (INDIRECT)	0.20	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	33	U/L	<35	Visible with P-5-P
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	26.0	U/L	14-36	UV with P-5-P
AST (SGOT) / ALT (SGPT) RATIO (DE RITIS)	0.8		<1.15	Calculated
ALKALINE PHOSPHATASE	106.00	U/L	38-126	p-nitrophenyl phosphate
PROTEIN, TOTAL	7.40	g/dL	6.3-8.2	Biuret
ALBUMIN	4.20	g/dL	3.5 - 5	Bromocresol Green
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.31		0.9-2.0	Calculated


Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin) Common patterns seen:

- 1. Hepatocellular Injury:
- *AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.*ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI. Disproportionate increase in AST, ALT compared with ALP. AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.
- 2. Cholestatic Pattern:*ALP Disproportionate increase in ALP compared with AST, ALT. ALP elevation also seen in pregnancy, impacted by age and sex.*Bilirubin elevated- predominantly direct , To establish the hepatic origin correlation with elevated GGT helps.
- 3. Synthetic function impairment:*Albumin-Liver disease reduces albumin levels, Correlation with PT (Prothrombin Time) helps.
- 4. Associated tests for assessment of liver fibrosis Fibrosis-4 and APRI Index.

Page 8 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF : DGD

Collected

: 09/Nov/2024 09:52AM

Received Reported : 09/Nov/2024 10:22AM : 09/Nov/2024 01:24PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED


DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
RENAL PROFILE/KIDNEY FUNCTION	TEST (RFT/KFT), SEF	RUM	J	
CREATININE	0.60	mg/dL	0.5-1.04	Creatinine amidohydrolase
UREA	30.30	mg/dL	15-36	Urease
BLOOD UREA NITROGEN	14.2	mg/dL	8.0 - 23.0	Calculated
URIC ACID	2.90	mg/dL	2.5-6.2	Uricase
CALCIUM	9.90	mg/dL	8.4 - 10.2	Arsenazo-III
PHOSPHORUS, INORGANIC	3.70	mg/dL	2.5-4.5	PMA Phenol
SODIUM	139	mmol/L	135-145	Direct ISE
POTASSIUM	4.8	mmol/L	3.5-5.1	Direct ISE
CHLORIDE	111	mmol/L	98 - 107	Direct ISE
PROTEIN, TOTAL	7.40	g/dL	6.3-8.2	Biuret
ALBUMIN	4.20	g/dL	3.5 - 5	Bromocresol Green
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.31		0.9-2.0	Calculated

Page 9 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF : DGD Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 10:22AM

Reported

: 09/Nov/2024 11:50AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM	17.00	U/L	12-43	Glyclyclycine Nitoranalide

Page 10 of 14











Patient Name : Mrs.ARTI GUPTA

Age/Gender : 38 Y 2 M 20 D/F UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:52AM

Received : 09/Nov/2024 12:58PM Reported : 09/Nov/2024 02:40PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE TOTAL (T3, T4, TSF	l), SERUM			
TRI-IODOTHYRONINE (T3, TOTAL)	0.98	ng/mL	0.87-1.78	CLIA
THYROXINE (T4, TOTAL)	10.36	μg/dL	5.48-14.28	CLIA
THYROID STIMULATING HORMONE (TSH)	1.490	μIU/mL	0.38-5.33	CLIA

Comment:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 - 3.0

- **1.** TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- **2.** TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- **3.** Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- **4.** Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions	
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis	
High	N	N	N	ubclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Treatment.	
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism	
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy	
Low	N	N	N	Subclinical Hyperthyroidism	
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism	
Low	N	High	High	Thyroiditis, Interfering Antibodies	
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes	

Page 11 of 14



Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:SPL24146238







: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF : DGD

Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 12:58PM

Reported

Status

: 09/Nov/2024 02:40PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma
------	------	------	------	--

Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:SPL24146238

Page 12 of 14





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

: Dr.SELF

Emp/Auth/TPA ID : DGD Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 01:45PM

Reported

: 09/Nov/2024 01:54PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
COMPLETE URINE EXAMINATION (CUE) , URINE			<u>'</u>
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Physical Measurement
pH	6.0		5-7.5	Double Indicator
SP. GRAVITY	1.025		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	Protein Error Of Indicator
GLUCOSE	NEGATIVE		NEGATIVE	Glucose Oxidase
URINE BILIRUBIN	NEGATIVE		NEGATIVE	Azo Coupling Reaction
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	Sodium Nitro Prusside
UROBILINOGEN	NORMAL		NORMAL	Modifed Ehrlich Reaction
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	Leucocyte Esterase
CENTRIFUGED SEDIMENT WET M	OUNT AND MICROSCOPY	1		
PUS CELLS	2-4	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1-2	/hpf	<10	Microscopy
RBC	ABSENT	/hpf	0-2	Microscopy
CASTS	ABSENT		0-2 Hyaline Cast	Microscopy
CRYSTALS	ABSENT		ABSENT	Microscopy

Comment:

All urine samples are checked for adequacy and suitability before examination. All abnormal chemical examination are rechecked and verified by manual methods. Microscopy findings are reported as an average of 10 high power fields.

Page 13 of 14



Dr. SHWETA GUPTA MBBS, MD (Pathology) Consultant Pathology SIN No:UR2419317





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID

: SCHIOPV38935

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : DGD Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 01:45PM

Reported

: 09/Nov/2024 01:54PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE GLUCOSE(POST PRANDIAL)	NEGATIVE		NEGATIVE	GOD-POD
Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE GLUCOSE(FASTING)	NEGATIVE		NEGATIVE	GOD-POD

*** End Of Report ***

Page 14 of 14









Patient Name : Mrs.ARTI GUPTA
Age/Gender : 38 Y 2 M 20 D/F
UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:52AM Received : 09/Nov/2024 01:45PM

Reported : 09/Nov/2024 01:54PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

TERMS AND CONDITIONS GOVERNING THIS REPORT


- 1. Reported results are for information and interpretation of the referring doctor or such other medical professionals, who understandreporting units, reference ranges and limitation of technologies. Laboratories not be responsible for any interpretation whatsoever.
- 2. It is presumed that the tests performed are, on the specimen / sample being to the patient named or identified and the verifications of parrticulars have been confirmed by the patient or his / her representative at the point of generation of said specimen.
- 3. The reported results are restricted to the given specimen only. Results may vary from lab to lab and from time to time for the same parameter for the same patient (within subject biological variation).
- 4. The patient details along with their results in certain cases like notifiable diseases and as per local regulatory requirements will be communicated to the assigned regulatory bodies.
- 5. The patient samples can be used as part of internal quality control, test verification, data analysis purposes within the testing scope of the laboratory.
- 6. This report is not valid for medico legal purposes. It is performed to facilitate medical diagnosis only.

Dr. SHWETA GUPTA MBBS,MD (Pathology) Consultant Pathology SIN No:UF012154





Name Mrs. ARTI GUPTA Age: 38 Y UHID:SCHI.0000025220 *SCHI.0000025220* Sex: F Address: NEW DELHI OP Number: SCHIOPV38935 : ARCOFEMI MEDIWHEEL FEMALE AHC CREDIT PAN Bill No :SCHI-OCR-12909 Plan INDIA OP AGREEMENT Date : 09.11.2024 09:40 Serive Type/ServiceName Department ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324 1 GAMMA GLUTAMYL TRANFERASE (GGT) 22 D ECHO 3 LIVER FUNCTION TEST (LFT) 4 GLUCOSE, FASTING 5 HEMOGRAM + PERIPHERAL SMEAR 6 GYNAECOLOGY CONSULTATION 7 DIET CONSULTATION 8 COMPLETE URINE EXAMINATION (9 URINE GLUCOSE(POST PRANDIAL) 10 PERIPHERAL SMEAR 11 ECG 12 LBC PAP TEST- PAPSURE 13 RENAL PROFILE/RENAL FUNCTION TEST (RFT/KFT) 14 DENTAL CONSULTATION PD-12 15 GLUCOSE, POST PRANDIAL (PP), 2 HOURS (POST MEAL) 16 URINE GLUCOSE(FASTING) 17 HbA16, GLYCATED HEMOGLOBIN 18 X-RAY CHEST PA 19 ENT CONSULTATION .. 20 FITNESS BY GENERAL PHYSICIAN 21 BLOOD GROUP ABO AND RH FACTOR 22 LIPID PROFILE 23 BODY MASS INDEX (BMI) 24 OPTHAL BY GENERAL PHYSICIAN 25 ULTRASOUND - WHOLE ABDOMEN 26 THYROID PROFILE (TOTAL T3, TOTAL T4, TSH)



PHC Desk

Fr	01	n	:
			1
Se	n	τ:	
100	1111	37	

noreply@apolloclinics.info 08 November 2024 12:01 atulgupta354@yahoo.co.in

To: Cc:

phc.klc@apollospectra.com; syamsunder.m@apollohl.com;

Subject:

cc.klc@apollospectra.com Your appointment is confirmed



Dear Arti gupta,

Greetings from Apollo Clinics,

Your corporate health check appointment is confirmed at SPECTRA NEHRU ENCLAVE clinic on 2024-11-09 at 09:15-09:30.

Payment Mode		
Corporate Name	ARCOFEMI HEALTHCARE LIMITED	
Agreement Name	[ARCOFEMI MEDIWHEEL FEMALE AHC CREDIT PAN INDIA OP AGREEMENT]	
Package Name	[ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324]	2024.

[&]quot;Kindly carry with you relevant documents such as HR issued authorization letter and or appointment confirmation mail and or valid government ID proof and or company ID card and or voucher as per our agreement with your company or sponsor."

Note: Video recording or taking photos inside the clinic premises or during camps is not allowed and would attract legal consequences.

Note: Also once appointment is booked, based on availability of doctors at clinics tests will happen, any pending test will happen based on doctor availability and clinics will be updating the same to customers.

Instructions to be followed for a health check:

YUAL PLUS

iller and or



PREVENTIVE HEALTH CARE SUMMARY

NAME:-	UHID No: 2 C99
AGE/GENDER:-	RECEIPT No:-
Chofeni	EXAMINED ON:- O
Chief Complaints:	auscy
Past History:	
DM : Nil Hypertension : Nil CAD : Nil	CVA : Nil Cancer : Nil Other : Nil
Personal History:	
Alcohol : Nil Smoking : Nit	Activity : Active Allergies : MI
Family History: DM HT General Physical Examination:	
Height 160 cms Weight S 2 Kgs Rest of examination was within normal limits	Pulse Solino bpm mmHg
Systemic Examination:	[00
CVS Respiratory system : Normal Abdominal system : Normal CNS : Normal Others : Normal	

PREVENTIVE HEALTH CARE SUMMARY

NAME:-	UHID No:	
PANEL:	RECEIPT No:-	
FANEL:	EXAMINED ON:-	

Investigations:

All the reports of tests and investigations are attached herewith



Recommendation:

ultant Physician

Cryane Lewin
Cap Absolute Women 1024
My vite 3 60 konce a weed
2 may



Name:	ARTI GUPTA	Age/Sex	38	Yrs/ F	.3 111 .
UHID:	25220	11907 CCX	50	113/1	
Ref By:	APOLLO SPECTRA	Date:-	09.11	.2024	

ULTRASOUND WHOLE ABDOMEN

Liver: Appears normal in size, and echotexture. Intrahepatic biliary radicles are not dilated. No focal or diffuse lesion is seen. CBD and portal vein are normal in caliber.

Gall Bladder: partially distended with clear lumen and normal wall thickness. No obvious calculus or sludge is seen.

Pancreas and Spleen: Appears normal in size and echotexture.

Both Kidneys: are normal in size, shape, and echopattern. The parenchymal thickness is normal and cortico-medullary differentiation is well maintained. Pelvicalyceal systems are not dilated. No calculus or mass lesion is seen. Ureter is not dilated.

Urinary Bladder: is moderately distended and shows no obvious calculus or sediments. Bladder wall thickness is normal.

Uterus is retroverted and bulky in size. It measures 9 x 4.5 cm. Few small intramural fibroids are seen along the anterior & posterior walls measuring 1-1.5 cm in size.

Endometrial echoes are normal and measures 9 mm

Both ovaries are normal in size

No obvious adnexal mass is seen. No free fluid seen.

IMPRESSION:

MILDLY BULKY UTERUS WITH SMALL INTRAMURAL FIBROIDS.

Please correlate clinically and with lab. Investigations.

DR. DEEPIKA AGARWAL CONSULTANT RADIOLOGIST

Dr. DEEPIKA AGARWAL

Consultant Radiologist DMC No. 56777

Apollo Speciality Hospitals (P) Ltd. A-2, Chirag Enclave, Greater Kailash-1

Apollo Spectra Hospitals: Plot No. A-2, Chirag Enclave, Greater Kailash - 1, New Delhi - 110048 Ph.: 011-40465555, 9910995018 | www.apollospectra.com

Apollo Specialty Hospitals Pvt. Ltd.

CIN - U85100TG2009PTC099414

Mys. Arti Gupta 38 PAF Specialists in Surgery Ho wing glass -0.75M/-0.75DCX60,6/60 - MG Stitlamp exant Als Normal B/C Pulsil reachion mormal sta Fundur (wall 3/1-

ed Refresh Tear TS SEXI wonth

Darocku

Apollo Spectra Hospitals: Plot No. A-2, Chirag Enclave, Greater Kailash -1, New Delhi -110048 Ph: 011-40465555, 9910995018 | www.apollospectra.com

Apollo Specialty Hospital Pvt. Ltd.





NAME: ARTI	DATE: 09.11.2024
UHID NO: 25220	AGE: 38YRS/ SEX: F

X-RAY CHEST PA VIEW

Both the lung fields show no active parenchymal pathology.

Both the costophrenic angles are clear.

Heart size is normal.

Both the domes of diaphragm are normal.

Bony thorax appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY

Please correlate clinically and with lab investigations

DR. DEEPIKA AGARWAL
Consultant Radiologist

Dr. DEEPIKA AGARWAL

Consultant Radiologist

DMC No. 56777

Apollo Speciality Hospitals (P) Ltd.

A-2, Chirag Enclave, Greater Kailash-1

New Delhi-110048

Apollo Spectra Hospitals: Plot No. A-2, Chirag Enclave, Greater Kailash - 1, New Delhi - 110048 Ph.: 011-40465555, 9910995018 | www.apollospectra.com



Mrs. Aut Gupta 3 8 yrs | female

c/c - Pt. complains of pair & swelling in Right back tooth region since two years.

DIM- NRH

MIM - NRH


0/6 - Stainst, Calculus + +

· Occlusal Couries in. 2

Advised. Full Mouth Oral Prophylaxis.

· Knay M.

Apollo Spectra Hospitals: Plot No. A-2, Chirag Enclave, Greater Kailash -1, New Delhi -110048 Ph: 011-40465555, 9910995018 | www.apollospectra.com



9/11/2024. 38 April Graysta

Popia Choudhan HOSPITALS Specialists in Surgery

Polymenovihoea x 3 mthe

Both LSCS LD - Syr back

LMP- 22/10/2024

MIR- 20d/4-5d/flow aug.

PaulHIO- 30d/5-6d/

Regular.

Adv-

Merchal charling

· CBC

Review à seporte. · Blood sugar (F)

· S.TSH, Fly, Fl3

- Tab Pantop 40mg once a day (empty stomach) . USG pelvis NSig

rep. for when 2 adnera.

> Apollo Spectra Hospitals: Plot No. A-2, Chirag Enclave, Greater Kailash -1, New Delhi -110048 Ph: 011-40465555, 9910995018 | www.apollospectra.com

Apollo Specialty Hospital Pvt. Ltd.



: 38 Y/F

: SCHIOPV38935

: 09-11-2024 17:09

Patient Name : Mrs. ARTI GUPTA Age UHID : SCHI.0000025220 OP Visit No Conducted By: : Dr. MUKESH K GUPTA Conducted Date Referred By MITRAL VALVE AML-Normal/Thickening/Calcification/Flutter/Vegetation/Prolapse/SAM/Doming. Morphology PML-Normal/Thickening/Calcification/Prolapse/Paradoxical motion/Fixed Subvalvular deformity Present/Absent. Score Doppler Normal/Abnormal E>A E>A Mitral Stenosis Present/Absent RR Interval EDG. _mmHg MDG_ _mmHg MVA _cm² Mitral Regurgitation Absent/Trivial/Mild/Moderate/Severe. TRICUSPID VALVE Morphology Normal/Atresia/Thickening/Calcification/Prolapse/Vegetation/Doming Doppler Normal/Abnormal Tricuspid stenosis Present/Absent RR interval_ _msec. EDG_ _mmHg MDG_ _mmHg Tricuspid regurgitation: Absent/Trivial/Mild/Moderate/Severe Fragmented signals Velocity_ Pred. RVSP=RAP+_ _msec. PULMONARY VALVE Morphology Normal/Atresia/Thickening/Doming/Vegetation. Doppler Normal/Abnormal. Pulmonary stenosis Present/Absent Level PSG _mmHg Pulmonary annulus___mm Pulmonary regurgitation Absent/Trivial/Mild/Moderate/Severe Early diastolic gradient _mmHg. End diastolic gradient_mmHg AORTIC VALVE Morphology Normal/Thickening/Calcification/Restricted opening/Flutter/Vegetation No. of cusps 1/2/3/4 Doppler Normal/Abnormal Aortic stenosis Present/Absent PSG _mmHg Aortic annulus_ Aortic regurgitation Absent/Trivial/Mild/Moderate/Severe. Measurements Normal Values Measurements Normal values Aorta 2.3 (2.0 - 3.7cm)LA es LV ed 2.7 (1.9 - 4.0cm)LV es (2.2 - 4.0cm)(3.7 - 5.6cm)IVS ed (0.6 - 1.1 cm)PW (LV) (0.6 - 1.1 cm)RV ed (0.7 - 2.6cm)RV Anterior wall (upto 5 mm) LVVd (ml) LVVs (ml) 65% (54%-76%) IVS motion Normal/Flat/Paradoxical

Contraction

Absent

CHAMBERS:

LA

RA

RV

Regional wall motion abnormality

Apollo Spectra Hospitals: Plot No. A-2, Chirag Enclave, Greater Kailash - 1, New Delhi - 110048 Ph.: 011-40465555, 9910995018 | www.apollospectra.com

Normal/Enlarged/Clear/Thrombus/Hypertrophy

Normal/Enlarged/Clear/Thrombus

Normal/Enlarged/Clear/Thrombus

Normal/Enlarged/Clear/Thrombus

Normal/Reduced

Apollo Specialty Hospitals Pvt. Ltd.

CIN - U85100TG2009PTC099414



PERICARDIUM

COMMENTS & SUMMARY

- Normal LV systolic function No RWMA, LVEF=65%
- No AR, PR, MR & TR
- v No I/C clot or mass
- Good RV function
- v Normal pericardium
- v No pericardial effusion

Dr. M K Gupta M.B.B.S, MD, FIACM Senior Consultant Cardiologist



Apollo Spectra Hospitals: Plot No. A-2, Chirag Enclave, Greater Kailash - 1, New Delhi - 110048 Ph.: 011-40465555, 9910995018 | www.apollospectra.com

Apollo Specialty Hospitals Pvt. Ltd.

CIN - U85100TG2009PTC099414





Patient Name : Mrs.ARTI GUPTA Age/Gender : 38 Y 2 M 20 D/F

UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:51AM

Received : 09/Nov/2024 10:21AM Reported : 09/Nov/2024 01:48PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

PERIPHERAL SMEAR, WHOLE BLOOD EDTA

Dr. SHWETA GUPTA MBBS,MD (Pathology) Consultant Pathology

SIN No:BED240245674







: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF

TPA ID : DGD

Collected

: 09/Nov/2024 09:51AM

Received

: 09/Nov/2024 10:21AM : 09/Nov/2024 01:48PM

Reported : 09/Nov/2024 Status : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
HEMOGRAM , WHOLE BLOOD EDTA				
HAEMOGLOBIN	13.2	g/dL	12-15	CYANIDE FREE COLOUROMETER
PCV	40.70	%	40-50	PULSE HEIGHT AVERAGE
RBC COUNT	4.17	Million/cu.mm	3.8-4.8	Electrical Impedence
MCV	97.6	fL	83-101	Calculated
MCH	31.8	pg	27-32	Calculated
MCHC	32.5	g/dL	31.5-34.5	Calculated
R.D.W	16.7	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	7,230	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT	(DLC)			
NEUTROPHILS	71.9	%	40-80	Electrical Impedance
LYMPHOCYTES	19.3	%	20-40	Electrical Impedance
EOSINOPHILS	1.2	%	1-6	Electrical Impedance
MONOCYTES	6.8	%	2-10	Electrical Impedance
BASOPHILS	0.8	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	5198.37	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	1395.39	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	86.76	Cells/cu.mm	20-500	Calculated
MONOCYTES	491.64	Cells/cu.mm	200-1000	Calculated
BASOPHILS	57.84	Cells/cu.mm	0-100	Calculated
Neutrophil lymphocyte ratio (NLR)	3.73		0.78- 3.53	Calculated
PLATELET COUNT	176000	cells/cu.mm	150000-410000	IMPEDENCE/MICROSCOPY
ERYTHROCYTE SEDIMENTATION RATE (ESR)	5	mm at the end of 1 hour	0-20	Modified Westergren
PERIPHERAL SMEAR				

RBCs ARE NORMOCYTIC NORMOCHROMIC.

TLC , DLC WITHIN NORMAL LIMIT. NO IMMATURE CELLS ARE SEEN. PLATELETS ARE ADEQUATE.

Page 2 of 14



Dr. SHWETA GUPTA MBBS,MD (Pathology) Consultant Pathology SIN No:BED240245674





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

: Dr.SELF

: DGD

Emp/Auth/TPA ID

Collected

: 09/Nov/2024 09:51AM

Received Reported : 09/Nov/2024 10:21AM : 09/Nov/2024 01:48PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Dr. SHWETA GUPTA
MBBS,MD (Pathology)
Consultant Pathology
SIN No:BED240245674





Patient Name : Mrs.ARTI GUPTA
Age/Gender : 38 Y 2 M 20 D/F
UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:51AM
Received : 09/Nov/2024 10:21AM
Reported : 09/Nov/2024 01:51PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
BLOOD GROUP ABO AND RH FACTOR	, WHOLE BLOOD EDTA			
BLOOD GROUP TYPE	В			Forward & Reverse Grouping with Slide/Tube Aggluti
Rh TYPE	POSITIVE			Forward & Reverse Grouping with Slide/Tube Agglutination

Page 4 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No Visit ID

: SCHI.0000025220 : SCHIOPV38935

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : DGD Collected

: 09/Nov/2024 01:46PM

Received

: 09/Nov/2024 02:55PM

Reported Status

: 09/Nov/2024 04:41PM : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE, FASTING, NAF PLASMA	97	mg/dL	70-100	GOD - POD

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:

- 1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.
- 2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS, SODIUM FLUORIDE PLASMA (2 HR)	114	mg/dL	70-140	GOD - POD

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Page 5 of 14



Dr. SHWETA GUPTA MBBS, MD (Pathology) Consultant Pathology SIN No:PLP1488006







Patient Name : Mrs.ARTI GUPTA

Age/Gender : 38 Y 2 M 20 D/F UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:52AM

Received : 09/Nov/2024 12:59PM Reported : 09/Nov/2024 02:38PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
HBA1C (GLYCATED HEMOGLOBIN),	WHOLE BLOOD EDTA			
HBA1C, GLYCATED HEMOGLOBIN	5.7	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	117	mg/dL		Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 - 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 - 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic

Control by American Diabetes Association guidelines 2023.

- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control A: HbF >25%
 - B: Homozygous Hemoglobinopathy.

(Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:EDT240094074



Page 6 of 14





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF

: DGD

Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 10:22AM

: Final Report

Reported

: 09/Nov/2024 01:24PM

Status Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method			
LIPID PROFILE, SERUM							
TOTAL CHOLESTEROL	144	mg/dL	<200	CHE/CHO/POD			
TRIGLYCERIDES	71	mg/dL	<150	Enzymatic			
HDL CHOLESTEROL	52	mg/dL	>40	CHE/CHO/POD			
NON-HDL CHOLESTEROL	92	mg/dL	<130	Calculated			
LDL CHOLESTEROL	77.8	mg/dL	<100	Calculated			
VLDL CHOLESTEROL	14.2	mg/dL	<30	Calculated			
CHOL / HDL RATIO	2.77		0-4.97	Calculated			
ATHEROGENIC INDEX (AIP)	0.01		<0.11	Calculated			

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

Page 7 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF

: DGD

Collected

: 09/Nov/2024 09:52AM

Received Reported : 09/Nov/2024 10:22AM : 09/Nov/2024 01:24PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
LIVER FUNCTION TEST (LFT) , SERUM				
BILIRUBIN, TOTAL	0.50	mg/dL	0.20-1.30	DIAZO METHOD
BILIRUBIN CONJUGATED (DIRECT)	0.30	mg/dL	0.0-0.3	Calculated
BILIRUBIN (INDIRECT)	0.20	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	33	U/L	<35	Visible with P-5-P
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	26.0	U/L	14-36	UV with P-5-P
AST (SGOT) / ALT (SGPT) RATIO (DE RITIS)	0.8		<1.15	Calculated
ALKALINE PHOSPHATASE	106.00	U/L	38-126	p-nitrophenyl phosphate
PROTEIN, TOTAL	7.40	g/dL	6.3-8.2	Biuret
ALBUMIN	4.20	g/dL	3.5 - 5	Bromocresol Green
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.31		0.9-2.0	Calculated


Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin) Common patterns seen:

- 1. Hepatocellular Injury:
- *AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.*ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI. Disproportionate increase in AST, ALT compared with ALP. AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.
- 2. Cholestatic Pattern:*ALP Disproportionate increase in ALP compared with AST, ALT. ALP elevation also seen in pregnancy, impacted by age and sex.*Bilirubin elevated- predominantly direct , To establish the hepatic origin correlation with elevated GGT helps.
- 3. Synthetic function impairment:*Albumin-Liver disease reduces albumin levels, Correlation with PT (Prothrombin Time) helps.
- 4. Associated tests for assessment of liver fibrosis Fibrosis-4 and APRI Index.

Page 8 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF : DGD

Collected

: 09/Nov/2024 09:52AM

Received Reported : 09/Nov/2024 10:22AM : 09/Nov/2024 01:24PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED


DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
RENAL PROFILE/KIDNEY FUNCTION	TEST (RFT/KFT), SEF	RUM	J	
CREATININE	0.60	mg/dL	0.5-1.04	Creatinine amidohydrolase
UREA	30.30	mg/dL	15-36	Urease
BLOOD UREA NITROGEN	14.2	mg/dL	8.0 - 23.0	Calculated
URIC ACID	2.90	mg/dL	2.5-6.2	Uricase
CALCIUM	9.90	mg/dL	8.4 - 10.2	Arsenazo-III
PHOSPHORUS, INORGANIC	3.70	mg/dL	2.5-4.5	PMA Phenol
SODIUM	139	mmol/L	135-145	Direct ISE
POTASSIUM	4.8	mmol/L	3.5-5.1	Direct ISE
CHLORIDE	111	mmol/L	98 - 107	Direct ISE
PROTEIN, TOTAL	7.40	g/dL	6.3-8.2	Biuret
ALBUMIN	4.20	g/dL	3.5 - 5	Bromocresol Green
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.31		0.9-2.0	Calculated

Page 9 of 14









: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF : DGD Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 10:22AM

Reported

: 09/Nov/2024 11:50AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM	17.00	U/L	12-43	Glyclyclycine Nitoranalide

Page 10 of 14











Patient Name : Mrs.ARTI GUPTA

Age/Gender : 38 Y 2 M 20 D/F UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:52AM

Received : 09/Nov/2024 12:58PM Reported : 09/Nov/2024 02:40PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method		
THYROID PROFILE TOTAL (T3, T4, TSH), SERUM						
TRI-IODOTHYRONINE (T3, TOTAL)	0.98	ng/mL	0.87-1.78	CLIA		
THYROXINE (T4, TOTAL)	10.36	μg/dL	5.48-14.28	CLIA		
THYROID STIMULATING HORMONE (TSH)	1.490	μIU/mL	0.38-5.33	CLIA		

Comment:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)			
First trimester	0.1 - 2.5			
Second trimester	0.2 - 3.0			
Third trimester	0.3 - 3.0			

- **1.** TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- **2.** TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- **3.** Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- **4.** Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions	
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis	
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Treatment.	
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism	
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy	
Low	N	N	N	Subclinical Hyperthyroidism	
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism	
Low	N	High	High	Thyroiditis, Interfering Antibodies	
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes	

Page 11 of 14



Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:SPL24146238







: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

Emp/Auth/TPA ID

: Dr.SELF : DGD

Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 12:58PM

Reported

Status

: 09/Nov/2024 02:40PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma
------	------	------	------	--

Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:SPL24146238

Page 12 of 14





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID Ref Doctor : SCHIOPV38935

: Dr.SELF

Emp/Auth/TPA ID : DGD Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 01:45PM

Reported

: 09/Nov/2024 01:54PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
COMPLETE URINE EXAMINATION (CUE) , URINE			<u>'</u>
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Physical Measurement
pH	6.0		5-7.5	Double Indicator
SP. GRAVITY	1.025		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	Protein Error Of Indicator
GLUCOSE	NEGATIVE		NEGATIVE	Glucose Oxidase
URINE BILIRUBIN	NEGATIVE		NEGATIVE	Azo Coupling Reaction
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	Sodium Nitro Prusside
UROBILINOGEN	NORMAL		NORMAL	Modifed Ehrlich Reaction
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	Leucocyte Esterase
CENTRIFUGED SEDIMENT WET M	OUNT AND MICROSCOPY	1		
PUS CELLS	2-4	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1-2	/hpf	<10	Microscopy
RBC	ABSENT	/hpf	0-2	Microscopy
CASTS	ABSENT		0-2 Hyaline Cast	Microscopy
CRYSTALS	ABSENT		ABSENT	Microscopy

Comment:

All urine samples are checked for adequacy and suitability before examination. All abnormal chemical examination are rechecked and verified by manual methods. Microscopy findings are reported as an average of 10 high power fields.

Page 13 of 14



Dr. SHWETA GUPTA MBBS, MD (Pathology) Consultant Pathology SIN No:UR2419317





: Mrs.ARTI GUPTA

Age/Gender

: 38 Y 2 M 20 D/F

UHID/MR No

: SCHI.0000025220

Visit ID

: SCHIOPV38935

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : DGD Collected

: 09/Nov/2024 09:52AM

Received

: 09/Nov/2024 01:45PM

Reported

: 09/Nov/2024 01:54PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE GLUCOSE(POST PRANDIAL)	NEGATIVE		NEGATIVE	GOD-POD
Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE GLUCOSE(FASTING)	NEGATIVE		NEGATIVE	GOD-POD

*** End Of Report ***

Page 14 of 14









Patient Name : Mrs.ARTI GUPTA
Age/Gender : 38 Y 2 M 20 D/F
UHID/MR No : SCHI.0000025220

Visit ID : SCHIOPV38935

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : DGD Collected : 09/Nov/2024 09:52AM Received : 09/Nov/2024 01:45PM

Reported : 09/Nov/2024 01:54PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

TERMS AND CONDITIONS GOVERNING THIS REPORT

- 1. Reported results are for information and interpretation of the referring doctor or such other medical professionals, who understandreporting units, reference ranges and limitation of technologies. Laboratories not be responsible for any interpretation whatsoever.
- 2. It is presumed that the tests performed are, on the specimen / sample being to the patient named or identified and the verifications of parrticulars have been confirmed by the patient or his / her representative at the point of generation of said specimen.
- 3. The reported results are restricted to the given specimen only. Results may vary from lab to lab and from time to time for the same parameter for the same patient (within subject biological variation).
- 4. The patient details along with their results in certain cases like notifiable diseases and as per local regulatory requirements will be communicated to the assigned regulatory bodies.
- 5. The patient samples can be used as part of internal quality control, test verification, data analysis purposes within the testing scope of the laboratory.
- 6. This report is not valid for medico legal purposes. It is performed to facilitate medical diagnosis only.

Dr. SHWETA GUPTA MBBS,MD (Pathology) Consultant Pathology SIN No:UF012154



Patient Name : Mrs. ARTI GUPTA Age : 38 Y/F

UHID : SCHI.0000025220 OP Visit No : SCHIOPV38935 Conducted By: : Dr. MUKESH K GUPTA Conducted Date : 09-11-2024 17:09

Referred By : SELF

MITR	AI.	VAI	VE
1411 1 1/	Δ	7 / 1	<i>-</i> 7 - 12

Morphology AML-Normal/Thickening/Calcification/Flutter/Vegetation/Prolapse/SAM/Doming.

PML-Normal/Thickening/Calcification/Prolapse/Paradoxical motion/Fixed.

Subvalvular deformity Present/Absent.

Doppler Normal/Abnormal E>A

RR Interval msec MVA cm² Mitral Stenosis Present/Absent

EDG mmHg MDG mmHg

Mitral Regurgitation Absent/Trivial/Mild/Moderate/Severe.

TRICUSPID VALVE

Normal/Atresia/Thickening/Calcification/Prolapse/Vegetation/Doming. Morphology

Normal/Abnormal Doppler

> Tricuspid stenosis Present/Absent RR interval msec.

EDG mmHg MDG mmHg

Absent/Trivial/Mild/Moderate/Severe Fragmented signals Tricuspid regurgitation:

Velocity msec. Pred. RVSP=RAP+ mmHg

PULMONARY VALVE

Normal/Atresia/Thickening/Doming/Vegetation. Morphology

Doppler Normal/Abnormal.

> Pulmonary stenosis Present/Absent Level

> > PSG mmHg Pulmonary annulus mm

Absent/Trivial/Mild/Moderate/Severe Pulmonary regurgitation

mmHg. Early diastolic gradient End diastolic gradient mmHg

AORTIC VALVE

Normal/Thickening/Calcification/Restricted opening/Flutter/Vegetation Morphology

 $\overline{\text{No. of cusps}}$ 1/2/3/4

Normal/Abnormal Doppler

> Aortic stenosis Present/Absent Level

PSG mmHg Aortic annulus mm

Absent/Trivial/Mild/Moderate/Severe. Aortic regurgitation

Normal Values Normal values Measurements Measurements

Patient Name	: Mrs. ARTI GUPTA	Age	: 38 Y/F	
THIT	CCIII 0000025000	OD III 'AN	COLLION	

UHID : SCHI.0000025220 OP Visit No : SCHIOPV38935 Conducted By: : Dr. MUKESH K GUPTA Conducted Date : 09-11-2024 17:09

Referred By : SELF

Aorta	2.3	(2.0 - 3.7cm)	LA es	2.7	(1.9 - 4.0 cm)
LV es	2.5	(2.2 - 4.0 cm)	LV ed	4.0	(3.7 - 5.6cm)
IVS ed	0.7	(0.6 - 1.1 cm)	PW (LV)	0.7	(0.6 - 1.1 cm)
RV ed		(0.7 - 2.6cm)	RV Anterior wall		(upto 5 mm)
LVVd (ml)			LVVs (ml)		
EF	65%	(54%-76%)	IVS motion	Norn	nal/Flat/Paradoxical

CHAMBERS:

LV Normal/Enlarged/Clear/Thrombus/Hypertrophy

Contraction Normal/Reduced

Regional wall motion abnormality Absent

LA <u>Normal/Enlarged/Clear/Thrombus</u>

RA <u>Normal/Enlarged/Clear/Thrombus</u>

RV <u>Normal</u>/Enlarged/<u>Clear</u>/Thrombus

PERICARDIUM

COMMENTS & SUMMARY

- v Normal LV systolic function
- v No RWMA, LVEF=65%
- v No AR,PR,MR & TR
- v No I/C clot or mass
- v Good RV function
- v Normal pericardium
- v No pericardial effusion

Patient Name : Mrs. ARTI GUPTA Age : 38 Y/F

UHID : SCHI.0000025220 OP Visit No : SCHIOPV38935 Conducted By: : Dr. MUKESH K GUPTA Conducted Date : 09-11-2024 17:09

Referred By : SELF

Dr. M K Gupta M.B.B.S, MD,FIACM Senior Consultant Cardiologist Patient Name : Mrs. ARTI GUPTA Age : 38 Y/F

UHID : SCHI.0000025220 OP Visit No : SCHIOPV38935

:

Conducted By: : Conducted Date

Referred By : SELF

Patient Name : Mrs. ARTI GUPTA Age : 38 Y/F

UHID : SCHI.0000025220 OP Visit No : SCHIOPV38935

Conducted By : Conducted Date :

Referred By : SELF