

Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355 Sample Collection: 09/03/2025 13:18

Age: 30 Yrs. Sex: F Sample Received: 09/03/2025 13:18

Printed: 13/03/2025 15:54 Report Released : 11/03/2025 13:00

COMPLETE BLOOD COUNT *

T		D II	11.26	D'alac'a I Dat Data
Test		Result	Unit	Biological Ref Range
Hemoglobin	:	11.3	g/dL	13-18 g/dL
(SLS) Photometric				
Total RBC	:	4.34	10^6/µL	3.0-6.0 10^6/µL
(Electrical Impedence)				
Hematocrit (PCV)	:	35.8	%	36-54 %
(Calculated)		00.5	£1	70.404.5
Mean Corpuscular Volume (MCV) (calulated)	•	82.5	fL	78-101 fL
Mean Corpuscular Hemoglobin	:	26.0	pg	27-32 pg
(MCH)				
(Calculated)				
Mean Corpuscular Hemoglobin	:	31.6	g/dL	31.5-34.5 g/dL
Concentration (MCHC)				
(Calculated)				
Red Cell Distribution Width (RDW-	- :	15.30	%	12-15 %
CV)				
(Electrical Impedence)				
Total Leucocytes Count (Light Scattering)	:	5400	/cumm	4000-11000 /cumm
Neutrophils	:	59	%	40-75 %
(Calculated)				
Eosinophils Percentage	:	03	%	1-6 %
(Calculated)				
Lymphocyte Percentage	:	33	%	20-45 %
(Calculated)				
Basophils Percentage		0	%	0-1 %
•	•	O	70	0 1 70
(Calculated)		0.5	0.4	4.40.07
Monocytes Percentage	:	05	%	1-10 %
(Calculated)				
RBC Morphology	:	Normocytic,	Normochromic	
WBC Morphology	:	Normal Mor	phology	
Platelet Count	:	249000	/ul	150000-450000 /ul
(Electrical Impedence)				
Platelets on Smear	:	Adequate		Adequate

Sample Type:EDTA whole blood(Westergren)

Sample Type : EDTA Whole Blood

Test done with THREE PART CELL COUNTER (Sysmex KX-21)

*Note: Tests marked with * are included in NABL scope.*

*All Samples Processed At Excellas Clinics Mulund Centre .

*ESR NOT IN NABL scope.

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 13:00:21)



mm at 1hr

Dr. Santosh Khairnar

0-20 mm at 1hr

Reg. No.-2000/08/2926



E.S.R

18



3EF 00032F

Name : MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

----- End Of Report -----

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received : 09/03/2025 13:18

Report Released: 11/03/2025 13:00





Dr. Santosh Khairnar



Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355 **Sample Collection**: 09/03/2025 13:18

Age : 30 Yrs. Sex: F Sample Received : 09/03/2025 13:18

Printed: 13/03/2025 15:54 Report Released: 11/03/2025 12:58

Blood Sugar Fasting (FBS) & Post Prandial Blood Sugar (PPBS)

Test Result Unit Biological Ref. Range
GLUCOSE (SUGAR) FASTING, : 79 mg/dL Non-Diabetic: < 100 mg/dl
(Fluoride Plasma Used) Impaired Fasting Glucose: 100125 mg/dl Diabetic: >/= 126 mg/dl

Method: GOD-POD

GLUCOSE (SUGAR) PP, (Fluoride : 87 mg/dl Non-Diabetic: < 140 mg/dl

Plasma Used) Impaired Glucose Tolerance: 140-

199 mg/dl Diabetic: >/= 200 mg/dl

Test Done on - Automated Biochemistry Analyzer (EM 200)

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 12:58:04)

HbA1c (Whole Blood)

Tib/Tto (Whole Blood)					
Test		Result	Unit	Reference Range	
HbA1C-Glycosylated Haemoglobin		5.40	%	Non-diabetic: 4-6	
-				Excellent Control: 6-7	
				Fair to good control: 7-8	
				Unsatisfactory control: 8-10	
				Poor Control: >10	
EDTA Whole Blood, Method: HPLC					

Estimated Average Glucose (eAG) : 108.28 mg/dl 65.1-136.3 mg/dL mg/dl

EDTA Whole Blood, Method: Calculated

Interpretation:

- 1.The term HbA1c refers to Glycated Haemoglobin. Measuring HbA1c gives an overall picture of what the average blood sugar levels have been over a period of weeks/month. Higher the HbA1c, the greater the risk of developing diabetes-related complications.
- 2.HbA1c has been endorsed by clinical groups and ADA (American Diabetes Assocation) guidelines 2012, for the diagnosis of diabetes using a cut-off point of 6.5%. ADA defined biological reference range for HbA1c is between 4-6%. Patients with HBA1c value between 6.0-6.5% are considered at risk for developing diabetes in the future. Trends in HbA1c area a better indicator of glucose control than standalone test.
- 3.To estimate the eAG from the HbA1c value, the following equation is used: eAG(mg/dl) =28.7*A1c-46.7.
- 4.Diabetic must aspire to keep values under 7% to avoid the various complications resulting from diabetes.

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 13:00:26)



Clle.

Dr. Santosh Khairnar

^{*}All Samples Processed At Excellas Clinics Mulund Centre .

^{*}Note - This test is outsourced and processed at Millenium Special Labs Pvt Ltd.



Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released : 11/03/2025 12:58

BLOOD GROUP

Test Result Unit Biological Ref. Range

Blood Group : 'B' Rh POSITIVE

Slide and Tube Aggllutination Test

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 12:56:09)

----- End Of Report -----





Dr. Santosh Khairnar



Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID : 355 **Sample Collection :** 09/03/2025 13:18

Age : 30 Yrs. Sex: F Sample Received : 09/03/2025 13:18

Printed: 13/03/2025 15:54 **Report Released**: 11/03/2025 12:59

		LIPID	PROFILE	
Test		Result	Unit	Biological Ref. Range
Total Cholesterol	:	118	mg/dl	Desirable: <200 Borderline high = 200-239 High: > 239
Serum, Method: CHOD-PAP				
S. Triglyceride	:	43	mg/dl	Desirable: <161 Borderline High: 161 - 199 High: > 200 - 499/ Very High:>499
Serum, Method: GPO-Trinder				
HDL Cholesterol serum,Direct method	:	35	mg/dl	35.3-79.5 mg/dl
LDL Cholesterol	:	74.40	mg/dl	Optimal: <100; Near Optimal: 100-129; Borderline High: 130-159; High: 160-189; Very high: >190
Serum, (Calculated)				
VLDL Cholesterol Serum, Method: Calculated	:	8.6	mg/dl	5-30 mg/dl
LDL/HDL Ratio	÷	2.1		Optimal: <2.5 Near Optimal: 2.5-3.5 High >3.5
Serum, Method: Calculated				
TC/HDL Ratio	:	3.4		Optimal: <3.5 Near Optimal: 3.5 - 5.0 High >5.0

Test Done on - Automated Biochemistry Analyzer (EM 200).

Interpretation

Serum, Method: Calculated

- 1.Triglycerides: When triglycerides are very high greater than 1000 mg/dL, there is a risk of developing pancreatitis in children and adults. Triglycerides change dramatically in response to meals, increasing as much as 5 to 10 times higher than fasting levels just a few hours after eating. Even fasting levels vary considerably day to day. Therefore, modest changes in fasting triglycerides measured on different days are not considered to be abnormal.
- 2. HDL-Cholesterol: HDL- C is considered to be beneficial, the so-called "good" cholesterol, because it removes excess cholesterol from tissues and carries it to the liver for disposal.
- 3. LDL-Cholesterol: Desired goals for LDL-C levels change based on individual risk factors.

*All Samples Processed At Excellas Clinics Mulund Centre

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 12:59:40)

----- End Of Report -----



Dr. Santosh Khairnar





Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released: 11/03/2025 13:00

L	۱۱_	/E	K	H	JN	C	IC	N	ΙĿ	:5	I

Test		Result	Unit	Biological Ref. Range
S. Bilirubin (Total)	:	0.46	mg/dl	0-2.0 mg/dl
Serum, Method: Diazo (walter & Gerarde)				
S. Bilirubin (Direct)	:	0.22	mg/dl	0-0.4 mg/dl
Serum, Method: Diazo (walter & Gerarde)				
S. Bilirubin (Indirect)	:	0.24	mg/dl	0.10-1.0 mg/dl
Serum, Method: Calculated				
Aspartate Transaminase (AST/SGOT)	:	21	IU/L	0-35 IU/L
Serum, Method: UV Kinetic with P5P				
Alanine Transaminase (ALT/SGPT)	:	13	IU/L	0-45 IU/L
Serum, Method: UV Kinetic with P5P				
S. Alkaline Phosphatase	:	59	IU/L	53-128 IU/L
Serum, Method: IFCC with AMP buffer				
Total Proteins	:	7.4	gm/dl	6.4-8.3 gm/dl
Serum, Method: Biuret				
S. Albumin	:	4.5	gm/dl	3.5-5.2 gm/dl
Serum, Method: BCG				
S. Globulin	:	2.9	gm/dl	2.3-3.5 gm/dl
Serum, Method: Calculated				
A/G Ratio	:	1.55		0.90-2.00
Serum, Method: Calculated				
Gamma GT	:	15	U/L	0-55 U/L
Serum, Method: G glutamyl carboxy nitroanilide				

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 13:00:45)

----- End Of Report -----





Test Done on - Automated Biochemistry Analyzer (EM 200).

^{*}All Samples Processed At Excellas Clinics Mulund Centre .



Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

: 30 Yrs. Sex : F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released: 11/03/2025 13:00

SERUM CREATININE

Test Result Unit Biological Ref. Range

Age

S. Creatinine : 0.75 mg/dl 0.7-1.3 mg/dl

Serum, Method: Enzymatic

Test Done on - Automated Biochemistry Analyzer (EM 200).

*All Samples Processed At Excellas Clinics Mulund Centre

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 13:00:05)

BLOOD UREA NITROGEN (BUN)

Test Result Unit Biological Ref. Range

Urea : **18.83** mg/dl 19-45 mg/dl

Serum, Method: Urease - GLDH

Blood Urea Nitrogen : 8.80 mg/dl 5-18 mg/dl

Test Done on - Automated Biochemistry Analyzer (EM 200)

*All Samples Processed At Excellas Clinics Mulund Centre

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 13:00:01)

SERUM URIC ACID

Test Result Unit Biological Ref. Range

S. Uric Acid : 4.50 mg/dl 3.5-7.2 mg/dl

Serum, Method: Uricase - POD

Test Done on - Automated Biochemistry Analyzer (EM 200).

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 12:59:46)



Dr. Santosh Khairnar





Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

Sample Collection: 09/03/2025 13:18

Age: 30 Yrs. Sex: F

Sample Received: 09/03/2025 13:18

Printed: 13/03/2025 15:54

Report Released : 11/03/2025 13:00

BUN CREAT RATIO (BCR)

Test Result Unit

Biological Ref. Range

5-20

BUN/Creatinine ratio Serum, Method: Calculated

NOTE:

A blood urea nitrogen (BUN)/creatinine ratio (BCR) >20 is used to distinguish pre-renal azotemia (PRA) and acute tubular necrosis (ATN)

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 13:00:11)

11.70

----- End Of Report -----





Dr. Santosh Khairnar



Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355 **Sample Collection:** 09/03/2025 13:18

Age : 30 Yrs. Sex: F Sample Received : 09/03/2025 13:18

Printed: 13/03/2025 15:54 **Report Released**: 11/03/2025 12:56

EXAMINATION OF URINE

Test Result Unit Biological Ref. Range

PHYSICAL EXAMINATION

Quantity : 20 ml

Colour : Pale yellow

Appearance : Slightly Hazy

Reaction (pH) : 5.5 4.5 - 8.0 Specific Gravity : 1.025 1.010 - 1.030

CHEMICAL EXAMINATION

Protein Absent Absent Glucose Absent Abesnt **Ketones Bodies** Absent Abesnt Occult Blood Absent Absent Bilirubin Absent Absent Urobilinogen Absent Normal

MICROSCOPIC EXAMINATION

Epithelial Cells : 1 - 2 / hpf
Pus cells : 4 - 6 / hpf
Red Blood Cells : Absent / hpf

Casts : Absent / lpf Absent / lpf Crystals : Calcium Oxalate + Absent

OTHER FINDINGS

Yeast Cells : Absent Absent Bacteria : Absent Absent Absent

Mucus Threads : Absent Spermatozoa : Absent

Deposit : Absent Absent Absent Absent Absent

sample type:Urine

Method: Visual and Microscopic

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 11/03/2025 12:56:43)

----- End Of Report -----



Dr. Santosh Khairnar



3EF 00032F

Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released : 10/03/2025 14:30

X RAY CHEST PA VIEW

CLINICAL PROFILE: NO COMPLAINTS

Both the lung fields appear normal.

Cardiac silhouette is within normal limits.

Bilateral hilar shadows appear normal.

Bilateral costophrenic angles appear normal.


Bony thorax appears normal.

Soft tissues appear normal.

IMPRESSION:

No significant abnormality detected.









Name: MS. DAISY PERSIS DODDI


Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355 **Sample Collection**: 09/03/2025 13:18

Age : 30 Yrs. **Sex**: F **Sample Received** : 09/03/2025 13:18

Printed: 13/03/2025 15:54 **Report Released**: 10/03/2025 14:30



(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 10/03/2025 14:30:40)

----- End Of Report -----







Name : MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355 **Sample Collection:** 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released : 10/03/2025 14:17

USG ABDOMEN & PELVIS - FEMALE

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Liver:- is normal in size(14.4 cm), shape and echotexture. No focal or diffuse lesion is seen.

The portal and hepatic veins are normal. There is no IHBR dilatation seen.

Gall Bladder:- is normally distended. No mass lesion is seen. No GB wall thickening or pericholecystic fluid is seen. **A** tiny 4 mm soft calculus/polyp is seen in the gall bladder.

Visualised CBD is normal.

Pancreas:-is normal in size, shape and echotexture. There is no focal lesion seen.

Spleen:- is normal in size (10.4 cm) and echotexture. No focal lesion is seen.

Kidneys:- Both Kidneys are normal in size, shape, position. They show normal reflectivity. CMD is maintained. No calculi or hydronephrosis seen on either side.

Right kidney – 9.8 x 4.0 cms.

Left kidney – 10.0 x 4.2 cms.

Urinary Bladder:- is well distended and shows normal wall thickness.

There is no intraluminal lesion within.

Uterus:- is anteverted, marginally bulky in size and measures 9.3 x 5.7 x 5.1 cms

Myometrium shows homogenous echo pattern. No focal lesion is seen.

ET: 7 mm

Ovaries:-appear normal in size & shape.


Right ovary measures – 1.7 x 2.0 cms. Multiple small follicles are seen arranged peripherally in right ovary.

Left ovary measures – 2.1 x 2.9 cms. A simple cyst measuring 43 x 33 mm is seen in the left ovary.

Both adnexae appear normal. Minimal free fluid noted in POD.

No significant lymphadenopathy is seen.







3EF 00032F

Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released : 10/03/2025 14:17

IMPRESSION:


- Tiny soft calculus/polyp is seen in the gall bladder. Follow up is suggested
- Marginally bulky uterus.
- Multiple small follicles are seen arranged peripherally in right ovary. Clinical correlation is advised to rule out PCOD.
- Left ovarian simple cyst.
- Minimal free fluid noted in POD.

Thanks for the Referral

(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 10/03/2025 14:17:09)

----- End Of Report -----







Name : MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released : 10/03/2025 11:17

OPTHALMIC EVALUATION

Examination	Right Eye	Left Eye
Distance Vision	6/18	6/18
Near Vision	N/8	N/8
Color Vision	Noi	rmal
Remarks		

	End Of	Report
(Collected At: 09/03/2025 13:18:59,	Received At: 09/03/2025 13:18:59,	Reported At: 10/03/2025 11:17:31)







Name: MS. DAISY PERSIS DODDI

Ref. By: Mediwheel

Sent By: Arcofemi Healthcare Pvt Ltd

LAB ID: 355

Age: 30 Yrs. Sex: F

Printed: 13/03/2025 15:54

Sample Collection: 09/03/2025 13:18

Sample Received: 09/03/2025 13:18

Report Released : 13/03/2025 08:48

CERVICAL CYTOLOGY REPORT

PAPANICOLAOU SMEAR (CONVENTIONAL)

Specimen:-


- 1. 2 unstained air dried smear received.
- 2. Stained with papanicolaou method and examined.

Smear shows:

- Many superficial squamous, intermediate squamous and few squamous metaplastic cells.
- Background shows few endocervical cells alongwith mild inflammatory infiltrate.
- · No cellular atypia or malignancy noted.

Impression: Essentially Normal Pap smear.

Comments: The smears are reported using bethesda system for cervical cytology(2014) Interpretation(s).



(Collected At: 09/03/2025 13:18:59, Received At: 09/03/2025 13:18:59, Reported At: 13/03/2025 08:48:37)

----- End Of Report -----



Dr. Santosh Khairnar





Client Name: MUM00247-Excellas Clinics

Client Add: B-1 Commercial Wing, Vikash Paradise Lal Bahadur Shastri Marg, Below Axis Bank Muland West-400080 ,400080

Contact No.: 7718802445 Client Email: shreyansh.dhariwal@excellasclinic.com

Sample Processed At: DIAGNOSTICA SPAN - MUMBAI, Unit #3A, Mahajan Compound, Behind Union Bank, LBS Marg, Vikhroli(W),

Mumbai-400079, , 0

Ref Doctor: SELF

Patient Name: DAISY PERSIS DODDI Age / Gender: 30 years/Male Sample Collection Time: 09/03/2025, 04:44 PM

Accession No.: 11250680172 Client Patient ID : 368121

Sample Registration Time: 09/03/2025, 04:44 PM Sample Received Time: 09/03/2025, 05:42 PM

Status: Final Report Reported Time: 09/03/2025, 06:10 PM

IMMUNOLOGY

11250680172

Test Description Value(s) Unit(s) Biological Reference Interval

EXELLAS MW PACKAGE-001

THYROID PROFILE TOTAL

Sample Type: SERUM

TRI-IODO THYRONIN (T3)
120.25 ng/dL 60.0 - 181.0

(CLIA)

THYROXIN (T4)
4.9 μg/dL 3.2 - 12.6

(CLIA)

THYROID STIMULATING HORMONE 17.17 μIU/mL 0.35 - 5.50

(CLIA)

Interpretation:

Assay results should be interpreted in context to the clinical condition and associated results of other investigations. Abnormal thyroid test findings often found in critically ill clients should be repeated after the critical nature of the condition is resolved. The production, circulation, and disposal of Thyroid hormone are altered throughout the stages of pregnancy.

 $Hyperthyroidism\ (overactive\ thyroid): Hyperthyroidism\ (overactive\ Thyroid)\ occurs\ when\ your\ thyroid\ gland\ produces\ too\ much\ of\ the\ hormone\ Thyroxine.$

Hyperthyroidism can accelerate your body's metabolism, causing unintentional weight loss and a rapid or irregular heartbeat.

Hypothyroidism (underactive thyroid): Hypothyroidism (underactive thyroid) is a condition in which your Thyroid gland doesn't produce enough of certain crucial hormones. Hypothyroidism may not cause noticeable symptoms in the early stages. Over time, untreated Hypothyroidism can cause a number of health problems, such as obesity, joint pain, infertility and heart disease.

END OF REPORT



DR. RAVISH FANGARI MBBS, MD PATHOLOGY

