



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:42
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 09:27:50
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 09:56:32
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 12:25:45
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) , Blood				
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood	d			
Haemoglobin	11.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC)	4,900.00	/Cu mm	4000-10000	IMPEDANCE METHOD
DLC				
Polymorphs (Neutrophils)	55.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	38.00	%	20-40	FLOW CYTOMETRY
Monocytes	6.00	%	2-10	FLOW CYTOMETRY
Eosinophils	1.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	12.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5	



80-91 Yr 15.8







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:42
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 09:27:50
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 09:56:32
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 12:25:45
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			5	
			Pregnancy Early gestation - 48 (62	
			if anaemic)	
			Leter gestation - 70 (95	
			if anaemic)	
Corrected	-	Mm for 1st hr.	< 20	
PCV (HCT)	35.00	%	40-54	
Platelet count				
Platelet Count	1.74	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.24	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.17	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	86.10	fl	80-100	CALCULATED PARAMETER
MCH	26.30	pg	27-32	CALCULATED PARAMETER
MCHC	30.60	%	30-38	CALCULATED PARAMETER
RDW-CV	13.80	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,695.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	49.00	/cu mm	40-440	

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:43
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 09:27:50
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 09:56:32
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 11:37:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interv	al Method
GLUCOSE FASTING , <i>Plasma</i> Glucose Fasting	100.60	5	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	115.50	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.80	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	40.10	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	120	mg/dl	

Interpretation:

<u>NOTE</u>:-

• eAG is directly related to A1c.



Page 3 of 12

View Reports on

Chandan 24x7 App





Τ



CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:43
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 09:27:50
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 09:56:32
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 11:37:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)	9.62	mg/dL	7.0-23.0	CALCULATED
Sample:Serum		-		











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

	: Mrs.NISHA GUPTA		Registered (/2024 09:25:43
5	: 38 Y 3 M 24 D /F		Collected		/2024 09:27:50
	: ALDP.0000109324 : ALDP0260942425		Received Reported		/2024 09:56:32 /2024 11:37:43
	: Dr. MEDIWHEEL-ARCO	FEMI HEALTH			
	CARE LTD -		Status	: Final R	eport
		DEPARTMEN			
T 4 Bl	MEDIWHE			ALE ABOVE 40	
Test Name		Result	Uni	it Bio. Ref.	Interval Method
	N levels can be seen in the	_	Gastrointestima	al (GI) bleeding.	
Low BUN levels can	n be seen in the following	:			
Low-protein diet, over	rhydration, Liver disease.				
reatining			<i>,</i>		
Creatinine Sample:Serum Interpretation:	ala aratinina valua must h	0.73	mg/dl	0.5-1.20	MODIFIED JAFFES
Sample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild lipemic. Jric Acid	er creatinine concentration.	e interpreted in lig The trend of serun ne concentrations	ht of the patients n creatinine conc may increase wh	s muscle mass. A p centrations over tin hen an ACE inhib	patient with a greater muscle ne is more important than itor (ACE) is taken. The assay
Sample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild lipemic. Jric Acid Sample:Serum Interpretation: Note:-	er creatinine concentration.	e interpreted in lig The trend of serun ne concentrations lous values if serun 3.61	ht of the patients n creatinine cond may increase wh m samples have	s muscle mass. A p centrations over tin hen an ACE inhib heterophilic antibu	patient with a greater muscle ne is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or
The significance of sin The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Jric Acid cample:Serum Interpretation: Note:- Elevated uric acid le	er creatinine concentration. ncentration. Serum creatinin ly and may result in anomal	e interpreted in lig The trend of serun ne concentrations i lous values if serun 3.61 3.61	ht of the patients in creatinine cond may increase wh m samples have mg/dl	s muscle mass. A p centrations over tin hen an ACE inhib heterophilic antibo 2.5-6.0	patient with a greater muscle ne is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or
Sample:Serum Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild lipemic. Jric Acid Sample:Serum Interpretation: Note:- Elevated uric acid le	er creatinine concentration. The concentration is concentration. Serum creatining ly and may result in anomal evels can be seen in the fortee tein diet, alcohol), Chronic I	e interpreted in lig The trend of serun ne concentrations i lous values if serun 3.61 3.61	ht of the patients in creatinine cond may increase wh m samples have mg/dl	s muscle mass. A p centrations over tin hen an ACE inhib heterophilic antibo 2.5-6.0	patient with a greater muscle ne is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or
Interpretation: The significance of sin mass will have a higher absolute creatinine cor could be affected mild lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid let Drugs, Diet (high-prot FT (WITH GAMMA SGOT / Aspartate Am	er creatinine concentration. The concentration of the concentration of the creatining and may result in anomal and may result in anomal evels can be seen in the fortee the concentration of the conce	e interpreted in lig The trend of serun ne concentrations i lous values if serun 3.61 5000wing: kidney disease, Hy 17.40	ht of the patients in creatinine cond may increase wh m samples have mg/dl ypertension, Ob	s muscle mass. A p centrations over the hen an ACE inhib heterophilic antibo 2.5-6.0 esity.	atient with a greater muscle ne is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or URICASE IFCC WITHOUT P5P
Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMIMA SGOT / Aspartate Am SGPT / Alanine Amino	er creatinine concentration. The concentration of the concentration of the creatining and may result in anomal and may result in anomal evels can be seen in the fortee the concentration of the conce	e interpreted in lig The trend of serun ne concentrations in lous values if serun 3.61 Dllowing: kidney disease, Hy 17.40 9.20	ht of the patients in creatinine cond may increase wi m samples have mg/dl ypertension, Ob	s muscle mass. A p centrations over tin hen an ACE inhib heterophilic antibo 2.5-6.0 esity. < 35 < 40	atient with a greater muscle ne is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P
Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMIMA SGOT / Aspartate Am SGPT / Alanine Amino Gamma GT (GGT)	er creatinine concentration. The concentration of the concentration of the creatining and may result in anomal and may result in anomal evels can be seen in the fortee the concentration of the conce	e interpreted in lig The trend of serun ne concentrations in lous values if serun 3.61 bllowing: kidney disease, Hy 17.40 9.20 10.00	ht of the patients in creatinine cond may increase wi m samples have mg/dl ypertension, Ob U/L U/L IU/L	s muscle mass. A p centrations over tin hen an ACE inhib heterophilic antibo 2.5-6.0 esity. < 35 < 40 11-50	Action with a greater muscle me is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or URICASE
Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMIMA SGOT / Aspartate Am SGPT / Alanine Amino Gamma GT (GGT) Protein	er creatinine concentration. The concentration of the concentration of the creatining and may result in anomal and may result in anomal evels can be seen in the fortee the concentration of the conce	e interpreted in lig The trend of serun he concentrations in lous values if serun 3.61 bllowing: kidney disease, Hy 17.40 9.20 10.00 6.68	ht of the patients in creatinine cond may increase wh m samples have mg/dl ypertension, Ob U/L U/L IU/L JU/L gm/dl	s muscle mass. A p centrations over the hen an ACE inhib heterophilic antibu 2.5-6.0 esity. < 35 < 40 11-50 6.2-8.0	A stient with a greater muscle ne is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET
Interpretation: The significance of sin mass will have a highe absolute creatinine cor could be affected mild! lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid le Drugs, Diet (high-prot FT (WITH GAMIMA SGOT / Aspartate Am SGPT / Alanine Amino Gamma GT (GGT)	er creatinine concentration. The concentration of the concentration of the creatining and may result in anomal and may result in anomal evels can be seen in the fortee the concentration of the conce	e interpreted in lig The trend of serun ne concentrations in lous values if serun 3.61 bllowing: kidney disease, Hy 17.40 9.20 10.00	ht of the patients in creatinine cond may increase wi m samples have mg/dl ypertension, Ob U/L U/L IU/L	s muscle mass. A p centrations over tin hen an ACE inhib heterophilic antibo 2.5-6.0 esity. < 35 < 40 11-50	Action with a greater muscle me is more important than itor (ACE) is taken. The assay odies, hemolyzed, icteric or URICASE









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:43
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 09:27:50
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 09:56:32
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 11:37:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	erval Method
Alkaline Phosphatase (Total)	60.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.37	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.12	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.25	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	150.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP ligh
HDL Cholesterol (Good Cholesterol)	53.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	84	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Opti 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	12.88	mg/dl	10-33	CALCULATED
Triglycerides	64.40	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP ligh

AS









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:43
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 13:17:15
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 13:28:12
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 13:48:39
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Uri	ino			
Color	CLEAR 1.005			
Specific Gravity Reaction PH				DIPSTICK
	Acidic (6.0)			DIPSTICK
Appearance	CLEAR		10 Abaant	
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-3/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.







(++++) > 2 gms%



CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:43
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 13:17:15
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 13:28:12
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 13:48:39
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

	IVIEDIWHEEL BAINK OF BAH		ABOVE 40 1RS		
Test Name	Result	Unit	Bio. Ref. Interval	Method	
SUGAR, FASTING STAGE ,	, Urine				
Sugar, Fasting stage	ABSENT	gms%			
Interpretation:(+)< 0.5					
SUGAR, PP STAGE, Urine					
Sugar, PP Stage	ABSENT				
Interpretation: (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms%					

AS

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:43
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 13/Oct/2024 09:27:50
UHID/MR NO	: ALDP.0000109324	Received	: 13/Oct/2024 09:56:32
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 11:58:48
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit E	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine) T4, Total (Thyroxine) TSH (Thyroid Stimulating Hormone)	122.00 7.70 2.450	ug/dl 3	4.61–201.7 .2-12.6 .27 - 5.5	CLIA CLIA CLIA
Interpretation:		0.3-4.5 μIU/mL 0.5-4.6 μIU/mL 0.8-5.2 μIU/mL 0.5-8.9 μIU/mL 0.7-27 μIU/mL 2.3-13.2 μIU/mL 0.7-64 μIU/mL 1-39 μIU/mL 1.7-9.1 μIU/mL	Second Trime Third Trimesto Adults Premature Cord Blood Child(21 wk - L Child	ster er 55-87 Years 28-36 Week > 37Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)



Page 9 of 12









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:43
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 2024-10-13 09:35:40
UHID/MR NO	: ALDP.0000109324	Received	: 2024-10-13 09:35:40
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 13:54:11
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiomegaly.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:44
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 2024-10-13 10:32:18
UHID/MR NO	: ALDP.0000109324	Received	: 2024-10-13 10:32:18
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 11:13:55
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Normal in size (14.8 cm), shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER :- Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (9.1 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS :- Is retroflexed normal in size (8.3 x 3.8 cm). No focal myometrial lesion is seen. Endometrium is normal in thickness measuring \sim 8.2 mm. Few nabothian cysts are seen in the cervix, largest measuring \sim 4.0 x 4.2 mm in size

OVARIES :- Bilateral ovaries are normal in size, shape and echogenicity. Right ovary - 32 x 10 mm, Left ovary - 34 x 15 mm.

ADNEXA :- No obvious adnexal pathology is seen.

HIGH RESOLUTION :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION : Grade I fatty liver.

Please correlate clinically.

*** End Of Report ***

Result/s to Follow:









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.NISHA GUPTA	Registered On	: 13/Oct/2024 09:25:44
Age/Gender	: 38 Y 3 M 24 D /F	Collected	: 2024-10-13 10:32:18
UHID/MR NO	: ALDP.0000109324	Received	: 2024-10-13 10:32:18
Visit ID	: ALDP0260942425	Reported	: 13/Oct/2024 11:13:55
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION





Dr. Aishwarya Neha (MD Radiodiagnosis

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open *Facilities Available at Select Location

Facilities Available at Select Location Page 12 of 12



Home Sample Collection 080693666666 View Reports on Chandan 24x7 App

