

Name : Mr. SWAPAN HALDER (59 /M)

Date : 11/03/2025

Address : KALYANGRAM NORTH BARRACKPORE, NORTH 24 PARGANAS, NORTH 24 PARGANAS, WEST BENGAL, INDIA

Examined by :

UHID : AMHL.0002061225

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238306



## CHIEF COMPLAINTS

For corporate health checkup  
No specific complaints

## PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus, Hypertension, Dyslipidemia, Heart disease, Asthma  
Thyroid disease - hypothyroidism; Since - 7 yrs; Medication - regular  
Cancer Since - 2019; Are you on treatment - Completed Treatment; Treatment - Surgery, chemo and radiation; Type of Cancer - Rectal



## SYSTEMIC REVIEW

### Cardiovascular system

- Nil Significant

### Respiratory system

- Nil Significant

### Gastrointestinal system

Appetite - normal; Dyspepsia - no; Bowel habits - constipation, not regular; Piles - no

### Genitourinary system

- Nil Significant

### Eyes

Vision - normal with glasses

### ENT

Hearing loss both ears - mild

### Musculoskeletal system

Spine and joints  
- Nil Significant

## Skin

- psoriasis



## Present medications

- Thyronorm 25mcg



## Past medical history

Past medical history - nil significant



## Surgical history

Others - Robotic rectal resection in 2019



## Personal history

Marital status - Married  
No. of children - 1  
Diet - Non Vegetarian  
Alcohol - does not consume alcohol  
Smoking - Ex.Smoker  
Chews tobacco - No  
Physical activity - Moderate



## Family history

Father - has expired  
Mother - alive  
Coronary artery disease - none  
Cancer - father  
Type - Stomach

## PHYSICAL EXAMINATION



## General

Build - normal  
Height - 156  
Weight - 51  
BMI - 20.96  
Pallor - No  
Oedema - no

Name : Mr. SWAPAN HALDER (59 /M)

UHID : AMHL.0002061225

Date : 11/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238306

---



### Cardiovascular system

Heart rate (Per minute) - 68  
Rhythm - Regular  
- B.P. Sitting  
Systolic(mm of Hg) - 114  
Diastolic(mm of Hg) - 70  
Heart sounds - S1S2+

### Respiratory system

Breath sounds - Normal vesicular breath sounds



### Abdomen

Organomegaly - No  
Tenderness - No



### Skin

Others - Psoriasis

Printed By : Benazir Begaum

Name : Mr. SWAPAN HALDER (59 /M)

UHID : AMHL.0002061225

Date : 11/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238306

**COMPLETE HAEMOGRAM PROFILE**

Test Name	Result	Unit	Level	Range
Hemoglobin	15.0	g/dl	●	13.0-17.0
RBC COUNT	4.68	Million/ ul	●	4.5-5.5
Hematocrit - Hct:	43.1	%	●	41-53
MCV	92.0	fl	●	83-101
MCH	32.0	pg	●	27-32
MCHC	34.8 *	%	●	31.5-34.5
RDW	13.7	%	●	11.8-14.0
WBC Count	5700	/cu mm	●	4000-10000
Platelet Count	1.05 *	lacs/cu mm	●	1.5-4.0
Neutrophils	81 *	%	●	40-80
Lymphocytes	09 *	%	●	20-40
Monocytes	08	%	●	2-10
Eosinophils	02	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Normocytic Normochromic cells			
Platelets:	Just adequate on smear.			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	7	mm/1st hr	●	0-15

**URINE ROUTINE AND MICROSCOPY**

Test Name	Result	Unit	Level	Range
Volume:	30	mL		
Colour:	Pale Straw			
Appearance	Slightly Turbid			
Specific Gravity	1.025			
pH:	6.0			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	Nil	/hpf		
Pus Cells	Occasional/hpf			
Epithelial Cells	Occasional/hpf			

Casts: Not Found  
Crystals: Not Found

**URINE SUGAR - POST PRANDIAL (QUALITATIVE)**

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

**BLOOD GROUPING AND TYPING (ABO AND RH)**

Test Name	Result	Unit	Level	Range
ABO Group:	B			
Rh (D) Type:	POSITIVE			

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	17	U/L	●	0-50
ALBUMIN - SERUM	4.7	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	104	U/L	●	43-115
AST (SGOT) - SERUM	24	U/L	●	0-50
BILIRUBIN TOTAL - SERUM	1.2	mg/dL	●	0.3-1.2

**LIPID PROFILE TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	164	mg/dL	●	0-200
Non-HDL Cholesterol	109			

**CREATININE - SERUM**

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	0.8 *	mg/dL	●	0.9-1.3
CREATININE - SERUM	0.8 *	mg/dL	●	0.9-1.3

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
-----------	--------	------	-------	-------

● Within Normal Range    ● Borderline High/Low    ● Out of Range

Name : Mr. SWAPAN HALDER (59 /M)

UHID : AMHL.0002061225

Date : 11/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238306

GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	11	U/L	●	0-55
--	----	-----	---	------

**GLUCOSE - PLASMA (FASTING)**

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (FASTING)	88	mg/dL	●	70-99

**GLUCOSE - PLASMA (POST PRANDIAL)**

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (POST PRANDIAL)	103	mg/dL	●	70-140

**HBA1C (GLYCOSYLATED  
HAEMOGLOBIN)-WHOLE BLOOD**

Test Name	Result	Unit	Level	Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHO LE BLOOD	4.2	%	●	Nondiabetic : 4 - 5.6 % Prediabetics : 5.7 - 6.4% Diabetes : >= 6.5% ADA Therapeutic goal : <7%

**LIPID PROFILE TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
TC/HDL-C ratio serum	3		●	Optimal<3.5
HDL CHOLESTEROL - SERUM	55	mg/dL	●	30-70
LDL CHOLESTEROL -SERUM	105	mg/dL	●	Optimal: <100
VLDL CHOLESTEROL - SERUM (Calculated)	4	mg/dL	●	0-35

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.3	g/dL	●	6.4-8.3
Albumin/Globulin Ratio	1.8		●	1.0-2.0
GLOBULIN: (CALCULATED) - SERUM	2.6	g/dL	●	1.8-3.6

**THYROID PROFILE - I(T3,T4 AND TSH)**

Test Name	Result	Unit	Level	Range
TOTAL T3: TRI IODOTHYRONINE - SERUM (Electrochemilimesce nce (ECLIA))	0.9	ng/ml	●	0.8-2
TOTAL T4: THYROXINE - SERUM (Electrochemilimesce nce (ECLIA))	6.8	ug/dL	●	5.1-14.1

**LIPID PROFILE TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
TRIGLYCERIDES - SERUM	72	mg/dL	●	0-150

**THYROID PROFILE - I(T3,T4 AND TSH)**

Test Name	Result	Unit	Level	Range
TSH: THYROID STIMULATING HORMONE - SERUM (Electrochemilimesce nce (ECLIA))	5.27 *	μIU/mL	●	0.27-4.2

**URIC ACID - SERUM**

Test Name	Result	Unit	Level	Range
URIC ACID - SERUM	7.5 *	mg/dL	●	2.6-7.2

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.4 *	mg/dL	●	0.0-0.2

**PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL) -  
SERUM**

Test Name	Result	Unit	Level	Range
PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL) - SERUM (Electrochemilimesce nce (ECLIA))	14.4 *	ng/mL	●	0.0-6.5

**BUN (BLOOD UREA NITROGEN)**

Test Name	Result	Unit	Level	Range
BUN (BLOOD UREA NITROGEN)	7.9	mg/dL	●	7.0-18.0

● Within Normal Range      ● Borderline High/Low      ● Out of Range

Name : Mr. SWAPAN HALDER (59 /M)

UHID : AMHL.0002061225

Date : 11/03/2025

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH238306

---

UREA - SERUM	17	mg/dL	●	13-43
UREA - SERUM	17	mg/dL	●	13-43

### BUN/CREATININE RATIO

Test Name	Result	Unit	Level	Range
BUN/CREATININE RATIO	9.8			

### INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & RADIOLOGY)

#### Biochemistry

A/G - RATIO

#### Haematology

URINE SUGAR- FASTING(QUALITATIVE)

#### CARDIOLOGY

ECG

TREADMILL TEST / STRESS TEST

#### Ultrasound Radiology

ULTRASOUND SCREENING WHOLE ABDOMEN

#### X Ray

X-RAY CHEST PA

● Within Normal Range    ● Borderline High/Low    ● Out of Range

**Name** : Mr. SWAPAN HALDER (59 /M)

**UHID** : AMHL.0002061225

**Date** : 11/03/2025

**Package** : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

**AHC No** : AMHLAH238306

---

**Printed By** :

AHC Physician / Consultant Internal Medicine

**Note** :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

## AICVD RISK SCORE REPORT

### RISK STATUS

Low Risk

### YOUR SCORE

5

### ACCEPTABLE SCORE

9

### Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

### Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

### DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
3. To ensure the information in the report is up to date , accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

**The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515**