

Test Name



CHANDAN DIAGNOSTIC CENTRE

Add: MUKUT COMPLEX, REKABGANJ,FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.DEVANSH KUMAR Registered On : 16/Nov/2024 11:42:53 Age/Gender Collected : 33 Y 6 M 15 D /M : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 11:50:58 Visit ID : CHFD0486652425 Reported : 16/Nov/2024 13:48:39

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Result

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

Rio Ref Interval

Method

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
1 . 51 5.	•			EDVITUDO OVITE
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) , Whole Blood	d			
Haemoglobin	14.10	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	5,200.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	58.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	40.00	%	20-40	FLOW CYTOMETRY
Monocytes	1.00	%	2-10	FLOW CYTOMETRY
Eosinophils	1.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	12.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	









Add: MUKUT COMPLEX, REKABGANJ,FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

: 16/Nov/2024 11:42:53 Patient Name : Mr. DEVANSH KUMAR Registered On Age/Gender Collected : 33 Y 6 M 15 D /M : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 11:50:58 : CHFD0486652425 Visit ID Reported : 16/Nov/2024 13:48:39

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	6.00	Mm for 1st hr.	< 9	
PCV (HCT)	42.50	%	40-54	
Platelet count				
Platelet Count	1.88	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	54.60	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.27	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.50	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	94.30	fl	80-100	CALCULATED PARAMETER
MCH	31.30	pg	27-32	CALCULATED PARAMETER
MCHC	33.20	%	30-38	CALCULATED PARAMETER
RDW-CV	12.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,016.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	52.00	/cu mm	40-440	

Dr. R. B. Varshney M.D. Pathology











Add: MUKUT COMPLEX, REKABGANJ, FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.DEVANSH KUMAR : 16/Nov/2024 11:42:54 Registered On Age/Gender : 33 Y 6 M 15 D /M Collected : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 11:56:23 Visit ID : CHFD0486652425 Reported : 16/Nov/2024 12:31:40

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLUCOSE FASTING, Plasma

GOD POD Glucose Fasting 111.14 mg/dl < 100 Normal

> 100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE: Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	39.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	118	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*





View Reports on Chandan 24x7 App



Page 3 of 8



1



CHANDAN DIAGNOSTIC CENTRE

Add: MUKUT COMPLEX, REKABGANJ,FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.DEVANSH KUMAR : 16/Nov/2024 11:42:54 Registered On Age/Gender : 33 Y 6 M 15 D /M Collected : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 11:56:23 Visit ID : CHFD0486652425 Reported : 16/Nov/2024 12:31:40

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit Bio.	Ref. Interval Method	
7-8	53.0 -63.9	154-183	Fair Control	ı
< 7	<63.9	<154	Goal**	
6-7	42.1 -63.9	126-154	Near-normal glycemia	
< 6%	<42.1	<126	Non-diabetic level	

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)

7.37

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Sample:Serum

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

ISO 9001:2015



View Reports on Chandan 24x7 App



^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: MUKUT COMPLEX, REKABGANJ,FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.DEVANSH KUMAR Registered On : 16/Nov/2024 11:42:54 Age/Gender Collected : 33 Y 6 M 15 D /M : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 11:56:23 Visit ID : CHFD0486652425 Reported : 16/Nov/2024 12:31:40

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
Creatinine Sample:Serum	0.86	Nev Infe Chil	e 0.7-1.3 N vborn 0.3-1.0 ent 0.2-0.4 d 0.3-0.7 elescent 0.5- 1.0	Modified Jaffes	

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid3.75mg/dl3.5-7.2URICASE

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	41.15	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	70.74	U/L	< 45	IFCC WITHOUT P5P
Gamma GT (GGT)	48.82	U/L	0-55	IFCC, KINETIC
Protein	6.40	gm/dl	6.2-8.0	BIURET
Albumin	4.33	gm/dl	3.4-5.4	B.C.G.
Globulin	2.07	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.09		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	85.25	U/L	53-128	IFCC AMP KINETIC
Bilirubin (Total)	0.81	mg/dl	Adult	DIAZO
			0-2.0	
Bilirubin (Direct)	0.34	mg/dl	< 0.20	DIAZO
Bilirubin (Indirect)	0.47	mg/dl	< 1.8	CALCULATED

LIPID PROFILE (MINI), Serum

SIN No:66435107





View Reports on Chandan 24x7 App







Add: MUKUT COMPLEX, REKABGANJ,FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

: 16/Nov/2024 11:42:54 Patient Name : Mr.DEVANSH KUMAR Registered On Age/Gender Collected : 33 Y 6 M 15 D /M : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 11:56:23 Visit ID : CHFD0486652425 Reported : 16/Nov/2024 12:31:40

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	erval Method
Cholesterol (Total)	247.99	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP ligh
HDL Cholesterol (Good Cholesterol)	73.80	mg/dl	35.0-79.5	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	120	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Opti 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	54.56	mg/dl	10-33	CALCULATED
Triglycerides	272.81	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP ligh

Dr. R. B. Varshney M.D. Pathology





View Reports on Chandan 24x7 App







Add: MUKUT COMPLEX, REKABGANJ, FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : Mr.DEVANSH KUMAR Registered On : 16/Nov/2024 11:42:54 Age/Gender Collected : 33 Y 6 M 15 D /M : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 12:02:34 Visit ID : CHFD0486652425 Reported : 16/Nov/2024 12:57:26

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit B	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine)	172.00	ng/dl 8	4.61–201.7	CLIA
T4, Total (Thyroxine)	7.78	ug/dl 3	.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.220	μIU/mL 0	.27 - 5.5	CLIA
Interpretation:		0.3-4.5 μIU/mL	First Trimester	
		0.5-4.6 μIU/mL		er
		0.8-5.2 μIU/mL	Third Trimester	
		0.5-8.9 µIU/mL	Adults 55	5-87 Years
		$0.7\text{-}27$ $\mu IU/mL$		28-36 Week
		2.3-13.2 $\mu IU/mL$		> 37Week
		0.7-64 μIU/mL 1-39 μIU/ml	`	0 Yrs.) -4 Days
		1.7-9.1 μIU/mL		20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

*** End Of Report ***

Result/s to Follow:

URINE EXAMINATION, ROUTINE, STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, FASTING STAGE, SUGAR, PP STAGE, ECG / EKG, X-RAY DIGITAL CHEST PA, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)



View Reports on Chandan 24x7 App







Add: MUKUT COMPLEX, REKABGANJ, FAIZABAD Ph: 9235400973

CIN: U85110UP2003PLC193493

Patient Name : 16/Nov/2024 11:42:54 : Mr. DEVANSH KUMAR Registered On Age/Gender : 33 Y 6 M 15 D /M Collected : 16/Nov/2024 11:45:58 UHID/MR NO : CDCA.0000096667 Received : 16/Nov/2024 12:02:34 Visit ID : CHFD0486652425 Reported : 16/Nov/2024 12:57:26

Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method



M.D. Pathology

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open

*Facilities Available at Select Location

Page 8 of 8







