



Name of Company: Medishee Name of Executive: Richa kunan Sex: Male / Female Height: 158 CMs BMI (Body Mass Index): 23.2 Abdomen: 76 CMs Blood Pressure: 117 / 70 mm/Hg Ident Mark: Cut Navik below the left eye. Any Allergies: NO NO Vertigo : NO Any Medications: Any Surgical History: Surgery left breast Habits of alcoholism/smoking/tobacco: No Chief Complaints if any: NO Lab Investigation Reports: Report attach Eye Check up vision & Color vision: Power glass Since 10 year Left eye: Norm Right eye: No







INCAL VISION. ATLY	N	lear	vision:	MI	6
--------------------	---	------	---------	----	---

Far vision : 6/9

Dental check up : Mormal

plomal ENT Check up :

Eye Checkup:

Final impression

Certified that I examinedRie	hg Ku	ma	<u>m'</u>			S/o	or	D/o
is	presently	in	good	health	and	free	from	any
cardio-respiratory/communicable ailment	he/she,	is	fit	/ Ur	nfit	to	join	any
organization.								

Richa Kumari **Client Signature :-**

Dr. R.C. ROY MEBS., MD. (Radio Diagnosis) Reg. No. -26918

Signature of Medical Examiner

Name & Qualification - Dr. R. C. Roy (MBBS,MD) Date .. 26. /. / 0. /2024 **Place - VARANASI**

CHANDAN DIAGNOSTIC CENTRE 455/5, (H G Complex), KANCHANPUR, CHITAIPUR, VARANASI, UP 221005







I am Richa kumari de not ge for PAPSmear to my own wish.

Richa Kuman

Dr. R.C. ROY MBBS., MD. (Radio Diagnosis) Reg. No. -26918

CMAREBAN DEAGNOSTIC CENTRE 455/6, (H & Comptex), KANCHANPUR, CHITAIPUR, VARANASI, UP 221005







LOCAL 09:25:08 GMT 03:55:08 SATURDAY 10.26.2024 ALTITUDE 36 METER





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name Age/Gender	: Mrs.RICHA KUMARI-2253 : 33 Y 1 M 5 D /F	36082	Registered (Collected	On : 26/Oct/2024 08 : 26/Oct/2024 09	
UHID/MR NO	: CVA1.0000002766		Received	: 26/Oct/2024 09	
Visit ID	: CVA10028342425		Reported	: 26/Oct/2024 12	2:53:27
Ref Doctor	: Dr.MEDIWHEEL VNS -		Status	: Final Report	
T	MEDIWHEE			LE ABOVE 40 YRS	Nd-111
Test Name		Result	Unit	Bio. Ref. Interval	Method
Blood Group (AB	O & Rh typing) , Blood				
Blood Group Rh (Anti-D)		O POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA ERYTHROCYTE
					MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood	Count (CBC) , Whole Blood				
Haemoglobin		12.10	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>		5,900.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neu	trophils)	60.00	%	40-80	FLOW CYTOMETRY
Lymphocytes		30.00	%	20-40	FLOW CYTOMETRY
Monocytes		4.00	%	2-10	FLOW CYTOMETRY
Eosinophils		6.00	%	1-6	FLOW CYTOMETRY
Basophils ESR		0.00	%	< 1-2	FLOW CYTOMETRY
Observed		10.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



Chandan 24x7 App







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:46
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 26/Oct/2024 09:29:59
UHID/MR NO	: CVA1.000002766	Received	: 26/Oct/2024 09:32:13
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 12:53:27
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	6.00	Mm for 1st hr.	/	
PCV (HCT)	38.40	%	40-54	
Platelet count				
Platelet Count	1.75	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	17.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	42.10	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.18	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.80	fl	80-100	CALCULATED PARAMETER
MCH	28.90	pg	27-32	CALCULATED PARAMETER
MCHC	31.50	%	30-38	CALCULATED PARAMETER
RDW-CV	13.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,540.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	354.00	/cu mm	40-440	

S.N. Sinton Dr.S.N. Sinha (MD Path)

Page 2 of 12

View Reports on

Chandan 24x7 App









Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:46
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 26/Oct/2024 09:29:59
UHID/MR NO	: CVA1.000002766	Received	: 26/Oct/2024 09:32:13
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 12:28:37
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Uı	nit	Bio. Ref. Interva	ıl	Method
GLUCOSE FASTING, Plasma Glucose Fasting	95.00	mg/dl	< 100 M	Jormal	GOD POI)
		5	100-12	5 Pre-diabetes Diabetes		

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	120.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	6.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	35.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	108	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.



Page 3 of 12







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:46
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 26/Oct/2024 09:29:59
UHID/MR NO	: CVA1.000002766	Received	: 26/Oct/2024 09:32:13
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 12:28:37
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)	11.00	mg/dL	7.0-23.0	CA
Sample:Serum				







Chandan 24x7 App





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22	S36082	Registere		: 26/Oct/2024	
Age/Gender	: 33 Y 1 M 5 D /F		Collected		: 26/Oct/2024	
UHID/MR NO Visit ID	: CVA1.0000002766		Received		: 26/Oct/2024 : 26/Oct/2024	
Ref Doctor	: CVA10028342425 : Dr.MEDIWHEEL VNS -		Reported Status		: Final Report	
		DEPARTMENT EEL BANK OF BA				
Test Name	IVIEDIVVI	Result	Un		Bio. Ref. Interva	al Method
nterpretation:						
-	UN levels can be seen in tl	he following:				
High-protein diet, I	Dehydration, Aging, Certain n	nedications, Burns, G	Gastrointestim	al (GI) b	bleeding.	
Low BUN levels o	can be seen in the following	g:				
Low-protein diet, o	overhydration, Liver disease.					
ample:Serum Interpretation:		0.90	mg/dl	0.5-1.2		MODIFIED JAFFES
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine	single creatinine value must b gher creatinine concentration. concentration. Serum creatin	be interpreted in ligh The trend of serum ine concentrations n	t of the patient creatinine con nay increase w	ts muscle acentration	e mass. A patient w ons over time is mo ACE inhibitor (AC	vith a greater muscle ore important than E) is taken. The assay
mass will have a hig absolute creatinine	gher creatinine concentration.	be interpreted in ligh The trend of serum ine concentrations n	t of the patient creatinine con nay increase w	ts muscle acentration	e mass. A patient w ons over time is mo ACE inhibitor (AC	vith a greater muscle ore important than E) is taken. The assay
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m	gher creatinine concentration. concentration. Serum creatin	be interpreted in ligh The trend of serum ine concentrations n	t of the patient creatinine con nay increase w	ts muscle acentration	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than E) is taken. The assay
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Jric Acid ample:Serum Interpretation:	gher creatinine concentration. concentration. Serum creatin	be interpreted in ligh The trend of serum ine concentrations n alous values if serum	t of the patient creatinine con nay increase w samples have	ts muscle ncentratio /hen an A e heterop	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Interpretation: Note:-	gher creatinine concentration. concentration. Serum creatin	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40	t of the patient creatinine con nay increase w samples have	ts muscle ncentratio /hen an A e heterop	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid	gher creatinine concentration. concentration. Serum creatin idly and may result in anoma	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40 following:	t of the patient creatinine com nay increase w n samples have mg/dl	ts muscle incentratio /hen an A e heterop 2.5-6.0	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p	gher creatinine concentration. concentration. Serum creatini hildly and may result in anoma d levels can be seen in the f protein diet, alcohol), Chronic	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40 following:	t of the patient creatinine com nay increase w n samples have mg/dl	ts muscle incentratio /hen an A e heterop 2.5-6.0	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIV	gher creatinine concentration. concentration. Serum creatini hildly and may result in anoma d levels can be seen in the f protein diet, alcohol), Chronic	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40 following:	t of the patient creatinine com nay increase w n samples have mg/dl	ts muscle incentratio /hen an A e heterop 2.5-6.0	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIV SGOT / Aspartate J	gher creatinine concentration. concentration. Serum creatini hildly and may result in anoma d levels can be seen in the f protein diet, alcohol), Chronic 1A GT), Serum	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40 following:	t of the patient creatinine com nay increase w n samples have mg/dl pertension, Ot U/L U/L	ts muscle herentratio /hen an A e heterop 2.5-6.0	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or URICASE
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIV SGOT / Aspartate / SGPT / Alanine Am Gamma GT (GGT)	gher creatinine concentration. concentration. Serum creatini hildly and may result in anoma d levels can be seen in the f protein diet, alcohol), Chronic 1A GT) , <i>Serum</i> Aminotransferase (AST)	be interpreted in ligh. The trend of serum ine concentrations n alous values if serum 2.40 following: kidney disease, Hy 18.00 20.50 9.10	t of the patient creatinine con nay increase w n samples have mg/dl pertension, Ob U/L U/L IU/L	ts muscle incentration when an A heteropy 2.5-6.0 besity. < 35 < 40 11-50	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than CE) is taken. The assay emolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIV SGOT / Aspartate A SGPT / Alanine Am Gamma GT (GGT) Protein	gher creatinine concentration. concentration. Serum creatini hildly and may result in anoma d levels can be seen in the f protein diet, alcohol), Chronic 1A GT) , <i>Serum</i> Aminotransferase (AST)	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40 following: kidney disease, Hy 18.00 20.50 9.10 6.40	t of the patient creatinine com nay increase w n samples have mg/dl pertension, Ot U/L U/L U/L JU/L gm/dl	ts muscle heterop 2.5-6.0 besity. < 35 < 40 11-50 6.2-8.0	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIV SGOT / Aspartate / SGPT / Alanine Am Gamma GT (GGT) Protein Albumin	gher creatinine concentration. concentration. Serum creatini hildly and may result in anoma d levels can be seen in the f protein diet, alcohol), Chronic 1A GT) , <i>Serum</i> Aminotransferase (AST)	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40 following: kidney disease, Hy 18.00 20.50 9.10 6.40 3.90	t of the patient creatinine com nay increase w n samples have mg/dl pertension, Ot U/L U/L IU/L gm/dl gm/dl	ts muscle herentratio /hen an A e heterop 2.5-6.0 besity. < 35 < 40 11-50 6.2-8.0 3.4-5.4	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he)	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET B.C.G.
ample:Serum Interpretation: The significance of mass will have a hig absolute creatinine could be affected m lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMIV SGOT / Aspartate A SGPT / Alanine Am Gamma GT (GGT) Protein	gher creatinine concentration. concentration. Serum creatini hildly and may result in anoma d levels can be seen in the f protein diet, alcohol), Chronic 1A GT) , <i>Serum</i> Aminotransferase (AST)	be interpreted in ligh The trend of serum ine concentrations n alous values if serum 2.40 following: kidney disease, Hy 18.00 20.50 9.10 6.40	t of the patient creatinine com nay increase w n samples have mg/dl pertension, Ot U/L U/L U/L JU/L gm/dl	ts muscle heterop 2.5-6.0 besity. < 35 < 40 11-50 6.2-8.0	e mass. A patient w ons over time is mo ACE inhibitor (AC ohilic antibodies, he)	vith a greater muscle ore important than (E) is taken. The assay emolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET









Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

				_
Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:46	
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 26/Oct/2024 09:29:59	
UHID/MR NO	: CVA1.000002766	Received	: 26/Oct/2024 09:32:13	
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 12:28:37	
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Ir	nterval Method
Alkaline Phosphatase (Total)	78.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	228.00	mg/dl	<200 Desirable 200-239 Borderline > 240 High	CHOD-PAP e High
HDL Cholesterol (Good Cholesterol)	71.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	111	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Op 130-159 Borderline 160-189 High > 190 Very High	
VLDL	45.80	mg/dl	10-33	CALCULATED
Triglycerides	229.00	mg/dl	< 150 Normal 150-199 Borderline 200-499 High >500 Very High	GPO-PAP e High

S.N. Sinton Dr.S.N. Sinha (MD Path)

Page 6 of 12









Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:46
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 26/Oct/2024 09:29:59
UHID/MR NO	: CVA1.000002766	Received	: 26/Oct/2024 09:32:13
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 13:18:47
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE , ι	Irine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION , S	tool			
	YELLOWISH			







(++++) > 2 gms%



CHANDAN DIAGNOSTIC CENTRE

Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:46
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 26/Oct/2024 09:29:59
UHID/MR NO	: CVA1.000002766	Received	: 26/Oct/2024 09:32:13
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 13:18:47
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

IVIEDI	IVIEDIWHEEL BANK OF BARODA FEIVIALE ABOVE 40 TRS					
Test Name	Result	Unit	Bio. Ref. Interval	Method		
Consistency	SEMI SOLID					
Reaction (PH)	Basic (8.0)					
Mucus	ABSENT					
Blood	ABSENT					
Worm	ABSENT					
Pus cells	1-2/h.p.f					
RBCs	ABSENT					
Ova	ABSENT					
Cysts	ABSENT					
Others	ABSENT					
SUGAR, FASTING STAGE, Urine						
Sugar, Fasting stage	ABSENT	gms%				
Interpretation:						
(+) < 0.5						
(++) 0.5-1.0						
(+++) 1-2						
(++++) > 2						
SUGAR, PP STAGE, Urine						
Sugar, PP Stage	ABSENT					
Interpretation:						
(+) < 0.5 gms%						
(++) 0.5-1.0 gms%						
(+++) 1-2 gms%						

S.n. Sinta

Page 8 of 12

Dr.S.N. Sinha (MD Path)







View Reports on Chandan 24x7 App





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:46
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 26/Oct/2024 09:29:59
UHID/MR NO	: CVA1.000002766	Received	: 26/Oct/2024 09:32:13
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 14:03:30
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

	EEL BANK OF BA				
Test Name	Result	Unit	Bio	. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum					
T3, Total (tri-iodothyronine)	106.00	ng/dl	84.6	51–201.7	CLIA
T4, Total (Thyroxine)	3.98	ug/dl	3.2-	12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.080	μlŪ/mL	0.2	7 - 5.5	CLIA
Interpretation:		0.5-4.6 µI 0.8-5.2 µI 0.5-8.9 µI 0.7-27 µI 2.3-13.2 µI 0.7-64 µI	U/mL U/mL U/mL U/mL U/mL U/mL u/mL u/mL	First Trimes Second Trin Third Trime Adults Premature Cord Blood Child(21 wk Child	nester ster 55-87 Years 28-36 Week > 37Week
		•	U/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S.n. Sinta

Page 9 of 12

View Reports on

Chandan 24x7 App

Dr.S.N. Sinha (MD Path)









Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi - UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:47
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 2024-10-26 11:15:11
UHID/MR NO	: CVA1.000002766	Received	: 2024-10-26 11:15:11
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 11:16:33
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA **

X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

IMPRESSION

*** NO OBVIOUS DETECTABLE ABNORMALITY SEEN**



Dr Raveesh Chandra Roy (MD-Radio)





Home Sample Collection 08069366666

View Reports on Chandan 24x7 App





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:47
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 2024-10-26 09:40:33
UHID/MR NO	: CVA1.000002766	Received	: 2024-10-26 09:40:33
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 09:41:19
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• Normal in size (13.3 cm), shape, & echogenicity. Intra & extra hepatic biliary radicals & vascular structures are normal. Margins are smooth and regular.

GALL BLADDER

• Normally distended with echo free lumen.

PORTAL SYSTEM

• Normal in course and caliber. (7.0 mm)

BILIARY SYSTEM

• Visualized part normal in course & caliber.(2.5 mm).

PANCREAS

• Normal in size, shape & echogenicity. Margins are smooth & regular. No diffuse/ focal lesion seen. Pancreatic duct not visualized.

KIDNEYS

- Right kidney:8.9 x 3.6 cm, Left kidney: 9.2 x 4.8 cm.
- Both normal in size, shape echogenicity & position. Cortical-medullary differentiation is maintained.
- Pelvicalyceal system normal. No evidence of any calculus/mass lesion seen
- No hydronephrosisis/ hydroureter seen. No suprarenal mass lesion.

<u>SPLEEN</u>

• Normal in size measures (8.8 cm), shape & echogenicity. Margins are smooth & regular. No diffuse / focal lesion seen

URINARY BLADDER

- Normally distended with normal wall thickness. No echogenic foci lumen or diverticula seen. Both VUJ appears normal.
- No evidence of calculus / mass lesion seen.

UTERUS

• Uterus is reteroflexed, normal in size 9.1 x 4.8 x 3.4 cm. Margins are smooth & regular. Enlarged cervix





Page 11 of 12





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.RICHA KUMARI-22S36082	Registered On	: 26/Oct/2024 08:40:47
Age/Gender	: 33 Y 1 M 5 D /F	Collected	: 2024-10-26 09:40:33
UHID/MR NO	: CVA1.000002766	Received	: 2024-10-26 09:40:33
Visit ID	: CVA10028342425	Reported	: 26/Oct/2024 09:41:19
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

measuring 3.2 mm

• Endometrial thickness measures 11.7 mm.

OVARIES

• Bilateral ovaries show normal size (right ovary 3.5 x 2.1 cm and left ovary 2.5 x 1.8 cm) and morphology.

OTHERS

- No free fluid in peritoneal cavity.
- No free fluid in bilateral pleural cavity.
- No evidence of significantly enlarged retroperitoneal/ mesenteric lymph nodes noted

FINAL IMPRESSION:-

• BULKY CERVIX (? CERVICITIS).

*** End Of Report ***

(**) Test Performed at CHANDAN DIAGNOSTIC CENTRE, VARANASI, CHITAIPUR

Result/s to Follow: ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION





Dr Priyam Agarwal MBBS MD (Radiology)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 365 Days Open *Facilities Available at Select Location

Facilities Available at Select Location Page 12 of 12



Home Sample Collection 08069366666





455/6 (H G COMPLEX), KANCHANPUR, CHITAIPUR, VARANASI EMail:

28342425 / MRS RICHA KUMARI / 33 Yrs / F / 158 Cms / 58 Kg Date: 26 - 10 - 2024 01:36:33 PM Refd By : MEDIWHEEL Examined By:

NonCardiacPain Angina /Non-Hypercholestromia/Non-Diabetic/Negative Estrogen/Non-Athlete

Stage	Time	Duration	Speed(mph)	Elevation	METs	Rate	% THR	8P	RPP	PVC	Comments
Supine	00:04	0:04	00.0	00.0	01.0	083	44 %	118/70	097	00	
Supine	00:06	0:02	00.0	00.0	01.0	083	44 %	118/70	097	00	
Standing	00:09	0:03	00.0	00.0	01.0	087	47 %	118/70	102	00	
HV	00:12	0.03	00.0	00.0	01.0	087	47 %	118/70	102	00	
Warm Up	00:15	0:03	01.0	00.0	01.0	089	48.%	118/70	105	00	
ExStart	00:30	0:15	01.0	00.0	01.0	094	50 %	118/70	110	00	
BRUCE Stage 1	03:30	3:00	01.7	10.0	04.7	153	82 %	128/74	195	00	
PeakEx	03:47	0:17	02.5	12.0	04.9	153	82 %	128/74	195	00	
Recovery	04:17	0:30	00.0	00.0	01.7	135	72 %	128/74	172	00	
Recovery	04:47	1:00	00.0	00.0	01.0	108	58 %	126/74	136	00	
Recovery	05:47	2:00	00.0	00.0	01.0	083	44 %	122/72	101	00	
Recovery	06:46	3:00	00.0	00.0	01.0	098	52 %	118/70	115	00	

FINDINGS :

03:17 Exercise Time Max HR Attained 153 bpm 82% of Target 187 94 bpm 50% of Target 187 Initial HR (ExStrt) Max BP Attained 128/74 (mm/Hg) 118/70 (mm/Hg) -strat is inconclusive for sursible my occardial Initial BP (ExStrt) 4.9 Poor response to induced stress Max WorkLoad Attained Max ST Dep Lead & Avg ST Value II & -0.7 mm in PeakEx ischemia 00.0 **Duke Treadmill Score** > possification (capacity) > This not achieved Test Complete Test End Reasons REPORT : Dr. Balaji Lohiyi MBBS, MD (MED DM-(CARDIO -> No archyrtmias Balut. Heart Rate 83.0 bpm MCI-114859 Systolic BP 128.0 mmHg Diastolic BP 74.0 mmHg

EDISEARCH, MEDIACT SYSTEMS

Report


Maximum Depression 0.0 Exercise Time 03:17 Mins. Ectopic Beats 0.0 METS 4.9 Test End Reason BREATHLESSNESS & TIREDNESS Target Heart Rate 187.0

_

BRUCE:Supine(0:04)


ACHP

28342425 / MRS RICHA KUMARI / 33 Yrs / F / 158 Cms / 58 Kg / HR : 83



MEDISEARCH, MEDIACT SYSTEMS CHANDAN DIAGNOSTIC CENTRE

28342425 / MRS RICHA KUMARI / 33 Yrs / F / 158 Cms / 58 Kg / HR : 83



BRUCE:Supine(0:05)


4GHD

117

BRUCE:Standing(0:04)


ACHPL

28342425 / MRS RICHA KUMARI / 33 Yrs / F / 158 Cms / 58 Kg / HR 87




BRUCE:HV(0:04) CHANDAN DIAGNOSTIC CENTRE 28342425 / MRS RICHA KUMARI / 33 Yrs / F / 158 Cms / 58 Kg / HR : 87 ExTime: 00:00 0.0 mph, 0.0% METS 1.0/ 87 bpm 47% of THR BP. 118/70 mmHg Combined Medians/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz Date: 26 - 10 - 2024 01:36:33 PM 25 mm/Sec. 1.0 Cm/mV 4X no mS Post J V1 0.0 -0.2 ٧ı STL 0.5









111 V1 **V3** VS avL

V2 0.4




Vé 11 avR: πvF 1/2 **V4** REMARKS:


ACHD

BRUCE:Warm Up(0:07)





28342425 / MRS RICHA KUMARI / 33 Yrs / F / 158 Cms / 58 Kg / HR : 89








£1














CHANDAN DIAGNOSTIC CENTRE-1, CHITAIPUR, VARANASI



Age / Gender: 33/Female

Date and Time: 26th Oct 24 9:18 AM

Patient ID: CVA10028342425

Patient Name: Mrs.RICHA KUMARI-22S36082

