



## **CHANDAN DIAGNOSTIC CENTRE**

Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:36 Age/Gender Collected : 16/Nov/2024 12:08:01 : 24 Y O M O D /F UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 12:26:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 13:30:46

Ref Doctor : Dr.Mediwheel gkp -Status : Final Report

## **DEPARTMENT OF HAEMATOLOGY**

## MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	AB			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) , Whole Blood				
Haemoglobin	9.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	6,300.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils )	68.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	25.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils <b>ESR</b>	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	42.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	









Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:36 Age/Gender Collected : 16/Nov/2024 12:08:01 : 24 Y O M O D /F UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 12:26:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 13:30:46 Ref Doctor Status : Final Report : Dr.Mediwheel gkp -

## **DEPARTMENT OF HAEMATOLOGY**

## MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy	
			Early gestation - 48 (62	
			if anaemic)	-
			Leter gestation - 70 (95 if anaemic)	)
Corrected	12.00	Mm for 1st hr.	•	
PCV (HCT)	31.90	%	40-54	
Platelet count	••	, ,		
Platelet Count	2.0	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.70	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	51.00	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.26	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.75	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	85.10	fl	80-100	CALCULATED PARAMETER
MCH	26.50	pg	27-32	CALCULATED PARAMETER
MCHC	31.10	%	30-38	CALCULATED PARAMETER
RDW-CV	15.80	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	49.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,284.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	126.00	/cu mm	40-440	

DR VASUNDHARA MD PATHOLOGIST











Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA : 16/Nov/2024 10:45:37 Registered On Age/Gender : 24 Y O M O D /F Collected : 16/Nov/2024 12:08:01 UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 12:26:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 14:51:18 Ref Doctor Status : Dr.Mediwheel gkp -: Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
1 oot Hairio		•	Dio. itoii iiitoi vai	111011104

**GLUCOSE FASTING**, Plasma

Glucose Fasting 67.20 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

**CLINICAL SIGNIFICANCE:-** Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

## GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.80	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	28.90	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	91	mg/dl	

## **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*









Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : 16/Nov/2024 10:45:37 : Mrs.SHWETA Registered On Age/Gender : 24 Y O M O D /F Collected : 16/Nov/2024 12:08:01 UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 12:26:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 14:51:18 Ref Doctor Status : Dr.Mediwheel gkp -: Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit Bio.	Ref. Interval	Method
7-8	53.0 -63.9	154-183	Fair Control	
< 7	<63.9	<154	Goal**	
6-7	42.1 -63.9	126-154	Near-normal g	glycemia
< 6%	<42.1	<126	Non-diabetic l	evel

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

## **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

**BUN (Blood Urea Nitrogen)** *Sample:Serum* 

8.88

mg/dL

7.0-23.0

**CALCULATED** 

## **Interpretation:**

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

## Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:37 Age/Gender : 24 Y O M O D /F Collected : 16/Nov/2024 12:08:01 UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 12:26:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 14:51:18 Ref Doctor : Dr.Mediwheel gkp -Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Uı	nit	Bio. Ref. Interva	al	Method	
Creatinine Sample:Serum	0.63	mg/dl	Newbo Infent Child (	e 0.6-1.1 orn 0.3-1.0 0.2-0.4 0.3-0.7 scent 0.5- 1.0	MODIFI	IED JAFFES	
			/ tables	0.0 1.0			

## **Interpretation:**

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid	3.89	mg/dl	2.6-6.0	URICASE
Sample:Serum		_		

#### **Interpretation:**

Note:-

#### Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

## LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	20.80	U/L	< 31	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	3.60	U/L	< 34	IFCC WITHOUT P5P
Gamma GT (GGT)	10.00	U/L	0-38	IFCC, KINETIC
Protein	6.73	gm/dl	6.2-8.0	BIURET
Albumin	4.01	gm/dl	3.4-5.4	B.C.G.
Globulin	2.72	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.47		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	53.85	U/L	42-98	IFCC AMP KINETIC
Bilirubin (Total)	0.44	mg/dl	Adult	DIAZO
			0-2.0	
Bilirubin (Direct)	0.20	mg/dl	< 0.20	DIAZO
Bilirubin (Indirect)	0.24	mg/dl	< 1.8	CALCULATED

LIPID PROFILE (MINI), Serum











Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:37 Age/Gender Collected : 16/Nov/2024 12:08:01 : 24 Y O M O D /F UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 12:26:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 14:51:18 Ref Doctor : Final Report : Dr.Mediwheel gkp -Status

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	rval Method
Cholesterol (Total)	85.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	42.70	mg/dl	42-88	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	31	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optir 130-159 Borderline Hi 160-189 High > 190 Very High	
VLDL	13.38	mg/dl	10-33	CALCULATED
Triglycerides	66.90	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP gh

DR VASUNDHARA MD PATHOLOGIST











: Dr.Mediwheel gkp -

**URINE EXAMINATION, ROUTINE, Urine** 

## CHANDAN DIAGNOSTIC CENTRE

Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:36 Age/Gender : 24 Y O M O D /F Collected : 16/Nov/2024 15:36:10 UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 15:55:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 17:20:31 Ref Doctor

## **DEPARTMENT OF CLINICAL PATHOLOGY** MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Status

Test Name	Result	Unit	Bio. Ref. Interval	Method

Color	PALE YELLOW	
Specific Gravity	1.020	
Reaction PH	Acidic (6.0)	DIPSTICK
Appearance	CLEAR	

Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			/ \	

40-200 (++) 200-500 (+++) > 500 (++++)

: Final Report

Sugar **ABSENT** gms% < 0.5 (+)**DIPSTICK** 

0.5-1.0(++)1-2(+++)> 2 (++++)

Ketone **ABSENT** mg/dl Serum-0.1-3.0 **BIOCHEMISTRY** 

Urine-0.0-14.0

Bile Salts **ABSENT Bile Pigments ABSENT** Bilirubin **ABSENT** 

**DIPSTICK** Leucocyte Esterase **ABSENT DIPSTICK ABSENT** 

Urobilinogen(1:20 dilution) Nitrite **ABSENT** 

**DIPSTICK** Blood **ABSENT DIPSTICK** Microscopic Examination:

**Epithelial cells** 0-2/h.p.f Pus cells 1-2/h.p.f

**RBCs ABSENT** MICROSCOPIC **EXAMINATION** 

Cast **ABSENT** 

Crystals **ABSENT MICROSCOPIC EXAMINATION** 

Others **ABSENT** 

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage **ABSENT** gms%





Page 7 of 12

**MICROSCOPIC** 

**EXAMINATION** 





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:36 Age/Gender Collected : 16/Nov/2024 15:36:10 : 24 Y O M O D /F UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 15:55:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 17:20:31

Ref Doctor : Dr.Mediwheel gkp - Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

**Interpretation:** 

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

Vasundhara

DR VASUNDHARA MD PATHOLOGIST













Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : 16/Nov/2024 10:45:37 : Mrs.SHWETA Registered On Age/Gender : 24 Y O M O D /F Collected : 16/Nov/2024 12:08:01 UHID/MR NO : CGKP.0000041981 Received : 16/Nov/2024 12:26:12 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 16:12:16 Ref Doctor : Dr.Mediwheel gkp -Status : Final Report

## **DEPARTMENT OF IMMUNOLOGY**

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit B	io. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine)	200.00	ng/dl 84	4.61–201.7	CLIA
T4, Total (Thyroxine)	7.15	ug/dl 3.	.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.900	μIU/mL 0.	.27 - 5.5	CLIA
Interpretation:				
-		0.3-4.5 µIU/mL	First Trimesto	er
		$0.5$ - $4.6$ $\mu IU/mL$	Second Trime	ester
		0.8-5.2 µIU/mL	Third Trimest	ter
		0.5-8.9 µIU/mL	Adults	55-87 Years
		0.7-27 µIU/mL	Premature	28-36 Week
		$2.3-13.2 \mu IU/mL$	Cord Blood	> 37Week
		0.7-64 µIU/mL	Child(21 wk -	- 20 Yrs.)
		1-39 μIU/mI	L Child	0-4 Days
		1.7-9.1 µIU/mL	Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

DR VASUNDHARA MD PATHOLOGIST













Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:37 Age/Gender : 24 Y O M O D /F Collected : 2024-11-16 11:13:20 UHID/MR NO : CGKP.0000041981 Received : 2024-11-16 11:13:20 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 15:04:34

Ref Doctor : Dr.Mediwheel gkp - Status : Final Report

## DEPARTMENT OF X-RAY

## MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA

# X-RAY REPORT (500 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

## **IMPRESSION:**

• NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation

Dr.Dilip Yadav MBBS,DNB(Radio Diagnosis)











Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name : Mrs.SHWETA Registered On : 16/Nov/2024 10:45:37 Age/Gender : 24 Y O M O D /F Collected : 2024-11-16 13:41:47 UHID/MR NO : CGKP.0000041981 Received : 2024-11-16 13:41:47 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 13:46:14

Ref Doctor : Dr.Mediwheel gkp - Status : Final Report

## DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

## **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)**

**Liver -** Normal in size with homogenous echo texture. No IHBR dilatation is seen. Portal vein shows normal diameter and flow pattern. No definite focal or diffuse mass lesion noted.

**Gall bladder** – Adequately distended. No calculus in lumen. Wall thickness is normal.

**CBD** – Normal. No intra-ducal calculus is seen.

**Pancreas-** Head and proximal body appears normal. Rest of the pancreas is obscured of the bowel gases.

**Spleen-** shows normal size and parenchymal echotexture.

**Right kidney-** is normal in size. No pelvicalyceal calculus is seen. No backpressure changes are seen. Ureter is normal.

**Left kidney-** is normal in size. No pelvicalyceal calculus is seen. No backpressure changes are seen. Ureter is normal.

**Urinary bladder-** is adequately distended. Wall is smooth and regular. No mass or calculus seen.

**Uterus- is anteverted and normal in size and shape.** Myometrium show homogenous echotexture. No definite evidence of any focal or diffuse lesion noted. **Endometrial thickness is ~ 4 mm.** 

Minimal free fluid in POD----Likely physiological.

**Right ovary-** is normal in size.

**Left ovary-** is normal in size.

No ascites is seen.

#### **IMPRESSION**

NO SIGNIFICANT DIAGNOSTIC ABNORMALITY DETECTED.

ADV-CLINICAL CORRELATION AND FOLLOW UP STUDY.

\*\*\* End Of Report \*\*\*

Result/s to Follow:

 $STOOL, ROUTINE\ EXAMINATION, GLUCOSE\ PP, SUGAR, PP\ STAGE, ECG\ /\ EKG,\ Tread\ Mill\ Test\ (TMT), PAP\ SMEAR\ FOR\ CYTOLOGICAL\ EXAMINATION$ 









Ref Doctor



## **CHANDAN DIAGNOSTIC CENTRE**

Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110UP2003PLC193493

Patient Name Registered On : 16/Nov/2024 10:45:37 : Mrs.SHWETA Age/Gender : 24 Y O M O D /F Collected : 2024-11-16 13:41:47 UHID/MR NO : CGKP.0000041981 Received : 2024-11-16 13:41:47 Visit ID : CGKP0177062425 Reported : 16/Nov/2024 13:46:14

> : Dr.Mediwheel gkp -Status : Final Report

## **DEPARTMENT OF ULTRASOUND** MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS





Dr.Dilip Yadav MBBS, DNB (Radio Diagnosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups \* 365 Days Open

\*Facilities Available at Select Location

Page 12 of 12







