

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Age/Gender

CARE LTD -

: 36 Y 1 M 26 D /M

: ALDP.0000147460 : ALDP0186792425

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Registered On

Collected

: 27/Aug/2024 10:44:19

: 2024-08-27 11:40:21

Received : 2024-08-27 11:40:21 Reported : 28/Aug/2024 09:11:34

Status : Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG

UHID/MR NO

Ref Doctor

Visit ID

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

81

/mt

3. Ventricular Rate

81

/mt

4. P - Wave

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: **Configuration:** Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T - Wave

Normal

FINAL IMPRESSION

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Registered On : 27/Aug/2024 10:44:17 Age/Gender Collected : 27/Aug/2024 10:50:24 : 36 Y 1 M 26 D /M UHID/MR NO : ALDP.0000147460 Received : 27/Aug/2024 12:02:32 Visit ID : ALDP0186792425 Reported : 27/Aug/2024 13:43:47

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood	od			
Haemoglobin	15.10	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	6,100.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils Basophils ESR	59.00 35.00 5.00 1.00 0.00	% % % %	40-80 20-40 2-10 1-6 < 1-2	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed	2.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy	











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Registered On : 27/Aug/2024 10:44:17 Age/Gender Collected : 27/Aug/2024 10:50:24 : 36 Y 1 M 26 D /M UHID/MR NO : ALDP.0000147460 Received : 27/Aug/2024 12:02:32 Visit ID : ALDP0186792425 Reported : 27/Aug/2024 13:43:47

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	-	Mm for 1st hr.	< 9	
PCV (HCT)	44.00	%	40-54	
Platelet count		,		
Platelet Count	1.54	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	A STATE OF THE PARTY OF THE PAR	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.20	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.68	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	94.80	fl	80-100	CALCULATED PARAMETER
MCH	32.20	pg	27-32	CALCULATED PARAMETER
MCHC	33.90	%	30-38	CALCULATED PARAMETER
RDW-CV	13.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	47.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,599.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	61.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR : 27/Aug/2024 10:44:19 Registered On Age/Gender : 36 Y 1 M 26 D /M Collected : 27/Aug/2024 10:50:24 UHID/MR NO : ALDP.0000147460 Received : 27/Aug/2024 12:02:32 Visit ID : ALDP0186792425 Reported : 27/Aug/2024 18:10:44

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Un	it Bio. Ref. Inter	val Method	
GLUCOSE FASTING, Plasma					
Glucose Fasting	88.60	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	22.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	74	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Age/Gender

Registered On : 36 Y 1 M 26 D /M Collected

: 27/Aug/2024 10:44:19 : 27/Aug/2024 10:50:24

UHID/MR NO Visit ID

: ALDP.0000147460 : ALDP0186792425

Received : 27/Aug/2024 12:02:32 Reported : 27/Aug/2024 18:10:44

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor CARE LTD -

Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum

8.60

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

Creatinine Sample:Serum 1.22

mg/dl

0.7 - 1.30

MODIFIED JAFFES

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay

Page 5 of 14





^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name :

: Mr.SINGH SUNIL KUMAR

Registered On

: 27/Aug/2024 10:44:19

Age/Gender

: 36 Y 1 M 26 D /M

Collected

: 27/Aug/2024 10:50:24 : 27/Aug/2024 12:02:32

UHID/MR NO Visit ID : ALDP.0000147460 : ALDP0186792425 Received Reported

: 27/Aug/2024 18:10:44

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.



Dr. Akanksha Singh (MD Pathology)

Page 6 of 14









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Registered On : 27/Aug/2024 10:44:19 Age/Gender Collected : 27/Aug/2024 10:50:24 : 36 Y 1 M 26 D /M UHID/MR NO : ALDP.0000147460 Received : 27/Aug/2024 12:02:32 Visit ID Reported : 28/Aug/2024 10:45:39 : ALDP0186792425

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Uric Acid Sample:Serum	5.45	mg/dl	3.4-7.0	URICASE

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	42.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	53.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	32.80	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.72	gm/dl	6.2-8.0	BIURET
Albumin	4.55	gm/dl	3.4-5.4	B.C.G.
Globulin	3.17	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.44		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	115.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	1.11	mg/dl	0.3-1.2	Jendrassik & Grof
Bilirubin (Direct)	0.43	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.68	mg/dl	< 0.8	JENDRASSIK & GROF

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Registered On : 27/Aug/2024 10:44:19 Age/Gender Collected : 27/Aug/2024 10:50:23 : 36 Y 1 M 26 D /M UHID/MR NO : ALDP.0000147460 Received : 27/Aug/2024 12:02:32 Visit ID : ALDP0186792425 Reported : 27/Aug/2024 18:10:45

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
LIPID PROFILE (MINI) , Serum				
Cholesterol (Total)	213.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	70.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	112	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima	
			130-159 Borderline High 160-189 High > 190 Very High	
VLDL	31.12	mg/dl	10-33	CALCULATED
Triglycerides	155.60	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

AS_

Dr. Akanksha Singh (MD Pathology)









Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Method

Patient Name : Mr.SINGH SUNIL KUMAR Registered On : 27/Aug/2024 10:44:18 Age/Gender Collected : 27/Aug/2024 11:10:47 : 36 Y 1 M 26 D /M UHID/MR NO : ALDP.0000147460 Received : 27/Aug/2024 12:02:32 Visit ID : ALDP0186792425 Reported : 27/Aug/2024 14:38:22

Result

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit

Rio Ref Interval

Test Name	Result	Unit	Bio. Ref. Interval	Method
LIBINE EVALUATION DOUTINE				
URINE EXAMINATION, ROUTINE, Urin	ne			
Color	PALE YELLOW			
Specific Gravity	1.030			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Suyai	ADSLINI	y111570	0.5-1.0 (++)	DIFSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
OIL	ADCENIT			EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged u	urine sediment.			
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
ougui, i dotting otago	, IDSEIVI	9111370		











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name

: Mr.SINGH SUNIL KUMAR

Registered On

: 27/Aug/2024 10:44:18

Age/Gender

: 36 Y 1 M 26 D /M

Collected : 2

: 27/Aug/2024 11:10:47 : 27/Aug/2024 12:02:32

UHID/MR NO Visit ID

: ALDP.0000147460 : ALDP0186792425

CARE LTD -

Received Reported

: 27/Aug/2024 14:38:22

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2



Dr. Akanksha Singh (MD Pathology)

Page 10 of 14







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR : 27/Aug/2024 10:44:18 Registered On Age/Gender : 36 Y 1 M 26 D /M Collected : 27/Aug/2024 10:50:23 UHID/MR NO : ALDP.0000147460 Received : 27/Aug/2024 12:02:32 Visit ID : ALDP0186792425 Reported : 27/Aug/2024 13:41:49

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total Sample:Serum	1.36	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL, Serum

T3, Total (tri-iodothyronine)	168.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.23	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.910	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	μIU/mL	First Trimester			
0.5-4.6	$\mu IU/mL$	Second Trimester			
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ster		
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years		
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week		
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week		
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)		
1-39	$\mu IU/mL$	Child	0-4 Days		
1.7-9.1	$\mu IU/mL$	Child	2-20 Week		

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Age/Gender

CARE LTD -

: 36 Y 1 M 26 D /M

: ALDP.0000147460 : ALDP0186792425

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Collected Received

Registered On

: 27/Aug/2024 10:44:18 : 27/Aug/2024 10:50:23 : 27/Aug/2024 12:02:32

: 27/Aug/2024 13:41:49 Reported

Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 12 of 14









Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.SINGH SUNIL KUMAR Registered On Age/Gender : 36 Y 1 M 26 D /M Collected UHID/MR NO : ALDP.0000147460 Received

Visit ID : ALDP0186792425

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

ed On : 27/Aug/2024 10:44:20

: 2024-08-27 12:09:22 : 2024-08-27 12:09:22

Reported : 27/Aug/2024 12:19:52

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Normal in size (14.7 cm), shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER: Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (9.7 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. **A calculus is seen in the right kidney measuring** ~ **5.9 mm in middle calvx**. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. **A calculus is seen in the left kidney measuring** ~ **4.0 mm in inferior calyx**. Pelvicalyceal system is not dilated.

URINARY BLADDER: Is empty. Patient unable to hold urine further.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Grade II fatty liver.
- Bilateral non obstructive nephrolithiasis.

Please correlate clinically



Dr. Aishwarya Neha (MD Radiodiagnosis









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name

: Mr.SINGH SUNIL KUMAR

Registered On

: 27/Aug/2024 10:44:20

Age/Gender

: 36 Y 1 M 26 D /M

Collected

: 2024-08-27 11:40:33 : 2024-08-27 11:40:33

UHID/MR NO

: ALDP.0000147460

Received

Visit ID

: ALDP0186792425

Reported

: 28/Aug/2024 09:12:07

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT)

NORMAL

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, X-RAY DIGITAL CHEST PA





Dr. R K VERMA

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location

Page 14 of 14



