

Lab No. : 393898217

Ref By : SELF

Collected: 8/3/2025 8:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years
Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : SDRL, VIDYAVIHAR



Corporate ID: proposal\_no-22E47829

### <u>Aerfocami Healthcare Below 40 Male/Female</u> <u>BLOOD GROUPING & Rh TYPING</u>

**PARAMETER** 

**RESULTS** 

**ABO GROUP** 

В

Rh Typing

Positive

**NOTE:** Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the
  first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of
  adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

 Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia

Dr Trupti Shetty MD Pathology Deputy HOD Dr Priyanka Sunil Pagare MD Pathology

MD Pathology
Sr. Pathologist

Dr Vrushali Shroff MD Pathology Sr. Pathologist



Page 1 of 15



: 393898217 Lab No. : SELF Ref By

: 8/3/2025 8:18:00AM Collected

: P A/c Status

ID

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

: proposal\_no-22E47829

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

: 37 Years Age : Male Gender

: 8/3/2025 7:23:38PM Reported

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



Aerfocami Healthcare Below 40 Male/Female **CBC (Complete Blood Count), Blood** 

PARAMETER RBC PARAMETERS	<u>RESULTS</u>	BIOLOGICAL REF RANGE	METHOD
Haemoglobin	15.5	13.0 - 17.0 g/dL	Spectrophotometric
RBC	5.1	4.5 - 5.5 mil/cmm	Elect. Impedance
PCV	45.4	40.0 - 50.0 %	Calculated
MCV	88.4	81.0 - 101.0 fL	Measured
MCH	30.1	27.0 - 32.0 pg	Calculated
MCHC	34.1	31.5 - 34.5 g/dL	Calculated
RDW	14.3	11.6 - 14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5190	4000 - 10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSOLUTE COU	NTS		
Lymphocytes	38.1	20.0 - 40.0 %	
Absolute Lymphocytes	1977.4	1000.0 - 3000.0 /cmm	Calculated
Monocytes	9.2	2.0 - 10.0 %	
Absolute Monocytes	477.5	200.0 - 1000.0 /cmm	Calculated
Neutrophils	44.6	40.0 - 80.0 %	
Absolute Neutrophils	2314.7	2000.0 - 7000.0 /cmm	Calculated
Eosinophils	7.0	1.0 - 6.0 %	
Absolute Eosinophils	363.3	20.0 - 500.0 /cmm	Calculated
Basophils	1.1	0.1 - 2.0 %	
Absolute Basophils	57.1	20.0 - 100.0 /cmm	Calculated



Page 2 of 15



Lab No. : 393898217

Ref By : SELF

Collected : 8/3/2025 8:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



ID

: proposal\_no-22E47829

### Aerfocami Healthcare Below 40 Male/Female CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<b>RESULTS</b>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
PLATELET PARAMETERS			
Platelet Count	214000	150000 - 410000 /cmm	Elect. Impedance
MPV	8.7	6.0 - 11.0 fL	Measured
PDW	13.9	11.0 - 18.0 %	Calculated
RBC MORPHOLOGY			
Others	Normocytic Normochromic		

Specimen: EDTA whole blood





Lab No. : 393898217 Ref By : SELF

Collected : 8/3/2025 8:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years
Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



Corporate ID : proposal\_no-22E47829

### Aerfocami Healthcare Below 40 Male/Female ERYTHROCYTE SEDIMENTATION RATE (ESR)

PARAMETERRESULTSBIOLOGICAL REF RANGEMETHODESR, EDTA WB5.002.00 - 15.00 mm/hrSedimentation

**Clinical Significance:** The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

### Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

### Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

### Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.





Lab No. : 393898217 Ref By : SELF

Collected : 08/03/2025 08:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



**ID** : proposal\_no-22E47829

### Aerfocami Healthcare Below 40 Male/Female

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING,	91.23	Non-Diabetic: < 100 mg/dl	Hexokinase
Fluoride Plasma Fasting		Impaired Fasting Glucose:	

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition

GLUCOSE (SUGAR) PP, Fluoride 86.42 Non-Diabetic: < 140 mg/dl Hexokinase

Plasma PP Impaired Glucose Tolerance: 140-199 mg/dl

Diabetic: >/= 200 mg/dl

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition

CREATININE, Serum 1.05 0.67 - 1.17 mg/dL Enzymatic

eGFR, Serum 93.27 (ml/min/1.73sqm) Calculated

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-59

Moderate to severe decrease:30-44

Severe decrease: 15-29

Kidney failure:<15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation



Page 5 of 15



Lab No. : 393898217

Ref By : SELF

Collected: 8/3/2025 8:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



ID

: proposal no-22E47829

### Aerfocami Healthcare Below 40 Male/Female

DE0111 TO

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.60	0.10 - 1.20 mg/dL	Colorimetric
BILIRUBIN (DIRECT), Serum	0.28	0.00 - 0.30 mg/dL	Diazo
BILIRUBIN (INDIRECT), Serum	0.32	0.10 - 1.00 mg/dL	Calculated
TOTAL PROTEINS, Serum	7.06	6.40 - 8.30 g/dL	Biuret
Albumin Serum	4.34	3.50 - 5.20 g/dL	BCG
GLOBULIN Serum	2.72	2.30 - 3.50 g/dL	Calculated
A/G RATIO Serum	1.60	1.00 - 2.00	Calculated
SGOT (AST), Serum	21.90	5.00 - 40.00 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	20.00	5.00 - 45.00 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	14.60	3.00 - 60.00 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	61.00	40.00 - 130.00 U/L	Colorimetric
BLOOD UREA,Serum	25.50	12.80 - 42.80 mg/dL	Urease GLDH
BUN, Serum	11.91	6.00 - 20.00 mg/dL	Calculated
URIC ACID, Serum	4.56	3.50 - 7.20 mg/dL	Enzymatic





Lab No. : 393898217 Ref By : SELF

Collected : 08/03/2025 08:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



iD : proposal\_no-22E47829

### <u>Aerfocami Healthcare Below 40 Male/Female</u> <u>GLYCOSYLATED HEMOGLOBIN (HbA1c)</u>

 PARAMETER
 RESULTS
 BIOLOGICAL REF RANGES
 METHOD

 Glycosylated Hemoglobin (HbA1c), EDTA WB
 5.2
 Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %
 HPLC

 Estimated Average Glucose
 102.5
 mg/dL
 Calculated

### Intended use:

(eAG),EDTA WB

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

### **Clinical Significance:**

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### **Test Interpretation:**

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

### Factors affecting HbA1c results:

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, plenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach □s interpretation of diagnostic tests 10th edition.



Page 7 of 15



Lab No. : 393898217 Ref By : SELF

Collected : 08/03/2025 08:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



iD : proposal\_no-22E47829

<u>Aerfocami Healthcare Below 40 Male/Female</u> <u>FUS and KETONES</u>

PARAMETER RESULTS BIOLOGICAL REF RANGES METHOD

Urine Sugar (Fasting)

Sample Not Received





Lab No. : 393898217 Ref By : SELF

Collected : 08/03/2025 08:18:00AM

A/c Status : P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



iD : proposal\_no-22E47829

<u>Aerfocami Healthcare Below 40 Male/Female</u> <u>Glucose & Ketones, Urine</u>

PARAMETER RESULTS BIOLOGICAL REF RANGES METHOD

Urine Sugar (PP)

Sample Not Received





 Lab No.
 : 393898217
 Age
 : 37 Years

 Ref By
 : SELF
 Gender
 : Male

Collected : 08/03/2025 08:18:00AM Reported : 8/3/2025 7:23:38PM

A/c Status : P Report Status : Final

3rd Floor, 301/302, Vini Elegance Above Tanishq

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST Processed at : BORIVALI LAB, BORIVALI WEST

Showroom, Borivali West, Mumbai

iD : proposal\_no-22E47829

# MC-6201

### <u>Aerfocami Healthcare Below 40 Male/Female</u> <u>LIPID PROFILE</u>

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
CHOLESTEROL, Serum	188	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	114	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL Serum	50	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	138	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL Serum	115	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL Serum	23	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2	0-3.5 Ratio	Calculated

### Reference:

- 1) Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III).
- 2) Pack Insert.



Page 10 of 15



Lab No. : 393898217 Age : 37 Years
Ref By : SELF Gender : Male

Collected : 08/03/2025 08:18:00AM Reported : 8/3/2025 7:23:38PM

A/c Status : P Report Status : Final

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST Processed at : BORIVALI LAB, BORIVALI WEST

Showroom, Borivali West, Mumbai

3rd Floor, 301/302, Vini Elegance Above Tanishq

iD : proposal\_no-22E47829

### <u>Aerfocami Healthcare Below 40 Male/Female</u> <u>THYROID FUNCTION TESTS</u>

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGES	<u>METHOD</u>
Free T3, Serum	5.40	3.50 - 6.50 pmol/L	ECLIA
Free T4 Serum	12.83	11.50 - 22.70 pmol/L	ECLIA
sensitiveTSH Serum	3.08	0.35 - 5.50 microIU/ml	ECLIA

### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

### **Clinical Significance:**

- 1. TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2. TSH values may be trasiently altered becuase of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
   High 	Normal	Normal	Subclinical hypothyroidism, poor compliance with   thyroxine, drugs like amiodarone recovery phase of   nonthyroidal illness, TSH Resistance
   High   	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio liodine Rx, post thyroidectomy, anti thyroid drugs, tyrosine kinase inhibitors & amiodarone amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
	нigh	 High	Hyperthyroidism, Graves disease,toxic multinodular   goiter,toxic adenoma, excess iodine or thyroxine   intake, pregnancy related (hyperemesis gravidarum   hydatiform mole)
Low     Low	Normal	   Normal 	Subclinical Hyperthyroidism, recent Rx for hyperthy-  roidism, drugs like steroids & dopamine, Non  thyroidal illness.
Low	Low	LOW	Central Hypothyroidism, Non Thyroidal Illness,   Recent Rx for Hyperthyroidism.
High	High	   High 	

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a



Page 11 of 15



Lab No. : 393898217 Ref By : SELF

Collected : 08/03/2025 08:18:00AM

A/c Status : P

ID

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

proposal no-22E47829

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



# <u>Aerfocami Healthcare Below 40 Male/Female</u> <u>THYROID FUNCTION TESTS</u>

PARAMETER RESULTS BIOLOGICAL REF RANGES METHOD

minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

### Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.this assay is designed to minimize interference from heterophilic antibodies.

### Reference:

- 1. O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)



Page 12 of 15



Lab No. : 393898217 Ref By : SELF

Collected : 8/3/2025 8:18:00AM

A/c Status : P

ID

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

: proposal no-22E47829

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age : 37 Years Gender : Male

Reported : 8/3/2025 7:23:38PM

Report Status : Final

Processed at : BORIVALI LAB, BORIVALI WEST



Aerfocami Healthcare Below 40 Male/Female
EXAMINATION OF FAECES

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	5.00	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present	-	-
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts





: 393898217 Lab No. : SELF

Ref By : 8/3/2025 8:18:00AM Collected

A/c Status

Collected at

ID

: P

: WALKIN - BORIVALI LAB, BORIVALI WEST 3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

: proposal no-22E47829

: 37 Years Age : Male Gender

: 8/3/2025 7:23:38PM Reported

**Report Status** : Final

Processed at : BORIVALI LAB, BORIVALI WEST



	URINE EXAMINATION	ON REPORT	
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale Yellow	Pale Yellow	-
Transparency	CLEAR	Clear	-
CHEMICAL EXAMINATION			
Specific Gravity	1.012	1.002-1.035	Chemical Indicator
Reaction (pH)	5.5	5-8	Chemical Indicator
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	
Ketones	Absent	Absent	
Blood	Absent	Absent	
Bilirubin	Absent	Absent	
Urobilinogen	Normal	Normal	
Nitrite	Negative	Negative	
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	0.4	0-5/hpf	
Red Blood Cells / hpf	0.00	0-2/hpf	
Epithelial Cells / hpf	0.3	0-5/hpf	
Hyaline Casts	0.4	Absent	
Pathological cast	0.00	Absent	
Calcium oxalate monohydrate crystals	0.00	Absent	
Calcium oxalate dihydrate crystals	0.00	Absent	
Bacteria / hpf	19.50	0-20/hpf	
Yeast	0.00	Absent	

Dr.Jageshwar mandal Choupal DNB Pathology Consultant Pathologist

Dr Nehal Dubey MD Pathology Chief of Lab



Page 14 of 15



Name

: RAHUL TAMORE

Lab No.

: 393898217

Ref By

: SELF

Collected

: 8/3/2025 8:18:00AM

A/c Status

: P

Collected at : WALKIN - BORIVALI LAB, BORIVALI WEST

3rd Floor, 301/302, Vini Elegance Above Tanishq

Showroom, Borivali West, Mumbai

Age

: 37 Years : Male

Gender Reported

Processed at

: 8/3/2025 7:23:38PM

**Report Status** 

: Final

: BORIVALI LAB, BORIVALI WEST



ID

: proposal no-22E47829

### **URINE EXAMINATION REPORT**

**PARAMETER** 

**RESULTS** 

**BIOLOGICAL REF RANGE** 

**METHOD** 

End of report -



### **IMPORTANT INSTRUCTIONS**

The published test results relate to the submitted specimen. All test results are dependent on the quality of the sample received by the laboratory Laboratory tests should be clinically correlated by a physician and are merely a tool to help arrive at a diagnosis. Unforeseen circumstances may cause a delay in the delivery of the report. Inconvenience is regretted. Certain tests may require further testing at an additional cost for derivation of exact value. Kindly submit the request within 72 hours post-reporting. The Court/Forum at Mumbai shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of the test(s). Test results are not valid for medico-legal purposes. This computer-generated medical diagnostic report has been verified by a doctor or an authorized medical professional. A physical signature is not required for this report. (#) sample drawn from an external source.

If test results are alarming or unexpected, the client is advised to contact customer care immediately for possible remedial action.

Tel: 022-61700000, Email: <a href="mailto:customerservice@suburbandiagnostics.com">customerservice@suburbandiagnostics.com</a> <a href="mailto:customerservice@suburbandiagnostics.com">customerservice@suburbandiagnostics.com</a>

West Reference Lab, Mumbai, is a CAP (8036028) Accredited laboratory.



Page 15 of 15

T



LAB NO: 393898217	
PATIENT'S NAME: MR RAHUL TAMORE	AGE/SEX: 37Y/M
REF BY:	DATE: 08/03/2025

### 2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral valves normal. Trivial TR.
- 6. Great arteries: Aorta: Normal
  - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



PATIENT'S NAME: MR RAHUL TAMORE

REF BY: ---
DATE: 08/03/2025

			DATE:
1.	AO root diameter	3.0 cm	
2.	IVSd	1.1 cm	
3.	LVIDd	4.3 cm	
4.	LVIDs	1.9 cm	
5.	LVPWd	1.1 cm	
6.	LA dimension	3.6 cm	
7.	RA dimension	3.6 cm	
8.	RV dimension	3.0 cm	
9.	Pulmonary flow vel:	0.9  m/s	
	<b>Pulmonary Gradient</b>	3.2 m/s	An Asia
	Tricuspid flow vel	1.5 m/s	
12.	Tricuspid Gradient	10 m/s	
	PASP by TR Jet	20 mm Hg	
	TAPSE	2.2 cm	
15.	Aortic flow vel	1.0 m/s	
16.	Aortic Gradient	4 m/s	
17.	MV:E	0.7  m/s	
18.	A vel	0.5 m/s	
19.	IVC	16 mm	
20.	E/E'	8	
		O .	

### **Impression:**

Normal 2d echo study.

### Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

\*\*\*End of Report\*\*\*

DR. S. NITIN Consultant Cardiologist Reg. No. 87714 R

E

R

T



CID

: 393898217

Name

: Mr. RAHUL TAMORE

Age / Sex

: 37 Years/Male

Ref. Dr

: self

Reg. Location

: Borivali West

Reg. Date

: 08-Mar-2025

Reported

: 08-Mar-2025 / 10:15

R

E

O

T

### **USG WHOLE ABDOMEN**

**LIVER:** Liver is normal in size, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS:</u>Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

<u>KIDNEYS:</u> Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

**SPLEEN:** Spleen is normal in size, shape and echotexture. No focal lesion is seen.

**URINARY BLADDER:** Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture.. No evidence of any obvious focal lesion.

No free fluid or size significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?

sionNo=2025030808193527

Acces



CID

: 393898217

Name

: Mr. RAHUL TAMORE

Age / Sex

: 37 Years/Male

Ref. Dr

: self

Reg. Location

: Borivali West

Reg. Date

: 08-Mar-2025

Reported

: 08-Mar-2025 / 10:15

E

T

### Opinion:

### No significant abnormality is detected.

### For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of responsible for any rectification. Please interpret accordingly.

-----End of Report-----

Dr.Gauri Arole

DMRE Radiodiagnosis Consultant Radiologist Reg.no 2014/09/4178

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?
Acces

sionNo=2025030808193527

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899D13995PLC055380



CID

: 393898217

Name

: Mr. RAHUL TAMORE

Age / Sex

: 37 Years/Male

Ref. Dr

: self

Reg. Location

: Borivali West

Reg. Date

: 08-Mar-2025

Reported

: 08-Mar-2025 / 14:55

R

E

### X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

## IMPRESSION:

# NO SIGNIFICANT ABNORMALITY IS DETECTED.

### Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X-ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre will not be responsible for any rectification.

-----End of Report-----

Dr.Gauri Arole

DMRE Rediodiegnosis

Consultant Radiologist

Reg.no 2014/09/4178

Click here to view images << ImageLink>>



RAHUL TAMORE

P O R T

R

E

C.		
3:	Weight (Irg).	
A febrile		NAD
		NAD
74/min	Lymph Node:	Not Palpable
S	S1S2(N) No Murmurs	
N	Normal	
N	Normal	
N	Vormal	
Normal		
140 1		
*		
		Afebrile Skin: 100/70 Nails: 74/min Lymph Node:  S1S2(N) No Murmurs AEBE Clear Normal Normal Normal

CIT	THE COMPY I WAY	
	EF COMPLAINTS:	
1)	Hypertension:	No
2)	IHD	NO
3)	Arrhythmia	NO
4)	Diabetes Mellitus	No
5)	Tuberculosis	NO
6)	Asthama	NO
7)	Pulmonary Disease	NO
8)	Thyroid/ Endocrine disorders	NO
9)	Nervous disorders	NO
10)	GI system	NO
11)	Genital urinary disorder	NO
12)	Rheumatic joint diseases or symptoms	NO
13)	Blood disease or disorder	NO
14)	Cancer/lump growth/cyst	NO
15)	Congenital disease	NO
16)	Surgeries	No
(7)	Musculoskeletal System	NO

PERSONAL HISTORY:

1)	Alcohol	No
2)	Smoking	Yes
3)	Diet	Mix
4)	Medication	NO

Dr NITIN SONAVANE

DR. NITIN SONAVANE
M.B.B.S.AFLH, D.DIAB, D.CARD.
CONSULTAN I CARDIOLOGIST
REGD. NO.: 87714

Suf-truem Diagnostics (1) Pvt. Ltd. 3018. 302. 3 d Roor, Vini Eleganance Above Tarisq Jweller, L. T. Ro.v., \*vived (Weat), Mumber - 500 092.

# GNOSTICS

PRECISE TESTING . HEALTHIER LIVING

# SUBURBAN DIAGNOSTICS - BORIVALI WEST

Date and Time: 8th Mar 25 9:21 AM

RAHUL TAMORE Patient Name:

393898217 Patient ID:

years months days 37

Heart Rate 71bpm Gender Male

Patient Vitals

V1

aVR

120/80 mmHg Weight:

168 cm Height:

NA NA Pulse: Spo2:

Resp:

Others:

Measurements

86ms ORSD:

91

aVF

H

aVL

Ħ

380ms 412ms QTcB:

104ms

40° 52° 25°

P-R-T:

REPORTED BY

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714

Disclaimer. 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-physician. 2) Patront virals are as entered by the clinician and not derived from the ECG.

Sinus Rhythm Sinus Arrhythmia Seen Short PR Interval. Please correlate clinically.

25.0 mm/s 10.0 mm/mV

П

R E R

Date:-

Name:- Rahul Tamore Sex/Age: 37/m

EYE CHECK UP

CID:

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

RE 15 6/6 6/6 14/6 14/6

(Right Eye)

(Left Eye)

	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance							
Vear							

Colour Vision: Normal / Abnormal

Remark:

