





Collected On

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

. 13/11/2024 2:48 pm

Age/Sex : 41Years

Reported On / Female

: 13/11/2024 6:01 pm

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

Report Status

<5.0

: FINAL

Consulting Dr. : DR. MAYUR JAIN

	*LIF	PID PROFILE	
TEST NAME	RESULTS	UNIT	REFERENCE RANGE
TOTAL CHOLESTEROL	187.0	mg/dL	Desirable blood cholesterol: -
(CHOLESTEROL			<200 mg/dl.
OXIDASE,ESTERASE,PEROXIDA			Borderline high blood cholesterol:
SE)			- 200 - 239 mg/dl.
			High blood cholesterol: -
			>239 mg/dl.
S.HDL CHOLESTEROL (DIRECT MEASURE - PEG)	37.6	mg/dL	Major risk factor for heart :<30 mg/dl.
			Negative risk factor for heart
			disease :>=80 mg/dl.
S. TRIGLYCERIDE (ENZYMATIC,	115.0	mg/dL	Desirable level: <161 mg/dl.
END POINT)			High :>= 161 - 199 mg/dl.
			Borderline High :200 - 499 mg/dl.
			Very high :>499mg/dl.
VLDL CHOLESTEROL	23	mg/dL	UPTO 40
(CALCULATED VALUE)		5/	
S.LDL CHOLESTEROL	126	mg/dL	Optimal:<100 mg/dl.
(CALCULATED VALUE)		9,	Near Optimal: 100 - 129 mg/dl.
(6.1.202.11.22 1.1.202)			Borderline High: 130 - 159 mg/dl.
			High: 160 - 189mg/dl.
			Very high :>= 190 mg/dl .
LDL CHOL/HDL RATIO	3.35		UPTO 3.5
(CALCULATED VALUE)	رد.ی		UF 10 3.3
(CALCULATED VALUE)			

Above reference ranges are as per ADULT TREATMENT PANEL III recommendation by NCEP (May 2015).

Result relates to sample tested, Kindly correlate with clinical findings.

4.97

Checked By SHAISTA Q

CHOL/HDL CHOL RATIO

(CALCULATED VALUE)

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 1 of 12





Collected On

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

. 13/11/2024 2:48 pm

Age/Sex

: 41Years / Female Reported On

: 13/11/2024 6:01 pm

Ref By

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS

Report Status : FINAL

Consulting Dr. : DR. MAYUR JAIN

COMPLETE BLOOD COUNT			
TEST NAME	RESULTS	UNIT	REFERENCE RANGE
HEMOGLOBIN	12.3	gm/dl	12.0 - 15.0
HEMATOCRIT (PCV)	36.9	%	36 - 46
RBC COUNT	4.34	x10^6/uL	4.5 - 5.5
MCV	85	fl	80 - 96
MCH	28.3	pg	27 - 33
MCHC	33	g/dl	33 - 36
RDW-CV	14.3	%	11.5 - 14.5
TOTAL LEUCOCYTE COUNT	7180	/cumm	4000 - 11000
DIFFERENTIAL COUNT			
NEUTROPHILS	59	%	40 - 80
LYMPHOCYTES	25	%	20 - 40
EOSINOPHILS	08	%	0 - 6
MONOCYTES	08	%	2 - 10
BASOPHILS	00	%	0 - 1
PLATELET COUNT	268000	/ cumm	150 to 410
MPV	12.2	fl	6.5 - 11.5
PDW	16	%	9.0 - 17.0
PCT	0.330	%	0.200 - 0.500
RBC MORPHOLOGY	Normocytic Normochi	romic	
WBC MORPHOLOGY	Mild eosinophilia		
PLATELETS ON SMEAR	Adequate		

Method: EDTA Whole Blood- Tests done on Automated Six Part Cell Counter.RBC and Platelet count by Electric Impedance ,WBC by SF Cube method and Differential by flow cytometry . Hemoglobin by Cyanide free reagent for hemoglobin test (Colorimetric Method). Rest are calculated parameters.

Result relates to sample tested, Kindly correlate with clinical findings.

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 2 of 12





: Mrs. PRANITA MESHRAM Collected On : 13/11/2024 2:38 pm Name

. 13/11/2024 2:48 pm Lab ID. : 213682 Received On

: 13/11/2024 6:01 pm Reported On Age/Sex : 41Years / Female

Report Status : FINAL : JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

Consulting Dr. : DR. MAYUR JAIN

URINE	ROUTIN	IE EXAM	INATION
-------	--------	---------	---------

UNIT REFERENCE RANGE TEST NAME **RESULTS**

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

VOLUME 20ml

COLOUR Pale Yellow Pale Yellow

APPEARANCE Slightly hazy Clear

CHEMICAL EXAMINATION

REACTION Acidic Acidic

(methyl red and Bromothymol blue indicator)

SP. GRAVITY 1.020 1.005 - 1.022

(Bromothymol blue indicator)

PROTEIN Present(+) Absent

(Protein error of PH indicator)

Absent **BLOOD** Absent

(Peroxidase Method)

SUGAR Absent Absent

(GOD/POD)

KETONES Absent Absent

(Acetoacetic acid)

BILE SALT & PIGMENT Absent Absent

(Diazonium Salt)

UROBILINOGEN Normal Normal

(Red azodye)

LEUKOCYTES Absent Absent

(pyrrole amino acid ester diazonium salt)

NITRITE Absent Negative

(Diazonium compound With tetrahydrobenzo quinolin 3-phenol)

MICROSCOPIC EXAMINATION

RED BLOOD CELLS Absent / HPF Absent **PUS CELLS** 15-20 0 - 5 / HPF **EPITHELIAL** 6-8 / HPF 0 - 5

CASTS Absent **CRYSTALS** Absent

Checked By

Rajashri_Dumbre

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 3 of 12





: Mrs. PRANITA MESHRAM **Collected On** Name

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

. 13/11/2024 2:48 pm

Age/Sex : 41Years / Female Reported On

: 13/11/2024 6:01 pm

Report Status : JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

: FINAL

Consulting Dr. : DR. MAYUR JAIN

LIDTME	DOLLTTNE	FXAMINAT	TON.
UKINE	KUULINE	EXAMINAL	ICIN

TEST NAME	RESULTS	UNIT	REFERENCE RANGE	
BACTERIA	Present(+)		Absent	
YEAST CELLS	Absent		Absent	
ANY OTHER FINDINGS	Absent		Absent	
REMARK	Result relates to s	ample tested. Kindly	correlate with clinical findings.	
Popult rolatos to sample to	Posult relates to sample tested. Kindly correlate with clinical findings			

Result relates to sample tested, Kindly correlate with clinical findings.

Checked By Rajashri_Dumbre

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 4 of 12



: Mrs. PRANITA MESHRAM Collected On : 13/11/2024 2:38 pm Name

. 13/11/2024 2:48 pm Lab ID. : 213682 Received On

: 13/11/2024 6:01 pm Reported On Age/Sex : 41Years / Female

Report Status : FINAL : JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

Consulting Dr. : DR. MAYUR JAIN

IMMUNO ASSAY UNIT REFERENCE RANGE TEST NAME **RESULTS TFT (THYROID FUNCTION TEST) SPECIMEN** Serum T3 150.0 ng/dl 84.63 - 201.8 T4 8.72 5.13 - 14.06 µg/dl **TSH** 5.65 µIU/ml 0.270 - 4.20

DONE ON FULLY AUTOMATED ANALYSER MAGLUMI SNIBE X3

T3 (Triiodo Thyronine)		T4 (Thyrox	(ine)
AGE	RANGE	AGE	RANGES
1-30 days	100-740	1-14 Days	11.8-22.6
1-11 months	105-245	1-2 weeks	9.9-16.6
1-5 years	105-269	1-4 months	7.2-14.4
6-10 years	94-241	4-12months	7.8-16.5
11-15 years	82-213	1-5 years	7.3-15.0
15-20 years	80-210	5-10 years	6.4-13.3
		11-15 years	5.6-11.7

TSH(Thyroid stimulating hormone)

AGE RANGES 0-14 Davs 1.0-39 2 weeks -5 months 1.7-9.1 6 months-20 years 0.7 - 6.4

Pregnancy

1st Trimester 0.1 - 2.52nd Trimester 0.20-3.0 3rd Trimester 0.30-3.0

INTERPRETATION:

TSH stimulates the production and secretion of the metabolically active thyroid hormones, thyroxine (T4) and triiodothyronine (T3), by interacting with a specific receptor on the thyroid cell surface. The synthesis and secretion of TSH is stimulated by Thyrotropin releasing hormone (TRH), in response to low levels of circulating thyroid hormones. Elevated levels of T3 and T4 suppress the production of TSH via a classic negative feedback mechanism. Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction (hyperthyroidism) of T4 and/or T3.

Result relates to sample tested, Kindly correlate with clinical findings.

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 5 of 12





Collected On

: 13/11/2024 2:38 pm . 13/11/2024 2:48 pm

Lab ID. : 213682 Received On Reported On

: 13/11/2024 6:01 pm

Age/Sex : 41Years / Female

Report Status

: FINAL

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

Consulting Dr. : DR. MAYUR JAIN

HAEMATOLOGY

UNIT REFERENCE RANGE TEST NAME **RESULTS**

BLOOD GROUP

SPECIMEN WHOLE BLOOD EDTA & SERUM

* ABO GROUP '0' RH FACTOR

Method: Slide Agglutination and Tube Method (Forward grouping & Reverse grouping)

POSITIVE

Result relates to sample tested, Kindly correlate with clinical findings.

----- END OF REPORT -----

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 6 of 12



Name : Mrs. PRANITA MESHRAM **Collected On**

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

. 13/11/2024 2:48 pm

Age/Sex : 41Years Reported On

: 13/11/2024 6:01 pm

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

/ Female

Report Status

Consulting Dr. : DR. MAYUR JAIN

: FINAL

BIOCHEMISTRY REPORT					
TEST NAME	RESULTS	UNIT	REFERENCE RANGE		
BUN	7.20	mg/dL	6 - 20		
METHOD	Urease GLDH Kinetic				
S. CREATININE	0.60	mg/dL	0.5 - 1.5		
METHOD	METHOD Jaffe - Kinetic				
RATIO	12.0	ng/ml			
Result relates to sample	Result relates to sample tested, Kindly correlate with clinical findings.				

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 7 of 12





Collected On

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

Report Status

. 13/11/2024 2:48 pm

Age/Sex : 41Years

/ Female

Reported On

: 13/11/2024 6:01 pm

Ref By

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS

: FINAL

Consulting Dr. : DR. MAYUR JAIN

LIVER FUNCTION TEST				
TEST NAME	RESULTS	UNIT	REFERENCE RANGE	
TOTAL BILLIRUBIN	0.32	mg/dL	0.2 - 1.2	
(Method-Diazo)				
DIRECT BILLIRUBIN	0.20	mg/dL	0.0 - 0.4	
(Method-Diazo)				
INDIRECT BILLIRUBIN	0.12	mg/dL	0 - 0.8	
Calculated				
SGOT(AST)	21.0	U/L	0 - 37	
(UV without PSP)				
SGPT(ALT)	26.5	U/L	UP to 40	
UV Kinetic Without PLP (P-L-P)				
ALKALINE PHOSPHATASE	75.0	U/L	42 - 98	
(Method-ALP-AMP)				
S. PROTIEN	6.48	g/dl	6.4 - 8.3	
(Method-Biuret)				
S. ALBUMIN	3.82	g/dl	3.5 - 5.2	
(Method-BCG)				
S. GLOBULIN	2.66	g/dl	1.90 - 3.50	
Calculated				
A/G RATIO	1.44		0 - 2	
Calculated				

Result relates to sample tested, Kindly correlate with clinical findings.

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 8 of 12







Collected On

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

. 13/11/2024 2:48 pm

Reported On

: 13/11/2024 6:01 pm

Age/Sex : 41Years / Female

Report Status

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

: FINAL

Consulting Dr. : DR. MAYUR JAIN

*	BIO	CHE	MIS	ΓRΥ

TEST NAME	RESULTS	UNIT	REFERENCE RANGE	
CREATININE, SERUM				
* SERUM CREATININE	0.60	mg/dL	0.6 - 1.1	
METHOD	Enzymatic Colourimetric Method			

Creatinine is critically important in assessing renal function. In blood, it is a marker of glomerular filtration rate. As the kidneys become impaired for any reason, the creatinine level in the blood will rise due to poor clearance of creatinine by the kidneys. Abnormally high levels of creatinine thus warn of possible malfunction or failure of the kidneys.

Result relates to sample tested, Kindly correlate with clinical findings.

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 9 of 12



Name : Mrs. PRANITA MESHRAM **Collected On**

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

. 13/11/2024 2:48 pm

Age/Sex : 41Years

TEST NAME

ESR ESR Reported On

: 13/11/2024 6:01 pm

/ Female

Report Status

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

: FINAL

Consulting Dr. : DR. MAYUR JAIN

HAEMATOLOGY		
UNIT	REFERENCE RANGE	

0 - 20

METHOD - WESTERGREN

Result relates to sample tested, Kindly correlate with clinical findings.

15

RESULTS

mm/1hr.

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 10 of 12





: Mrs. PRANITA MESHRAM Name : 13/11/2024 2:38 pm **Collected On**

. 13/11/2024 2:48 pm Lab ID. : 213682 Received On

: 13/11/2024 6:01 pm Reported On Age/Sex : 41Years / Female

: FINAL **Report Status** : JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

Consulting Dr. : DR. MAYUR JAIN

BIOCHEMISTRY					
TEST NAME	RESULTS	UNIT	REFERENCE RANGE		
GLYCOCELATED HEMOGLOBIN (HBA1C)					
HBA1C (GLYCOSALATED	5.4	%	Hb A1c		
HAEMOGLOBIN)			> 8 Action suggested		
			< 7 Goal		
			< 6 Non - diabetic level		
AVERAGE BLOOD GLUCOSE (A. B. G.)	108.0	mg/dL	65.1 - 136.3		

METHOD Particle Enhanced Immunoturbidimetry

HbA1c: Glycosylated hemoglobin concentration is dependent on the average blood glucose concentration which is formed progressively and irreversibly over a period of time and is stable till the life of the RBC/erythrocytes. Average Blood Glucose (A.B.G) is calculated value from HbA1c: Glycosylated hemoglobin concentration in whole Blood. It indicates average blood sugar level over past three months.

BLOOD GLUCOSE FASTING & PP

BLOOD GLUCOSE FASTING	81.5	mg/dL	70 - 110
BLOOD GLUCOSE PP	91.3	mg/dL	70 - 140

Method (GOD-POD). DONE ON FULLY AUTOMATED ANALYSER (EM200).

- 1. Fasting is required (Except for water) for 8-10 hours before collection for fasting speciman. Last dinner should consist of bland diet.
- 2. Don't take insulin or oral hypoglycemic agent until after fasting blood sample has been drawn

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 11 of 12





Collected On

: 13/11/2024 2:38 pm

Lab ID. : 213682 Received On

. 13/11/2024 2:48 pm

Age/Sex : 41Years Reported On

: 13/11/2024 6:01 pm

: FINAL **Report Status**

: JINKUSHAL CARDIAC CARE & SUPER SPECIALITY HOS Ref By

/ Female

Consulting Dr. : DR. MAYUR JAIN

BIOCHEMISTRY

UNIT REFERENCE RANGE TEST NAME **RESULTS**

INTERPRETATION

- Normal glucose tolerance: 70-110 mg/dl

- Impaired Fasting glucose (IFG): 110-125 mg/dl

- Diabetes mellitus : >=126 mg/dl

POSTPRANDIAL/POST GLUCOSE (75 grams)

- Normal glucose tolerance: 70-139 mg/dl

- Impaired glucose tolerance : 140-199 mg/dl

- Diabetes mellitus : >=200 mg/dl

CRITERIA FOR DIAGNOSIS OF DIABETES MELLITUS

- Fasting plasma glucose >=126 mg/dl
- Classical symptoms +Random plasma glucose >=200 mg/dl
- Plasma glucose >=200 mg/dl (2 hrs after 75 grams of glucose)
- Glycosylated haemoglobin > 6.5%

***Any positive criteria should be tested on subsequent day with same or other criteria.

* SERUM URIC ACID 2.6 - 7.2 3.8 mg/dL

Method: Uricase -POD

BLOOD UREA NITROGEN, SERUM


* BLOOD UREA NITROGEN 7 2 7 - 18 mg/dL **GAMMA GT** 23.9 5 - 55 U/L

Result relates to sample tested, Kindly correlate with clinical findings.

Checked By SHAISTA Q

DR. SMITA RANVEER. M.B.B.S.M.D. Pathology(Mum) **Consultant Histocytopathologist** Regd.No.: 3401/09/2007

Page 12 of 12





2D ECHOCARDIOGRAPHY & COLOR DOPPLER REPORT

MRS PRANITA MESHRAM
13/11/2024
HEALTH CHECK UP
DR MAYUR JAIN (9867280303/ 9222888070)

2D

- All cardiac chambers are normal in size.
- No concentric left ventricular hypertrophy.
- No regional wall motion abnormality.
- Normal LV systolic function. LVEF is approximately 65% visually.
- Normal RV systolic function.
- All valves are normal in structure.
- IAS and IVS are intact.
- Aortic arch normal.
- No e/o clot/ vegetation/ effusion.

M-MODE

LVIDd	42	mm	Ao	21	mm
LVIDs	27	mm	LA	32	mm
EDV	79	ml	27.	32	mm
ESV	27	ml			
EF	65	%			
IVS(d)	8.8	mm			
PW(d)	7.7	mm			



www.jinkushalcardiaccare.com

info@jinkushalcardiaccare.com jinkushalcardiaccare@gmail.com

Follow us on

Jinkushal Cardiac Care and Super Speciality Hospital, 2nd Floor, Rosa Vista, Opp. Suraj Water Park, Kavesar, Ghodbunder Road, Thane (W). Maharashtra.

© 022 - 40615511 / 22



COLOR DOPPLER

- No stenotic or regurgitant lesion at any valve
- No significant gradient across aortic valve.
- No LV diastolic dysfunction.
- No significant pulmonary hypertension.

IMPRESSION

• Essentially normal study.

Many thanks for reference

M


Dr, Mayur N Jain MD DM cardiology- gold medalist FACC, FSCAI, ICOB- USA; AFESC -UK. Consultant interventional cardiologist





info@jinkushalcardiaccare.com jinkushalcardiaccare@gmail.com

O O O O





NAME : MRS. PRANITA MEHSHRAM

AGE : 41YRS/FEMALE

REF BY: C/O JINKUSHAL HOSPITAL

DATE: 13.11.2024

FULL ABDOMEN USG

LIVER: Normal in size and shows homogenous echotexture. No focal lesion is seen. Hepatic vasculature appears normal. No evidence of intrahepatic biliary radical dilatation seen.

PORTAL VEIN / SPLENIC VEIN: is normal in caliber.

GALL BLADDER: Is well distended. There is evidence of multiple hyper echoic mobile foci each measuring between 4 mm to 6 mm with posterior acoustic shadowing within the lumen of the gall bladder suggestive of calculi. No e/o sludge/wall thickening seen.

SPLEEN: Is normal in size, shape, position and shows normal homogeneous echotexture. No focal lesion seen.

PANCREAS: Is normal in size and shows normal homogeneous echotexture. No focal lesion is seen. Pancreatic duct is normal in caliber.

KIDNEYS: Right kidney: 9.4 x 4.0 cm

Both kidneys are normal in size, shape, position, and echotexture. Both kidneys show normal cortico-medullary differentiation. No calculi or HN/HU seen.

URINARY BLADDER: Is well distended and appears normal. No SOL/wall thickening.

UTERUS: Is normal in size $7.4 \times 4.2 \times 5.9$ cm anteverted and shows normal echotexture. No focal lesion seen. Central Endometrial eco-complex measures 6.8 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal. Bilateral adnexa are clear.

PERITONEAL CAVITY: No ascites or enlarged lymph nodes. Bowel gas ++

OPINION:

CHOLELITHIASIS WITHOUT CHOLECYSTITIS.

Mars

DR. DEVENDRA PATIL (MD Radiology) CONSULTANT RADIOLOGIST

Please co-relate the findings with clinical examination, history & blood investigations.



- www.jinkushalcardiaccare.com
- info@jinkushalcardiaccare.com jinkushalcardiaccare@gmail.com

Follow us on



- Jinkushal Cardiac Care and Super Speciality Hospital, 2nd Floor, Rosa Vista, Opp. Suraj Water Park, Kavesar, Ghodbunder Road, Thane (W). Maharashtra.
- © 022 40615511 / 22



NAME	: MRS. PRANITA MESHRAM	AGE: 41YRS/FEMALE	
REF. BY: C/O JINKUSHAL HOSPITAL		DATE: 13.11.2024	

USG BILATERAL BREAST (sonomammography)

An oval, anechoic lesion without any vascularity is noted in left breast s/o fibroadenoma and measures 7.0 x 4.4 mm at 3 o'clock.

The breast parenchyma shows normal fibroglandular tissue.

No evidence of any calcification or dilated ducts.

Nipple -areola complex are normal.

The lactiferous ducts appear normal.

No axillary lymph adenopathy seen.

OPINION:

- NORMAL HOMOGENOUS REFLECTIVITY IS SEEN IN RIGHT THE BREAST PARENCHYMA.
- FIBROADENOMA IN LEFT BREAST AS DESCRIBED.

CATEGORY - BIRADS I- right breast CATEGORY - BIRADS II- left breast

DROUS

DR. DEVENDRA PATIL (M.D.Radiology)
CONSULTANT RADIOLOGIST

Please co-relate the findings with clinical examination, history & blood investigations.

+91 9222888070, 9082386200

www.jinkushalcardiaccare.com

info@jinkushalcardiaccare.com jinkushalcardiaccare@gmail.com Follow us on

Jinkushal Cardiac Care and Super Speciality Hospital, 2nd Floor, Rosa Vista, Opp. Suraj Water Park, Kavesar, Ghodbunder Road, Thane (W). Maharashtra.

Q 022 - 40615511 / 22

SEFRA DIGITAL X-RAY

JINKUSHAL HOSPITAL, Rosa Vista, Opp. Suraj Water Park, Waghbill, G.B. Road, Thane (W)
Mob.: 7678031047 / 9833520607 | Time : 9 am. to 9 pm. | SUNDAY ON CALL)

PORTABLE X-RAY AVAILABLE

ACE / CEV 41 VDC / E
AGE / SEX 41 YRS / F
DATE: 13/11/2024

X-ray Chest PA

Bilateral lung fields appear clear. No obvious pleural/parenchymal lesion noted.

Bilateral hila are normal.

Both costo-phrenic and cardio-phrenic angles appear clear.

Cardiac silhouette is within normal limits.

Both domes of diaphragm appear normal.

Bony thoracic cage & soft tissues appear normal.

Impression: No significant abnormality detected.

Suggest Clinical correlation and further evaluation.

Thanks for referral

Dr. Devendra Patil MD Radiology

Disclaimer: report is done by teleradiology after the images acquired by PACS (picture archiving and communication system) and this report is not meant for medicolegal purpose Investigations have their limitations. Solitary pathological/Radiological and other investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly. Patient's identification in online reporting is not established, so in no way patient identification is possible for medico-legal cases.