

CID : 2432611594

Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

Collected :21-Nov-2024 / 09:32

Reported :21-Nov-2024 / 14:17

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	13.7	13.0-17.0 g/dL	Spectrophotometric	
RBC	4.47	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	40.4	40-50 %	Measured	
MCV	90	80-100 fl	Calculated	
MCH	30.6	27-32 pg	Calculated	
MCHC	33.8	31.5-34.5 g/dL	Calculated	
RDW	14.3	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5390	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS			
Lymphocytes	34.7	20-40 %		
Absolute Lymphocytes	1870.0	1000-3000 /cmm	Calculated	
Monocytes	6.9	2-10 %		
Absolute Monocytes	370.0	200-1000 /cmm	Calculated	
Neutrophils	55.3	40-80 %		
Absolute Neutrophils	2970.0	2000-7000 /cmm	Calculated	
Eosinophils	2.7	1-6 %		
Absolute Eosinophils	150.0	20-500 /cmm	Calculated	
Basophils	0.4	0.1-2 %		
Absolute Basophils	20.0	20-100 /cmm	Calculated	
Immature Leukocytes	-			
WBC Differential Count by Absorba	nce & Impedance method/Micro	scopy.		
PLATELET PARAMETERS				

Platelet Count	210000	150000-400000 /cmm	Elect. Impedance
MPV	10.2	6-11 fl	Calculated
PDW	20.6	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Microcytosis

Page 1 of 16



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : - Collected : 21-Nov-2024 / 09:32
Reg. Location : Borivali West (Main Centre) Reported : 21-Nov-2024 / 13:46

Macrocytosis

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 5 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.MILLU JAIN M.D.(PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 16



CID : 2432611594

Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 21-Nov-2024 / 11:58

Reported :21-Nov-2024 / 17:30

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **RESULTS BIOLOGICAL REF RANGE METHOD**

PARAMETER

Fluoride Plasma Fasting

GLUCOSE (SUGAR) FASTING,

99.2

Non-Diabetic: < 100 mg/dl

Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

GLUCOSE (SUGAR) PP, Fluoride 98.9

Plasma PP

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Hexokinase

Hexokinase

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***









Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 21-Nov-2024 / 09:32

Reported :21-Nov-2024 / 15:19

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	23.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	11.0	6-20 mg/dl	Calculated
CREATININE, Serum	0.82	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	110	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease: 30- 44 Severe decrease: 15-29 Kidney failure: < 15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
URIC ACID, Serum	4.3	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.5	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.7	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	141	135-148 mmol/l	ISE
POTASSIUM, Serum	4.9	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 4 of 16



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:21-Nov-2024 / 09:32 :21-Nov-2024 / 15:42

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 6.0 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

Collected

Reported

Estimated Average Glucose 125.5 mg/dl Calculated (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***





Dr.MILLU JAIN M.D.(PATH) Pathologist

Page 5 of 16



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

1.874

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

CLIA

Application To Scan the Code : 21-Nov-2024 / 09:32

Collected : 21-Nov-2024 / 09:32 Reported : 21-Nov-2024 / 15:16

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Clinical Significance:

TOTAL PSA, Serum

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- · Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

<4.0 ng/ml

Interpretation

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction.

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
 immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note: The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- · Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

Page 6 of 16



CID : 2432611594

Name : MR.MANOJ ARYA

: 46 Years / Male Age / Gender

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:21-Nov-2024 / 09:32 :21-Nov-2024 / 15:16

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant - Pathologist



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. :

DADAMETED

Reg. Location

: Borivali West (Main Centre)

DECI II TC



Use a QR Code Scanner Application To Scan the Code

:21-Nov-2024 / 09:32

Reported :21-Nov-2024 / 19:53

Collected

BIOLOGICAL DEE DANGE

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO EXAMINATION OF FAECES

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.0)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present +	-	-
		-	
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.MILLU JAIN M.D.(PATH) Pathologist



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 21-Nov-2024 / 09:32

Reported :21-Nov-2024 / 18:47

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Transparency	Clear	Clear	-
CHEMICAL EXAMINATION			
Specific Gravity	1.005	1.002-1.035	Chemical Indicator
Reaction (pH)	7.0	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	0-1	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	0-20/hpf	
Yeast	Absent	Absent	
Others	-		



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 21-Nov-2024 / 09:32

Reported

:21-Nov-2024 / 18:47

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.MILLU JAIN M.D.(PATH) Pathologist

Page 10 of 16



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code

Collected : 21-Nov-2024 / 09:32 Reported : 21-Nov-2024 / 15:22

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP A

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist

Page 11 of 16



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 21-Nov-2024 / 09:32 : 21-Nov-2024 / 15:19

Collected

Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	165.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	42.6	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	49.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	115.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	107.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	8.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.2	0-3.5 Ratio	Calculated

Reference:

- Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III).
- Pack Insert.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 12 of 16



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 21-Nov-2024 / 09:32

Reported :21-Nov-2024 / 14:26

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.2	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	0.727	0.35-5.5 microIU/ml microU/ml	ECLIA



CID : 2432611594

Name : MR.MANOJ ARYA

:46 Years / Male Age / Gender

Consulting Dr. : -Collected :21-Nov-2024 / 14:26

: Borivali West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Reported

: 21-Nov-2024 / 09:32

Interpretation:

Reg. Location

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High			Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- Interpretation of the thyroid function tests, Dayan et al. THE LANCET. Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**



Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 21-Nov-2024 / 09:32

Reported :21-Nov-2024 / 15:19

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.3	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.15	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.15	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	36.0	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	33.0	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	11.1	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	83.2	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 15 of 16



CID : 2432611594

Name : MR.MANOJ ARYA

Age / Gender : 46 Years / Male

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Collected Reported



Use a QR Code Scanner Application To Scan the Code

:21-Nov-2024 / 11:58

:21-Nov-2024 / 20:13

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **PPUS and KETONES**

BIOLOGICAL REF RANGE METHOD **PARAMETER RESULTS**

Urine Sugar (PP) Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 16 of 16


SUBURBAN DIAGNOSTICS - BORIVALI WEST



Patient Name: MANOJ ARYA

Patient ID: 2432611594

Date and Time: 21st Nov 24 10:14 AM



REPORTED BY

The

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.



Gender: 46 Years/Male

ulting Dr. :

Location

: Borivali West (Main Centre)

Collected

: 21-Nov-2024 / 09:18

Reported

: 21-Nov-2024 / 15:09

T

R

E

P

0

R

PHYSICAL EXAMINATION REPORT

History and Complaints:

Nil

EXAMINATION FINDINGS:

Height (cms):

167

Weight (kg):

62

Temp (0c):

Afebrile

Skin:

NAD

Blood Pressure (mm/hg): 120/80

Nails:

NAD

Pulse:

72/min

Lymph Node:

Not Palpable

Systems

Cardiovascular: S1S2-Normal

Respiratory:

Chest-Clear

Genitourinary:

NAD NAD

GI System: CNS:

NAD

IMPRESSION:

Hormal

ADVICE:

CHIEF COMPLAINTS:

Hypertension:

No

IHD 2)

No

Arrhythmia 3)

No

Diabetes Mellitus

No

Tuberculosis 5)

No

Asthama

No

Pulmonary Disease 7)

No

Name PRECISE TESTING HEALTHMR. MANOJ ARYA

Consulting Dr. :

Age / Gender : 46 Years/Male

Reg.Location

: Borivali West (Main Centre)

Collected

: 21-Nov-2024 / 09:18

Reported

: 21-Nov-2024 / 15:09

T

R

E

0

R

8)	Thyroid/ Endocrine disorders	NO
9)	Nervous disorders	No
10)	GI system	No
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or symptoms	No
13)	Blood disease or disorder	No
14)	Cancer/lump growth/cyst	No
15)	Congenital disease	No
16)	Surgeries	No
17)	Musculoskeletal System	No

PERSONAL HISTORY:

1)	Alcohol	NO
2)	Smoking	NO
3)	Diet	Mix
4)	Medication	NO

*** End Of Report ***



Suburban Diagnostics (I) Pvt. Ltd. 301& 302, 3rd Floor, Vini Fleganange Above Tanisq Janier, L. I. Road, Borivali (v/est), Mumbai 400 092

DR. NITIN SONAVANE M.B.B.S.AFLH, D.DIAB, D.CARD. CONSULTANT-CARDIOLOGIST REGD. .: 0.: 87714

Date and Time: 21st Nov 24 10:14 AM SUBURBAN DIAGNOSTICS - BORIVALI WEST

MANOJ ARYA 2432611594 Patient Name: Patient ID:

PRECISE TESTING . HEALT HIER LIVING

SUBURBAN DIAGNOSTIC

NA 46 NA J Age

Gender Male

Heart Rate 76bpm

120/80 mmHg Patient Vitals

74

V1

aVR

167 cm 62 kg Weight Height:

NA Spo2:

NA Resp:

Others:

NA

79° 85° 71°

P-R-T:

Dr Niin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other investive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

25.0 mm/s 10.0 mm/mV

REPORTED BY

5001

Copyright 2014-2024 Tricog Health. All Rights Hese

142ms 405ms 360ms

QTcB:

Measurements

84ms

QRSD:

90

73

aVF

H

75

72

aVL

П

Pulse:



E

R

0

R

T

CID

: 2432611594

Name

: Mr MANOJ ARYA

Age / Sex

: 46 Years/Male

Ref. Dr

Reg. Location

: Borivali West

Reg. Date

: 21-Nov-2024

Reported

: 21-Nov-2024 / 15:10

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

----End of Report---

Dr. Pranali Mahale MD, Radiodiagnosis Consultant Radiologist Reg no. 2019/07/5682

ranalo

Click here to view images << ImageLink>>



REPO

R

CID NO: 2432611594			
PATIENT'S NAME: MR.MANOJ ARYA	AGE/SEX: 46Y/M		
REF BY:	DATE: 20/11/2024		

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral valves normal. Trivial TR.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10. No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



PATIENT'S NAME: MR.MANOJ ARYA		AGE/SEX: 46Y/M		
REF BY:		DATE: 20/11/2024		
AO root diameter	2.9 cm			
2. IVSd	1.1 cm			
3. LVIDd	4.1 cm			
4. LVIDs	1.9 cm			
5. LVPWd	1.1 cm			
6. LA dimension	3.5 cm			
7. RA dimension	3.5 cm			
8. RV dimension	2.9 cm			
9. Pulmonary flow vel:	0.8 m/s			

 $3.2 \, \text{m/s}$

1.4 m/s

19 mm Hg

9 m/s

2.4 cm

1.1 m/s

5 m/s

 $0.8 \,\mathrm{m/s}$

 $0.6 \, \text{m/s}$

16 mm

8

Impression:

Normal 2d echo study.

10. Pulmonary Gradient

11. Tricuspid flow vel

12. Tricuspid Gradient

13. PASP by TR Jet

15. Aortic flow vel

16. Aortic Gradient

14. TAPSE

17. MV:E

18. A vel

19. IVC

20. E/E'

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714 R

E



EP

O

R

T

R

CID : 2432611594

Name : Mr MANOJ ARYA

Age / Sex

Reg. Location

: 46 Years/Male

Ref. Dr

: Borivali West

Reg. Date

: 21-Nov-2024

Reported

: 21-Nov-2024 / 9:51

USG WHOLE ABDOMEN

LIVER: Liver is normal in size, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. A polyp of size 2.8 mm seen in the gall bladder.

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas obscured due to bowel gases.

<u>KIDNEYS:</u> Right kidney measures 10.3 x 4.5 cm. Left kidney measures 11.7 x 5.4 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture. Prostate measures 3.4 x 4.4 x 3.8 cm and prostatic weight is 30 gm. No evidence of any obvious focal lesion.

No free fluid or size significant lymphadenopathy is seen.

Click here to view images << ImageLink>>



E

0

R

T

R

CID

: 2432611594

Name

: Mr MANOJ ARYA

Age / Sex

: 46 Years/Male

Ref. Dr

:

Reg. Location

: Borivali West

Reg. Date

: 21-Nov-2024

Reported

: 21-Nov-2024 / 9:51

Opinion:

· Tinny polyp seen in gall bladder.

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

Dr. Pranali Mahale MD,Radiodiagnosis Consultant Radiologist Reg no. 2019/07/5682

Click here to view images << ImageLink>>



R E

0

R T

Date:-

Name:- Manoy

CID:

Sex / Age: 461 M

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

RE CE 619 619 H16 M6

(Left Eve)

	Sph	СуІ	Axis	Vn	Sph	Cyl	Axis	Vn	
Distance									
Near									

Colour Vision: Normal / Abnormal

(Right Eye)

Remark:

Suburban Diagnostics (I) Pvt. Ltd. 301& 302, 3rd Fil. Vini Eleganance Above Tansques T. Road, Borivali (2004), al 400 092