2: (0240) 2353103 डॉ. सौ. तावंदर ए.एस. (M): 9325364944 M.B.B.S. स्त्री रोग तज्ञ र.नं. 38439 तावंदर तर्सिंग होम, महेशनगर रोड, अपेक्स हॉस्पीटल जवळ, औरंगाबाद. दिनांक: 12.12:23 Name - Asha Sarjerao Sirselage - \$57 M.H. - Regelar LMP- 8.12.23 PA- soft ps- NAD ex (N) PY - UT AZ, Nes PAP smear taken for cytology OVABETES, And Arcwad MBBS पुठील तपासणीचा दिनोंक : Reg. No. 38439 Aurangabad. कृपया पुढील तपासणीचे वेळेस हा पेपर आणावा. रविवार बंद दवाखान्याची वेळ : सकाळी १० ते दुपारी २ वाजेपर्यंत

# SARDA

### **CENTRE FOR DIABETES & SELF CARE**

PATIENT NAME : MRS.ASHA SIRSATH

**REF BY : MEDIWHEEL** 

SEX: FEMALE

DATE :12/12/2023

....

### PAP SMEAR

SMEAR SHOWS SCANTY CELLULARITY WITH PREDOMINANTLY SUPERFICAL

SQUAMOUS CERVICAL EPITHELIAL CELLS ADMIXED WITH FEW INFLAMMATORY CELLS, WITH NO ATYPICAL OR NO MALIGNANT CELLS SEEN IN THE PRESENT SMEAR STUDY

INTERPRETATION : SUGGESTIVE OF MILD INFLAMMATORY SMEAR

SARDA Reg. No.56462 DIABFTES & SELF CARE DR.SAMPAT.SARDAutna Road, Aurangabad M.D.(PATHOLOGY)

Dr. Amey Jaju MBBS, DNB Radiology Fellowship in MSK Imaging Read, No.: 2019/05/3879



• DIGITAL X-RAY • 3D/4D/5D SONOGRAPHY • COLOUR DOPPLER

Patient Name: ASHA SIRSAT	Date: 12/12/2023	
Patient Id: 4350 Ref Phy: DR. SARDA	Age/Sex: 45 Years / FEMALE	

#### SONOMAMMOGRAPHY OF BOTH BREASTS

Skin and subcutaneous tissues are normal in both the breasts.

There are few, ill defined, echogenic areas and few tiny cystic areas in bilateral breast parenchyma (6 to 8 O clock & 12 to 2 O' clock on right side; and 8 to 9 O' clock on left side).

Rest of the breasts show normal fibro-glandular parenchyma.

Retro-areolar areas of both breasts are normal.

Retro-mammary structures are normal bilaterally.

Axillary tail areas on both sides are normal.

No evidence of axillary lymphadenopathy.

#### **IMPRESSION**

- 1. USG findings are most likely s/o early changes of fibro0cystic disease in bilateral breasts.
- 2. No e/o any other focal mass noted.





Name: ASHA SIRSAT	Age:45 Y	Sex:Female	RefDr:Sarda	Date:12-Dec-2023
		1		
			÷	
				L
SAMSUNG 4350_231212_6 AN ASHA SIRSAT 45Y/F	NUSHREE SONOGRAPHY & X-RAY CENTRE F TID 0	MI 0.88 12-12-2023 SAMSUNG 45 TIS 0.1 12:25:30 PM	50_231212_6 ANUSHREE SONOGRA ANUSHREE SONOGRA	PHY & X-RAY CENTRE ML 0.88 12-12-202 F TID 0.1 TIS 0.7 12-25-55 P
		[20] Ureast LS-12A PROSH2.4.0 [20] Frq. Res.		
58 8 90		0 GN 48 DR 58 FA 8		



ъ

Dental examination -

mrs. Acha sies at has undergene dental cheek up she needs coment fillings in three teets.

Sonah'

### OP SONALI LOHIYA

B D S Sental Surgeon Reg No A 0455 Tirupati Netralaya & Conta Clane Jair e Roau All ondator



	Date:- 12/1/13
Name Mrs Ashe sizesth	Age/Sex 45/Female
Address Bank of Baroly	

### **OPHTHALMIC EXAMINATION REPORT**

	<u>Right Eye</u>	<u>Left eye</u>
Vision Distant	-676	6/6
Vision Near	NECHISDE	P6 EHIJDSp
Anterior segment	NAD	NAD
Pupils	NSRTL	NSRTL
Lens	creer	den
Tension	Normal	Normal
Fundus:-	Dinwn CIDO3 FRT	Dik WM Upor3 Fat
Colour Vision	· Noon-(	Normal

Impression: Be within Normal Limits.

FORDIA

Name : Mrs.Asha Sirsat Age/Sex :43Yrs/Female Date : 09/12/ 2023 Ref.By: Dr.Sarda Sir

#### STRESS TEST REPORT

- Protocol Bruce.
- Exercise Time- 6.31 Min.
- Baseline Heart Rate and Blood Pressure 91bpm, BP- 130/80mm of Hg.
- Mets- 8.60.
- ST-T Segment Changes No Significant ST-T Changes.
- Angina- None.
- Arrhythmias- None.
- Other Symptoms None.
- Maximal Heart Rate and Blood Pressure 160 bpm, BP 150/80 mm of Hg.
- Predicted Maximal Heart Rate Achieved -90%.
- Reason For Termination Dyspnea.

CONCLUSION : Stress Test Negative for Exercise Induced Ischemia.

DR.DEORAO THENGE M.D.D.N.B.(CARDIOLOGYOABAC

Dr. Devrao Thenge MD, DNB (Cardiology) Reg. No. 2001/02/491

ASIAN H	IOSPITAL
MOTIW	ALA SQUARE
AURAN	GABAD

### EXERCISE STRESS TEST REPORT

Patient Name: Patient ID: 62 Height: 153 c	: Sirsat, Asha 276 m		
Weight: 78 kg	5		
Study Date: 0 Test Type: Protocol: BRI	9.12.2023 UCE		
Medications: 			
Medical Histo	əry:		
Reason for 	Exercise Test:		
Exercise Te	est Summary		
Phase Name	Stage Name	Time în Stage	Spee (mph
PRETEST	SUPINE	00:06	0.00

DOB: 01.05.1980
Age: 43yrs
Gender: Female
Race: Asian

Station Telephone:

Referring Physician: --Attending Physician: DR. DEORAO THENGE Technician: --

Comment

hase Name	Stage Name	Time in Stage	Speed (mph)	Grade (%)	HR (bpm)	BP (mmHg)
RETEST	SUPINE	00:06	0.00	0.00	88	130/80
	STANDING	00:03	0.00	0.00	86	
	HYPERV.	00:05	0.50	0.00	81	
EXERCISE	STAGE 1	03:00	1.70	10.00	117	140/80
	STAGE 2	03:00	2.50	12.00	144	150/80
	STAGE 3	00:32	3.40	14.00	155	
FCOVERY		04-28	0.00	0.00	96	

The patient exercised according to the BRUCE for 6:31 min:s, achieving a work level of Max. METS: 8.60. The resting heart rate of 91 bpm rose to a maximal heart rate of 160 bpm. This value represents 90 % of the maximal, age-predicted heart rate. The resting blood pressure of 130/80 mmHg, rose to a maximum blood pressure of 150/80 mmHg. The exercise test was stopped due to Dyspnea.

	- been	
Intor	nrota	tinn
mer	Dicia	uon

Summary: Resting ECG: normal. Functional Capacity: normal. HR Response to Exercise: appropriate. BP Response to Exercise: normal resting BP - appropriate response. Chest Pain: none. Arrhythmias: none. ST Changes: none. Overall impression: Normal stress test.

Conclusions

Exercise of bruce protocol for 6.31 min. Target heart rate achieved. No angina/arrythmias.No ST-T Changes. Test is negative for induced ischemia.

Dr. Devrao Thenge MD, DNB (Cardiology) Reg. No. 2001/02/491

-				- 62	
D	<b>b</b> 10	101	01	13.	<b>m</b> .
	LI V	31	UI	a	
				10	

ASIAN HOSPITAL	est: 91 550 mmHg*bpm	05:00 al. HR Response to ng BP - appropriate s: none. Overall					Page 1
	6:31 : predicted 177 bpm HR at r rest: 130/80 Max RPP: 20	s in II; EXERCISE STAGE 2 prea II. Functional Capacity: norm anse to Exercise: normal resti hythmias. none. ST Changes hythmias. none. ST Changes changes.	emia. STLevel Comment (II nm)	-0.35 -0.40 -0.35	-1.15 -0.60		DEORAO THENGE
	CE: Total Exercise Time 0 HR: 160 bpm 90% of max BP: 150/80 mmHg BP at	imum Workload: 8 60 MET ST:-1.55 mm, 0.00 mV/s IR index: 1.07 µV/bpm ons for Termination: Dys mary: Resting ECG: norma cise: appropriate. BP Respo mse, Chest Pain: none. An onse, Chest Pain: none. An ession: Normal stress test. clusion: Exercise of bruce p et heart rate achieved. ngina/arrythmias. No ST-T 6	is negative for induced isch RPP VE Ig) (mmHg*bpm (/min)	80 11440 0 0	80 1630 5 80 21600 5 6		Attending MD: DR. ]
Tabular Summary	BRU Max Max	Max Max STI STI Sum Sum Even Even Even respo respo Cour	Vorkload HR BP (METS) (bpm) (mml	1.0 88 1307 1.0 86 1.0 81 1.0 81	4.6 117 1407 7.0 144 1507 8.6 155	<b>0</b> .	afirmed
			Speed Grade (mph) (%)	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	1.70 10.00 2.50 12.00 3.40 14.00	000	Unco
	Female 153 cm 78 kg 43yrs Asian Meds:	Test Reason: Medical History: Ref. MD: Ordering MD: Technician: Test Type: Comment:	Stage Name Time in Stage	SUPINE 00:06 STANDING 00:03 HYPERV. 00:05	STAGE 1 03:00 STAGE 2 03:00 STAGE 3 00:32	50 20 20 20 20 20 20 20 20 20 20 20 20 20	6.73 (2)
Sirsat, Asha	1:00:46pm		Phase Name	PRETEST	EXERCISE	RECOVERY	GE CardioSoft V

ASIAN HOSPITAL

Tabular Summary





















**Dr. Amey Jaju** MBBS, DNB Radiology Fellowship in MSK Imaging

Read



No.: 2019/05/3879	• DIGITAL X-RAY • 3D/4D/5D SONOGRAPHY • COLOUR DOPPLER
Patient Name: ASHA SIRSAT	Date: 09/12/2023
Patient Id: 4316	Age/Sex: 45 Years / FEMALE
Ref Phy: DR. SARDA	Address :

### ULTRASONOGRAPHY OF ABDOMEN AND PELVIS

<u>LIVER</u>: The liver is normal in size It measures 13.9 cm, shape, position, echogenicity and echotexture. Normal respiratory movements are seen. Portal vein at porta hepatis measures 7.0 mm. No focal solid or cystic mass lesion is noted.

**BILIARY SYSTEM:** Gall bladder shows normal physiological distention. Echogenic calculus of size **8.8 mm is noted within the lumen of gall bladder.** There is no evidence of pericholecystic fluid. CBD and intra hepatic biliary radicles show normal caliber.

**PANCREAS:** The pancreas is normal in size, shape, echogenicity and echo texture. No solid or cystic mass lesion is noted. Pancreatic duct is not dilated.

<u>SPLEEN</u>: The spleen is normal in size It measures 10.0 cm, shape, position, echogenicity and echotexture. No focal mass lesion is noted.

<u>KIDNEYS</u>: Right kidney measures 9.1 x 5.0 cm Left kidney measures 11.3 x 4.9 cm. Both kidneys are normal in size, shape, position, echogenecity and echotexture. Normal corticomedullary differentiation is noted. No focal solid or cystic mass lesion is seen. Echogenic calculus of size 6.8 mm is noted in interpolar calyx of left kidney. Pelvicalyceal systems on both sides are normal.

<u>URINARY BLADDER</u>: The urinary bladder shows physiological distention. It shows normal wall thickness. No calculus or mass lesion is seen.

<u>UTERUS</u>: The uterus is anteverted. It measures 91.3 x 48.3 x 55.1 mm. It is normal in size, shape, position, echogenecity and echotexture. There is no focal mass lesion in uterus. Endometrium measures 3.6 mm.

<u>ADNEXA</u>: Right ovary measures 2.9 x 2.2 cm. Left ovary measures 2.6 x 2.0 cm. Both ovaries are normal in size, shape, echogenecity and echotexture. There is no focal solid or cystic mass lesion in it. No appreciable other adnexal space occupying lesion is noted.

<u>OTHERS</u>: There is no free or loculated fluid collection in abdomen or pelvis. No significant lymphadenopathy is noted.

#### **IMPRESSION:**

- 1. Cholelithiasis.
- 2. Non-obstructive left renal calculus.

DR.AMEX S.JAJU MBBS, DNB (Radiology) Fellow in MSK Imaging DR.AMEX JAJU, MBBS, DNB (RADIOLOGY) Fellow in MSK imaging



Navandar Nursing Home, Mahesh Nagar Road, Near Aakashwani, Chh. Sambhajinagar (Aurangabad) Contact : 76667 83864 E-mail : anushree.health@gmail.com Page 1



ANUSHREE SONOGRAPHY & X-RAY CENTRE

Date:09-Dec-2023

**Dr. Amey Jaju** MBBS, DNB Radiology Fellowship in MSK Imaging



Regd. Np.: 2010/05/3879 Patient Name: ASHA SIRSAT Patient Id: 4315 Ref Phy: DR. SARDA		<ul> <li>DIGITAL X-RAY</li> <li>3D/4D/5D SONOGRAPHY</li> <li>COLOUR DOPPLER</li> </ul>
		Date: 09/12/2023
		Age/Sex: 45 Years / FEMALE
		Address :

### RADIOGRAPH OF CHEST PA VIEW

#### **Findings:**

Both the lung fields are clear.

The broncho vascular markings are appears normal.

The hilar shadows are appears normal.

Both Cardiophrenic and Costophrenic angles are clear.

The Cardiac silhoutte is within normal limits.

Aortic shadow is normal.

Both domes of diaphragms are normal.

The visualised bony thorax is normal.

#### Impression:

No significant abnormality noted in X-ray chest.





DR.AMEY JAJU, MBBS, DNB (RADIOLOGY) Fellow in MSK imaging CONSULTANT RADIOLOGIST

### ANUSHREE SONOGRAPHY & X-RAY CENTRE





ANUSHREE SONOGRAPHY & X-RAY CENTRE

Date:09-Dec-2023

Aurange Situs	ORS.	T. Wa	oT In	PR Int	3	
al Ph.: (0240) 2333 al Ph.: (0240) 2333 ediu lue	Complex :		erval :	sival :	)	~

#### Patient Name : MRS SIRSAT ASHA

SCD23/6211

: 11/12/2023



Age/Gender: 43 Yrs/FemaleRef. Dr.: MEDIWHEEL

### HAEMATOLOGY REPORT

**Report Date** 

Test Description	Result	Unit	<b>Biological Reference Ranges</b>
BLOOD GROUP AND RH FACTOR			
Blood Group Rh Factor	'A' POSITIVE(+VE)		

Dr.S.R. SARDA M.D. Reg. No.456482 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnagar, Julina Road, Aurangabad Phone No.2333851, 2334858

Patient Name: MRS SIRSAT ASHAAge/Gender: 43 Yrs/FemaleRef. Dr.: MEDIWHEEL		Report Date		
HBA1C/GLYCOCYLATED				
HbA1c Glycosilated Haemoglobin Method: HPLC, NGSP certified	5.0	%		
Estimated Average Glucose :	97	mg/e	dL	

As per American Diabetes A	AD	ADA criteria for correlation		
Reference Group	HbA1c in %	HbA1c(%)	Mean Plasma Glucose (mg/dL)	
Non diabetic adults >=18 years	<5.7	6	126	
At risk (Prediabetes)	5.7 - 6.4	7	154	
Diagnosing Diabetes	>= 6.5	8	183	
	Age > 19 years Goal of the rapy: $< 7.0$	9	212	
Therapeutic goals for glycemic control	Action suggested: > 8.0	10	240	
	Age < 19 years	11	269	
	Goal of therapy: <7.5	12	298	

**Note:**1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled . 2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or

extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

**Comments:**HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Dr.S R. SARDA M.D. Reg. No.86462 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnegar, Julina Road, Aurangabad Phone No.2333851, 2334858

#### Patient Name : MRS SIRSAT ASHA

SCD23/6211

: 11/12/2023



Age/Gender: 43 Yrs/FemaleRef. Dr.: MEDIWHEEL

### **BIOCHEMISTRY REPORT**

Report Date

Test Description	Result	Unit	Biological Reference Ranges	
KIDNEY FUNCTION TEST(KFT)				
Urea	25	mg/dl	10.0 - 45.0	
Method: Urease UV GLDH				
Serum Creatinine	0.7	mg/dl	0.6 - 1.4	
Method: Modified Jaffe with no deproteinzation				
Uric Acid	4.0	mg/dl	2.5 - 6.8	
Method: Uricase Peroxidase				
Blood Urea Nitrogen-BUN	10.0	mg/dl	7 - 20	
Method: Calculated				

Interpretation :

Kidney function tests help to screen the individual for renal disease and to determine the extent or progression of renal disease. These tests also aid in determining drug dosage for drugs excreted through the kidneys. The clinical syndrome resulting from decreased renal function and azotemia is called uremia Renal azotemia: glomerular nephritis and chronic pyelonephritis. Prerenal azotemia: severe dehydration, hemorrhagic shock, and excessive protein intake. Post renal azotemia: urethral stones or tumors and prostatic obstructions Measurement of urea in dialysis fluids is widely used in assessing the adequacy of renal replacement therapy.

In these prerenal situations, the plasma creatinine concentration may be normal. In obstructive post renal conditions, both plasma creatinine and urea concentrations will be increased, although there is often a greater increase in plasma urea than creatinine because of the increased back diffusion. These considerations give rise to the principal clinical utility of plasma urea, which lies in its measurement in conjunction with that of plasma creatinine and subsequent calculation of the urea nitrogen/creatinine ratio. This ratio has been used as a crude discriminator between prerenal and postrenal azotemia. Significantly lower ratios usually denote (1) acute tubular necrosis, (2) low protein intake, (3) starvation, or (4) severe liver disease (decreased urea synthesis). So even though blood urea is not an excellent marker of renal dysfunction as it rises quite late in the dysfunction and its rise is also not exclusive to kidney dysfunction, but for practical purposes serum urea level is still one of the most ordered test and forms an important part of the kidney function test.

Concentrations in excess of 6.0 mg/dL at 32 weeks gestation have been noted to be associated with a high perinatal mortality rate.

Dr.S.R. SARDA M.D. Reg. No.85462 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnegar, Jaina Road, Aurangabad Phone No.2333851, 2334858

Patient Name : MRS SIRSAT ASHAAge/Gender : 43 Yrs/FemaleRef. Dr. : MEDIWHEEL		Report Date :	SCD23/6211 11/12/2023
Cholesterol-Total Method: Spectrophotometry	107	mg/dL	< 200 - Desirable 200 - 239 -Boderline High > 240 - High
Triglycerides level Method: Serum, Enzymatic, endpoint	135	mg/dL	< 150 - Normal 150 - 199 -Boderline High 200 - 499 -High >500 Very -High
HDL Cholesterol Method: Serum, Direct measure-PEG	45	mg/dL	< 40 - Low > 40 - Normal
LDL Cholesterol Method: Enzymatic selective protection	35.00	mg/dL	< 100 - Optimal 100 - 129 - Near/Above Optimal 130 - 159 - Borderline high 160 - 189 - High > 190 - Very High
VLDL Cholesterol	27.00	. mg/dL	6 - 38
CHOL/HDL RATIO Method: Serum, Enzymatic	2.38		3.5 - 5.0
LDL/HDL RATIO Method: Serum, Enzymatic <b>NOTE</b> 8-10 hours fasting sample is required	0.78		2.5 - 3.5

Dr.S.R. SARDA M.D. Reg. No.55462 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnøgar, Julha Road, Aurangabad Phone No.2333851, 2334858

#### Patient Name : MRS SIRSAT ASHA

SCD23/6211

: 11/12/2023



Age/Gender: 43 Yrs/FemaleRef. Dr.: MEDIWHEEL

### **BIOCHEMISTRY REPORT**

**Report Date** 

Test Description	Result	Unit	<b>Biological Reference Ranges</b>					
BLOOD SUGAR FASTING & PP (BSF & PP)								
BLOOD SUGAR FASTING Method: Hexokinase	95	mg/dl	70 - 110					
BLOOD SUGAR POST PRANDIAL Method: Hexokinase <b>ADA 2019 Guidelines for diagnosis of Dia</b> Fasting Plasma Glucose > 126 mg/dl Postprandial Blood Glucose > 200 mg/dl Random Blood Glucose > 200 mg/dl HbA1c Level > 6.5%	112 betes Mellitus	mg/dl	70 - 140					

Dr.S.R. SARDA M.D. Reg. No.456482 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnagar, Julina Road, Aurangabad Phone No.2333851, 2334858

#### Patient Name : MRS SIRSAT ASHA

SCD23/6211

: 11/12/2023



Age/Gender : 43 Yrs/Female Ref. Dr. : MEDIWHEEL

BIOCHEMISTRY REPORT				
Test Description	Result		Unit	<b>Biological Reference Ranges</b>
LIVER FUNCTION TEST (LFT)				
TOTAL BILIRUBIN	0.97		mg/dl	0.2 - 1.0
Method: Serum, Jendrassik Grof				
DIRECT BILIRUBIN	0.25		mg/dL	0.0 - 0.3
Method: Serum, Diazotization				
INDIRECT BILIRUBIN	0.72		mg/dl	0.3 - 1.0
Method: Serum, Calculated				
SGPT (ALT)	19		U/L	15 - 40
Method: Serum, UV with P5P, IFCC 37 degree				
SGOT (AST)	17		U/L	15 - 40
Method: Serum, UV with P5P, IFCC 37 degree				
ALKALINE PHOSPHATASE	104		U/L	30 - 120
Method: DGKC				
TOTAL PROTEIN	7.2		g/dl	6.0 - 8.0
Method: Serum, Biuret, reagent blank end point				
SERUM ALBUMIN	4.1		g/dl	3.2 - 4.6
Method: Serum, Bromocresol green				
SERUM GLOBULIN	3.10		g/dl	1.8 - 3.6
Method: Serum, Calculated				
A/G RATIO	1.32			1.2 - 2.2
Method: Serum, Calculated				
Gamma Glutamyl Transferase-Serum	16		IU/L	12 - 43

**Report Date** 

### NOTE :

In known cases of Chronic Liver disease due to Viral Hepatitis B & C, Alcoholic liver disease or Non alcoholic fatty liver disease, Enhanced liver fibrosis (ELF) test may be used to evaluate liver fibrosis.

Dr S R. SARDA M.D. Reg. No.86462 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnegar, Jaina Road, Aurangabad Phone No.2333851, 2334858

#### Patient Name : MRS SIRSAT ASHA

SCD23/6211

Age/Gender: 43 Yrs/FemaleRef. Dr.: MEDIWHEEL

Report Date : 11/12/2023



IMMUNOASSAY REPORT							
Test Description	Result	Unit	Biological Reference Ranges				
Thyroid Function Test (TFT)							
Т3	154.56	ng/dl	80-253 : 1 Yr-10 Yr, 76-199 : 11 Yr-15 Yr, 69-201 :16 Yr-18 Yr, 87-173 : > 18 years,				
Τ4	9.53	ng/dl	5.9-21.5 :10-31 Days, 5.9-21.5 :0-1 Month, 6.4-13.9 :2-12 Months, 6.09-12.23 :>1 Yr				
TSH(Serum)	1.81	ng/dl	0.52-16.0 :1 Day - 30 Days 0.55-7.10 :1 Mon-5 Years 0.37-6.00 :6 Yrs-18 Years 0.38-5.33 :18 Yrs-88 Years 0.50-8.90 :88 Years				

Method : ECLIA

Clinical features of thyroid disease						
Hypothyroidism	Hyperthyroidism	Grave's disease				
Lethargy	Tachycardia	Exophthalmos/proptosis				
Weight gain	Palpitations (atrial fibrillation)	Chemosis				
Cold intolerance	Hyperactivity	Diffuse symmetrical goitre				
Constipation	Weight loss with increased appetite	Pretibial myxoedema (rare)				
Hair loss	Heat intolerance	Other autoimmune conditions				
Dry skin	Sweating					
Depression	Diarrhoea					
Bradycardia	Fine tremor					
Memory impairment	Hyper-reflexia					
Menorrhagia	Goitre					
	Palmar erythema					
	Onycholysis					
	Muscle weakness and wasting					
	Oligomenorrhea/amenorrhoea					

Dr.S R. SARDA M.D. Reg. No.55482 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyarkateshnegar, Jaha Road, Aurangabad Phone No.2333851, 2334858

#### Patient Name : MRS SIRSAT ASHA

SCD23/6211

: 11/12/2023



Age/Gender: 43 Yrs/FemaleRef. Dr.: MEDIWHEEL

	URINE EXAMINATION REPORT					
Test Description	Result	Unit	Biological Reference Ranges			
URINE ROUTINE						
Physical Examination						
Colour	Pale Yellow		Pale Yellow			
Apperance	Clear		Clear			
Reaction	Acidic					
Deposit	Absent					
Chemical Examination						
Specific Gravity	1.005					
Albumin	Absent					
Sugar	Absent		Absent			
Acetone	Absent					
Microscopic Examination						
RBC's	Not seen	/hpf	Nil			
Pus cells	Occasional	/hpf	2-3/hpf			
Epithelial Cells	Absent	/hpf	1-2/hpf			
Crystals	Absent		Absent			
Casts	Not Seen		Not Seen			
Amorphous Deposit	Absent		Absent			

**Report Date** 



Dr.S.R. SARDA M.D. Reg. No.456482 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnegar, Julna Road, Aurangabad Phone No.2333851, 2334858

#### Patient Name : MRS SIRSAT ASHA

SCD23/6211

**Report Date** : 11/12/2023



Age/Gender	: 43 Yrs/Female
Ref. Dr.	: MEDIWHEEL

Test Description	Result	Unit	<b>Biological Reference Ranges</b>			
COMPLETE BLOOD COUNT						
Total WBC Count	6200	cell/cu.mm	4000 - 11000			
Haemoglobin	10.8	g%	13 - 18			
Platelet Count	3,74000	/cumm	150000 - 450000			
RBC Count	3.33	/Mill/ul	4.20 - 6.00			
RBC INDICES						
Mean Corp Volume MCV	93.4	fL	80 - 97			
Mean Corp Hb MCH	32.4	pg	26 - 32			
Mean Corp Hb Conc MCHC	34.7	gm/dL	31.0 - 36.0			
Hematocrit HCT	31.1	%	37.0 - 51.0			
DIFFERENTIAL LEUCOCYTE COUL	NT					
Neutrophils	48	%	40 - 75			
Lymphocytes	47	%	20 - 45			
Monocytes	03	%	02 - 10			
Eosinophils	02	%	01 - 06			
Basophils	00	%	00 - 01			

1. As per the recommendation of International council for Standardization in Hematology, the differential leukocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood.

2. Test conducted on EDTA whole blood.

ESR	20	mm/hr	Male: 0-8 mm at 1 Hr.
			Female: 0-20 mm at 1 Hr.

#### **INTERPRETATION:**

1. It indicates presence and intensity of an inflammatory process, never diagnostic of a specific disease. Changes are more significant than a single abnormal test.

2. It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis, polymyalgia rheumatica.

3. It is also increased in pregnancy, multiple myeloma, menstruation, and hypothyroidism.

\*\*\*\* End of the report. \*\*\*\*

Dr.S.R. SARDA M.D. Reg. No.85462 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnegar, Jalma Road, Aurangabad Phone No.2333851, 2334858

#### Patient Name : MRS SIRSAT ASHA

Age/Gender: 43 Yrs/FemaleRef. Dr.: MEDIWHEEL

### SCD23/6211

Report Date : 11/12/2023





M.D. Reg. No.55462 SARDA CENTER FOR DIABFTES & SELF CARE 4, Vyankateshnøgar, Julina Road, Aurangabad Phone No.2333851, 2334858