Name	MR.SATHYANARAYANA D	ID	MED112042347
Age & Gender	48Y/MALE	Visit Date	27/01/2024
Ref Doctor Name	MediWheel		
1			



ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern.

No evidence of focal lesion or intrahepatic biliary ductal dilatation.

Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents.

Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern.

No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

KIDNEYS move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	12.4	2.2
Left Kidney	11.4	2.2

URINARY BLADDER show normal shape and wall thickness.

It has clear contents.

PROSTATE shows normal shape, size and echopattern.

No evidence of ascites.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY DETECTED.

CONSULTANT RADIOLOGISTS

DR. ANITHA ADARSH

DR. MOHAN B

> : MED112042347 **Register On** : 27/01/2024 8:45 AM

> > **Printed On**

: 712402963 Collection On : 27/01/2024 10:01 AM

SID No. Age / Sex : 48 Year(s) / Male Report On

Type : OP

PID No.

Ref. Dr

: MediWheel

: 27/01/2024 5:49 PM

: 30/01/2024 12:47 PM

Investigation <u>Observed</u> <u>Unit</u> **Biological** Reference Interval <u>Value</u>

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

 $({\rm EDTA~Blood} Agglutination)$

Remark: Test to be confirmed by gel method

'O' 'Positive'





APPROVED BY

 PID No.
 : MED112042347
 Register On
 : 27/01/2024 8:45 AM

 SID No.
 : 712402963
 Collection On
 : 27/01/2024 10:01 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 27/01/2024 5:49 PM

Printed On



Ref. Dr : MediWheel

: OP

Type

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

: 30/01/2024 12:47 PM

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin	11.5	g/dL	13.5 - 18.0
(EDTA Blood/Spectrophotometry)			

INTERPRETATION: Haemoglobin values vary in Men, Women & Children. Low haemoglobin values may be due to nutritional deficiency, blood loss, renal failure etc. Higher values are often due to dehydration, smoking, high altitudes, hypoxia etc.

PCV (Packed Cell Volume) / Haematocrit (EDTA Blood/Derived)	35.1	%	42 - 52
RBC Count (EDTA Blood'Automated Blood cell Counter)	5.12	mill/cu.mm	4.7 - 6.0
MCV (Mean Corpuscular Volume) (EDTA Blood/Derived from Impedance)	69.0	fL	78 - 100
MCH (Mean Corpuscular Haemoglobin) (EDTA Blood/Derived)	22.4	pg	27 - 32
MCHC (Mean Corpuscular Haemoglobin concentration) (EDTA Blood/Derived)	32.7	g/dL	32 - 36
RDW-CV	15.8	%	11.5 - 16.0
(Derived)			
RDW-SD (Derived)	38.16	fL	39 - 46
Total WBC Count (TC) (EDTA Blood/Derived from Impedance)	6800	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	56	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	35	%	20 - 45
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	05	%	01 - 06





 PID No.
 : MED112042347
 Register On
 : 27/01/2024 8:45 AM

 SID No.
 : 712402963
 Collection On
 : 27/01/2024 10:01 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 27/01/2024 5:49 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	04	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.81	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.38	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.34	10^3 / μΙ	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.27	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.00	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Derived from Impedance)	383	10^3 / μl	150 - 450
MPV (Blood/ <i>Derived</i>)	9.2	fL	7.9 - 13.7
PCT	0.35	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Automated ESR analyser)	09	mm/hr	< 15





 PID No.
 : MED112042347
 Register On
 : 27/01/2024 8:45 AM

 SID No.
 : 712402963
 Collection On
 : 27/01/2024 10:01 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 27/01/2024 5:49 PM

Printed On

medall

Ref. Dr : MediWheel

: OP

Type

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.1	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.30	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.4	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.7	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.70	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.74		1.1 - 2.2
INTERPRETATION: Remark: Electrophoresis is the	preferred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	22	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	16	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	103	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	28	U/L	< 55

: 30/01/2024 12:47 PM





PID No. : MED112042347 Register On : 27/01/2024 8:45 AM : 712402963 SID No. Collection On : 27/01/2024 10:01 AM Age / Sex : 48 Year(s) / Male Report On : 27/01/2024 5:49 PM

Printed On



Ref. Dr : MediWheel

: OP

Type

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	135	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	201	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

: 30/01/2024 12:47 PM

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö circulating level of triglycerides during most part of the day.

r			
HDL Cholesterol (Serum/Immunoinhibition)	13	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	81.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	40.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	122.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220





PID No. : MED112042347 **Register On** : 27/01/2024 8:45 AM : 712402963 Collection On : 27/01/2024 10:01 AM SID No. Age / Sex : 48 Year(s) / Male Report On

Printed On

: 27/01/2024 5:49 PM **Type** : OP

Ref. Dr : MediWheel

(Serum/Calculated)

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
-	<u>Value</u>		Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

: 30/01/2024 12:47 PM

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	10.4	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	15.5	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio	6.3	Optimal: 0.5 - 3.0





Borderline: 3.1 - 6.0

High Risk: > 6.0

 PID No.
 : MED112042347
 Register On
 : 27/01/2024 8:45 AM

 SID No.
 : 712402963
 Collection On
 : 27/01/2024 10:01 AM

Age / Sex: 48 Year(s) / Male **Report On**: 27/01/2024 5:49 PM

Type : OP

Ref. Dr : MediWheel

Printed On : 30/01/2024 12:47 PM

medall

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i>)	12.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 303.44 mg/dl

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.





APPROVED BY

PID No. Register On : 27/01/2024 8:45 AM : MED112042347 : 712402963 SID No.

Collection On : 27/01/2024 10:01 AM

Report On : 27/01/2024 5:49 PM

Type : OP **Printed On** : 30/01/2024 12:47 PM

Ref. Dr : MediWheel

Age / Sex : 48 Year(s) / Male



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	8.8		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	230	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Nil Urine sugar, Fasting Positive(++)

(Urine - F)

Glucose Postprandial (PPBS) 372 mg/dL 70 - 140

(Plasma - PP/GOD - POD)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Positive(++)		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	8.0	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.9	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 4.3 mg/dL 3.5 - 7.2

(Serum/Uricase/Peroxidase)





PID No. : MED112042347 Register On : 27/01/2024 8:45 AM

Type: OP **Printed On**: 30/01/2024 12:47 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
-	<u>Value</u>		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.18 ng/ml 0.7 - 2.04

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 11.73 Microg/dl 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.475 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.





PID No. : MED112042347 **Register On** : 27/01/2024 8:45 AM

: 712402963 SID No. Collection On : 27/01/2024 10:01 AM

Age / Sex : 48 Year(s) / Male Report On : 27/01/2024 5:49 PM Type : OP : 30/01/2024 12:47 PM **Printed On**

Ref. Dr

: MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
IMMUNOASSAY			
Total PSA (Serum/Chemiluminescent Immunometric Assay (CLIA))	0.18	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

INTERPRETATION: REMARK: PSA alone should not be used as an absolute indicator of malignancy.





APPROVED BY

PID No. : MED112042347 Register On : 27/01/2024 8:45 AM : 712402963 SID No. Collection On : 27/01/2024 10:01 AM Age / Sex : 48 Year(s) / Male Report On : 27/01/2024 5:49 PM

Printed On

Type : OP

Ref. Dr

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

: 30/01/2024 12:47 PM

CLINICAL PATHOLOGY

: MediWheel

PHYSICAL EXAMINATION

Colour	Pale Yellow	Yellow to Amber
Coloui	raie reliow	I CHOW TO WILLOCK

(Urine/Physical examination)

20 Volume ml

(Urine/Physical examination)

Clear Appearance

(Urine)

CHEMICAL EXAMINATION

7.0 4.5 - 8.0pН

(Urine)

Specific Gravity 1.030 1.002 - 1.035

(Urine/Dip Stick ó"Reagent strip method)

Negative Negative

(Urine/Dip Stick ó"Reagent strip method)

Positive(++) Nil Glucose

(Urine)

Negative leuco/uL Negative Leukocytes

(Urine)

Nil Nil Nitrite

(Urine/Dip Stick o''Reagent strip method)

Negative Negative Bilirubin mg/dL

(Urine)

Blood Nil Nil

(Urine)

Urobilinogen Normal Within normal limits

(Urine/Dip Stick oʻ'Reagent strip method)





 PID No.
 : MED112042347
 Register On
 : 27/01/2024 8:45 AM

 SID No.
 : 712402963
 Collection On
 : 27/01/2024 10:01 AM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Urine Microscopy Pictures			
RBCs (Urine/Microscopy)	Nil	/hpf	NIL
Pus Cells (Urine/Microscopy)	1-2	/hpf	< 5
Epithelial Cells (Urine/Microscopy)	1-2	/hpf	No ranges
Others (Urine)	Nil		Nil



: 30/01/2024 12:47 PM



-- End of Report --



Name	Mr. SATHYANARAYANA D	ID	MED112042347
Age & Gender	48Y/M	Visit Date	Jan 27 2024 8:45AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

DR. MOHAN, B

(DMRD, DNB, EDIR, FELLOW IN CARDIAC

MRI)

CONSULTANT RADIOLOGIST

Name	MR.SATHYANARAYANA D	ID	MED112042347
Age & Gender	48Y/MALE	Visit Date	27/01/2024
Ref Doctor Name	MediWheel		



ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.7cms

LEFT ATRIUM : 3.7cms

LEFT VENTRICLE (DIASTOLE) : 5.0cms

(SYSTOLE) : 3.0cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.6cms

POSTERIOR WALL (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.1cms

EDV: 75ml

ESV : 31ml

FRACTIONAL SHORTENING : 35%

EJECTION FRACTION : 59%

RVID : 1.5cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' - 0.69 m/s A' - 0.35 m/s NO MR

AORTIC VALVE : 0.89 m/s NO AR

TRICUSPID VALVE : E' - 0.70m/s A' - 0.36m/s NO TR

PULMONARY VALVE : 0.65m/s NO PR

2D ECHOCARDIOGRAPHY FINDINGS:

Name	MR.SATHYANARAYANA D	ID	MED112042347
Age & Gender	48Y/MALE	Visit Date	27/01/2024
Ref Doctor Name	MediWheel		



Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapse.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 59 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.



DR. NIKHIL B INTERVENTIONAL CARDIOLOGIST

NB/mm