

Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. :-

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:10-Aug-2024 / 08:34

R

E

Reported :10-Aug-2024 / 12:31

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC	(Comple	te Blood	Count),	Blood

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	12.0	12.0-15.0 g/dL	Spectrophotometric
RBC	4.62	3.8-4.8 mil/cmm	Elect. Impedance
PCV	35.8	36-46 %	Measured
MCV	78	80-100 fl	Calculated
MCH	26.0	27-32 pg	Calculated
MCHC	33.6	31.5-34.5 g/dL	Calculated
RDW	13.0	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5000	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	LUTE COUNTS		
Lymphocytes	41.5	20-40 %	
Absolute Lymphocytes	2070.0	1000-3000 /cmm	Calculated
Monocytes	9.8	2-10 %	
Absolute Monocytes	490.0	200-1000 /cmm	Calculated
Neutrophils	47.3	40-80 %	
Absolute Neutrophils	2350.0	2000-7000 /cmm	Calculated
Eosinophils	1.1	1-6 %	
Absolute Eosinophils	50.0	20-500 /cmm	Calculated
Basophils	0.3	0.1-2 %	
Absolute Basophils	20.0	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	148000	150000-400000 /cmm	Elect. Impedance
MPV	11.8	6-11 fl	Calculated
PDW	25.3	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Mild

Microcytosis Occasional



CID : 2422323458

Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. Collected :10-Aug-2024 / 08:34 Reported :10-Aug-2024 / 11:52 Reg. Location : Borivali West (Main Centre)

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 16 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 2 of 12



Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 10-Aug-2024 / 08:34 Reported : 10-Aug-2024 / 11:25

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	81.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP	79.9	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.62	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.25	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.37	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.1	1 - 2	Calculated
SGOT (AST), Serum	32.9	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	21.6	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	12.3	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	60.4	35-105 U/L	Colorimetric
BLOOD UREA, Serum	18.4	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.6	6-20 mg/dl	Calculated
CREATININE, Serum	0.62	0.51-0.95 mg/dl	Enzymatic



Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. :

eGFR, Serum

Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 10-Aug-2024 / 08:34

Reported :10-Aug-2024 / 11:16

(ml/min/1.73sqm) Calculated

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

59

Moderate to severe decrease:30

-44

Severe decrease: 15-29 Kidney failure:<15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

119

URIC ACID, Serum 4.1 2.4-5.7 mg/dl Enzymatic

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***









CID : 2422323458

Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. Collected :10-Aug-2024 / 08:34

Reported :10-Aug-2024 / 13:20 Reg. Location : Borivali West (Main Centre)

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

HPLC Glycosylated Hemoglobin 5.1 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Estimated Average Glucose 99.7 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c. Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 5 of 12



Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



E

Use a QR Code Scanner Application To Scan the Code

: 10-Aug-2024 / 08:34

Reported :10-Aug-2024 / 15:07

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Transparency	Slight hazy	Clear	-
CHEMICAL EXAMINATION			
Specific Gravity	1.005	1.002-1.035	Chemical Indicator
Reaction (pH)	5.0	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Present	Absent	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	3-4	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Crystals	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+++	0-20/hpf	
Yeast	Absent	Absent	



Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:10-Aug-2024 / 08:34

:10-Aug-2024 / 15:07

Others Kindly rule out contamination

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 7 of 12



CID : 2422323458

Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. Collected :10-Aug-2024 / 08:34 Reported Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:10-Aug-2024 / 12:47

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD GROUPING & Rh TYPING**

RESULTS PARAMETER

ABO GROUP Α

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 8 of 12



Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 10-Aug-2024 / 08:34 : 10-Aug-2024 / 11:25


AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	111.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	48.5	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	45.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	65.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	56.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	9.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	2.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.2	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 10-Aug-2024 / 08:34

Reported :10-Aug-2024 / 11:25

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	13.3	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	5.8	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 microU/ml	ECLIA



Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. : - Collected : 10-Aug-2024 / 08:34

Reg. Location : Borivali West (Main Centre) Reported :10-Aug-2024 / 11:25

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation	
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.	
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal Ilness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a QR Code Scanner Application To Scan the Code



Name : MRS.ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:10-Aug-2024 / 12:28

:10-Aug-2024 / 20:05

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







TESTING HMRS ANUPREKHA SHAKTI SINGH

Age / Gender : 35 Years/Female

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

Reported

: 10-Aug-2024 / 08:24

R

R

T

: 10-Aug-2024 / 16:09

PHYSICAL EXAMINATION REPORT

History and Complaints:

Nil

EXAMINATION FINDINGS:

Height (cms):

160

Weight (kg):

49

Temp (0c):

Afebrile

Skin:

NAD

Blood Pressure (mm/hg): 120/80

Nails:

NAD

Pulse:

76/min

Lymph Node:

Not Palpable

Systems

Cardiovascular: S1S2-Normal

Respiratory:

Chest-Clear

Genitourinary:

NAD

GI System:

NAD

CNS:

NAD

IMPRESSION:

Hormas

ADVICE:

CHIEF COMPLAINTS:

1) Hypertension:

No

2) IHD

No

3) Arrhythmia

No

4) Diabetes Mellitus

No

5) Tuberculosis

No

Asthama

No

7) Pulmonary Disease

No



Name SE TESTING : MRS TONUPREKHA SHAKTI SINGH

Age / Gender : 35 Years/Female

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

: 10-Aug-2024 / 08:24

08:24 R

0

Reported

: 10-Aug-2024 / 16:09

No
No
No
CONTRACTOR
No s No
No
No
No
Yes, Piles 1 Yrs
No

PERSONAL HISTORY:

1)	Alcohol	No
2)	Smoking	No
3)	Diet	Mix
4)	Medication	
,	aroution	No

*** End Of Report ***

Suburban Diagnostics (I) Pvt. Ltd. 301& 302, 3rd Floor, Vini Eleganance Above Tanisq Jweller, L. T. Road, Borivali (West), Mumbai - 400 092

> Dr.NITIN SONAVANE PHYSICIAN

M.B.B.S.AFLH, D.DIAB, D.CARD CONSULTANT-CARDIOLOGIST REGD. 50:: 87714

R

T



CID NO: 2422323458	
PATIENT'S NAME: MRS.ANUPREKHA SHAKTI SINGH	AGE/SEX: 35 Y/M
REF BY:	DATE: 10/08/2024

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral, Tricuspid valves normal.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



8.

PATIENT'S NAME: MRS.ANUPREKHA SHAKTI SINGH AGE/SEX: 35 Y/M REF BY: ----DATE: 10/08/2024 AO root diameter 1. 2.6 cm 2. **IVSd** 0.9 cm 3. LVIDd 4.2 cm LVIDs 4. 1.9 cm 5. LVPWd 0.9 cm LA dimension 6. 3.5 cm 7. RA dimension

3.5 cm

2.9 cm

O D :	2.9 cm
9. Pulmonary flow vel:	$0.9 \mathrm{m/s}$
10. Pulmonary Gradient	
11. Tricuspid flow vel	3.4 m/s
12. Theuspid How Vel	1.5 m/s
12. Tricuspid Gradient	9 m/s
13. PASP by TR Jet	19 mm Hg
14. TAPSE	
	2.9 cm
15. Aortic flow vel	1.3 m/s
16. Aortic Gradient	8 m/s
17. MV:E	
18. A vel	0.7 m/s
	$0.6 \mathrm{m/s}$
19. IVC	16 mm
20. E/E'	
- 0. D. D	8
nroggio	

Impression:

Normal 2d echo study.

RV dimension

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714

R

E

P

0

R

T



CID

: 2422323458

Name

: Mrs ANUPREKHA SHAKTI SINGH

Age / Sex

: 35 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Authenticity Check

Use a QR Code Scanner Application To Scan the Code R

E

Reg. Date

: 10-Aug-2024

Reported

: 10-Aug-2024 / 12:00

X-RAY CHEST PA VIEW

Prominent bronchovascular markings are seen bilaterally in both lower zones.

Rest of the lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis)

RegNo .MMC 2016061376.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2024081008275416

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086.

HEALTHLINE: 022-61700000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



CID

: 2422323458

Name

: Mrs ANUPREKHA SHAKTI SINGH

Age / Sex

: 35 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Authenticity Check

Application To Scan the Code

R

E

P

0

R

Reg. Date : 10-Aug-2024 Reported : 10-Aug-2024 / 9:31

USG WHOLE ABDOMEN

LIVER: Liver is normal in size 11.8 cm, , shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or

KIDNEYS: Right kidney measures 10.4 x 3.5 cm. Left kidney measures 8.1 x 4.4 cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTERUS: Uterus is anteverted, normal and measures 5.6 x 3.1 x 4.4 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 8.2 mm. Cervix appears

OVARIES: Both ovaries appear normal in size and echotexture.

The right ovary measures 2.2 x 1.2 x 2.2 cm (volume 3 cc).

The left ovary measures 2.3 x 1.4 x 2.2 cm (volume 3.9 cc).

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2024081008275397

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC0

MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105. Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086.

HEALTHLINE: 022-61700000 | E-MAIL: customerservice@suburbandiagnostics.com.| WEBSITE: www.suburbandiagnostic



CID

: 2422323458

Name

: Mrs ANUPREKHA SHAKTI SINGH

Age / Sex

: 35 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

O

Reg. Date

: 10-Aug-2024 Reported : 10-Aug-2024 / 9:31

Opinion:

No significant abnormality is detected.

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2024081008275397

Page no 2 of 2 REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



Patient ID:

SUBURBAN DIAGNOSTICS - BORIVALI WEST

Patient Name: ANUPREKHA SHAKTI SINGH 2422323458 Date and Time: 10th Aug 24 10:28 AM

NA days

25.0 mm/s 10.0 mm/mV aVF aVL aVR V3 **V**2 **Y**1 Copyright 2014-2024 Tricog Health V6 V5 V4 P-R-T: QTcB: QT: QRSD: Measurements Resp: Spo2: Pulse: Weight: Others: Height: Patient Vitals Heart Rate 73bpm Gender Female Age $100 \mathrm{ms}$ 396ms years months 35 360ms 82ms 70 770 320 NA 160 cm 49 kg X 100/70 mmHg NA

Sinus Rhythm Short PR Interval. Please correlate clinically.

H

H

II

REPORTED BY

THE

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714

R E P 0 R T

Date:-

CID: 2422323458

Name: Any Prekha. Singh

Sex/Age354 F

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

NC RE CE 66 616 N16 N16

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis					
Distance		- Oyi	AXIS	Vn	Sph	СуІ	Axis	Vn
Near								

Colour Vision: Normal / Abnormal

Remark:

Suburban Diagnostics (I) Pvt. Ltd. 301& 302, 3rd Floor, Vini Eleganance Above Tanisq Jweller, L. T. Road, Borivali (West), Mumbai - 400 092