



**భారత ప్రభుత్వం**  
**Unique Identification Authority of India**  
**Government of India**

నమోదు సంఖ్య / Enrollment No. : 2017/60282/02161

03/08/2013

To  
**Gude Deepa Kumari**  
 గుడి దీప కుమారి  
 W/O: Meesala Tata Rao  
 30-6-26  
 likki pullalah Street  
 durge agraharam  
 Vijayawada (Urban)  
 Buckinghampet, Krishna  
 Andhra Pradesh - 520002



KL422326084FT

42232808



మీ ఆధార్ సంఖ్య / Your Aadhaar No. :

**5028 0467 7136**

ఆధార్ - సామాన్యని హక్కు



భారత ప్రభుత్వం

Government of India

గుడి దీప కుమారి  
**Gude Deepa Kumari**



పుట్టిన తేదీ/DOB: 15/05/1981  
 లింగం / Female

**5028 0467 7136**



ఆధార్ - సామాన్యని హక్కు

*అక్షయం*

**M.S. CHOUDARY, MBBS, DLO, MS**  
 Registered No: 9747 (A.P. Med. Council);  
**DIAGNOSTIC CLINIC, ADARSH DIAGNOSTICS**  
 D.No: 29-3-23, Flat No: 102  
 Sri Ranga Heights, Ground Floor  
 Kaleswara Rao Road, Governorpet,  
**VIJAYAWADA-520 002. Ph: 66646**

*G. Deepa*

## CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

Of (Name) G. DEEPA KUMARI 42/F on (Date) 10-02-2024

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<input checked="" type="checkbox"/> Medically Fit	<input checked="" type="checkbox"/>
<ul style="list-style-type: none"> <li>• Fit with restrictions/recommendations</li> </ul> <p>Though following restrictions have been revealed, in my opinion, these are not impediments to the job.</p> <p>1.....</p> <p>2.....</p> <p>3.....</p> <p>However the employee should follow the advice/medication that has been communicated to him/her.</p> <p>Review after _____</p>	
<ul style="list-style-type: none"> <li>• Currently Unfit. Review after _____ Recommended _____</li> <li>• Unfit</li> </ul>	
<ul style="list-style-type: none"> <li>❖ Physically Challenge Status (Yes/NO) _____</li> <li>○ If Yes, Need Details Description _____</li> </ul>	

Dr. M. S. Choudary  
 Medical Officer  
 Clinic Name & Address

**M.S. CHOUDARY, MBBS, DLO, MS.**  
 Registered No: 9747 (A.P. Med. Council),  
 MAGANTI CLINIC, ADARSH DIAGNOSTICS  
 D.No: 29-3-23, Flat No: 102  
 Sri Ranga Heights, Ground Floor  
 Kaleswara Rao Road, Governorpet  
 'JAYAWADA-520 002. Ph: 66646

G. Deepa

MER- MEDICAL EXAMINATION REPORT

Date of Examination	10-02-2024		
NAME	G. DEEPA KUMARI		
AGE	42	Gender: F	
HEIGHT(cm)	155	WEIGHT(kg): 59	BMI: 25
B.P.	130/80		
ECG	NORMAL		
X Ray	NORMAL		
WEAR GLASSES RE 2 LE 3 + 0.75 Vision Checkup: NORMAL →	Left Eye		Right Eye
	Distance Vision:	6/6	6/6
	Near Vision:	N/6	N/6
	Color Vision:	NORMAL	
ENT / Audiometry Checkup	NORMAL		
Present Ailments	NO		
Details of Past ailments (If Any)	NIL		
Comments / Advice : She/He is Physically Fit	FIT		
H/O 17/9/2007 CESAREAN 31/8/2013- CESAREAN + TUBEC TOMY DONE S <sup>H</sup> HEALTHY SLAR H/TN SINCE 5 YEARS ON T. TELMUR (NO) Long EOD GOOD CONTROL.			

G. Deepa

M. S. Choudary

Signature with Stamp of Medical Examiner

**M.S. CHOUDARY, MBBS, D.L.O, M.S.**  
 Registered No: 9747 (A.P. Med. Council);  
 MAGANTI CLINIC, ADARSH DIAGNOSTICS  
 D.No: 29-3-23, Flat No: 102  
 Sri Ranga Heights, Ground Floor  
 Kaleswara Rao Road, Governorpet  
 'JAYAWADA-520 002. Ph: 66646



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

## BOB

Name of the life to be Assured:-G.DEEPA KUMARI Age:-42/F

### BLOOD EXAMINATION REPORT

FASTING BLOOD SUGAR(FBS):	89 mg%	(N.VALUE:60 – 100 mg%)
S.CHOLESTEROL	: 184 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES	: 138 mg%	(N.VALUE:UP TO 175 mg%)
HDL	: 45.5 mg%	(N.VALUE:35 – 55 mg%)
V L D L	: 26.2 mg%	(N.VALUE: UP TO 30 mg%)
LDL	: 112.8	(N.VALUE:UP TO 150 mg%)
UREA	: 24 mg%	(N.VALUE:10 – 50 mg%)
BUN	: 15 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE	: 0.9 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS	: 7.0 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN	: 4.4 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN	: 2.6 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO	: 1.69	
S.URIC ACID	: 5.8 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN	: 0.9 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN	: 0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN	: 0.8 mg%	
S G O T	: 23 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T	: 31 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE	: 8.2 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP	: 16 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag	: NEGATIVE(-VE)	

Dated at Vijayawada on the 10<sup>TH</sup> day of February 2024

*Mee*

(Pathologist/Dr.Inchrge)

**ADARSH DIAGNOSTICS**

D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-G.DEEPA KUMARI Age:-42/F

## URINE EXAMINATION REPORT

### MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.022
REACTION	:	ACIDIC

### CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

### MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	4-6/HPF
E P CELLS	:	1-2/HPF
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 10<sup>TH</sup> day of February 2023

  
(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR

Kaleswara Rao Road, Governorpet,  
VIJAYAWADA-520 002, Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD-MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTEN RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-G.DEEPA KUMARI Age:-42/F

## BLOOD EXAMINATION REPORT

TEST	CBC	RESULT	NORMAL .RANGE
HAEMOGLOBIN(HGB)	:	9.8 gm%	(12.0 - 16.0 g/100ml)
P C V ( HAEMATOCRIT)	:	29.8 gm%	( 36 - 48 %)
MCV	:	83.05 CU.MM	( 76 - 92 CU MM)
MCH	:	21.12 MM.G	( 27 - 32 MM G )
MCHC	:	29.0 %	( 30 - 35 %)
RDW	:	NORMAL	
M P V	:	NORMAL	
INDICES	:	NORMAL	
T R B C	:	NORMAL	
PLATELET COUNT	:	3.24 miil/cumm	( 3.9 - 6.5miil/cumm)
T W B C	:	2.6 lakhs/c.mm	( 1.5 - 4.0 lakshs/c.mm)
DIFFERENTIAL COUNT	:	8,900 cells/cumm	(4,000-10,000cells/cumm)
NEUTROPHILS	:	60 %	( 40 - 74 %)
LYMPHOCYTES	:	33 %	( 20 - 45%)
EOSINOPHILS	:	06 %	( 2 - 06 %)
MONOCYTES	:	01 %	( 00 - 02 %)
BASOPHILS	:	---	( < 1% )
E S R	:	34 mm/ 1st hour	( 02 - 12mm/1 st hour)
GROUP	:	"A"	
RH TYPE	:	POSITIVE(+VE)	

Dated at Vijayawada on the 10<sup>TH</sup> day of February 2024

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-G.DEEPA KUMARI Age:-42/F

## BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST :HbA1c  
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT	:	5.8 %
IMPRESSION	:	NON DIABETIC
INTERPRETATION OF TEST	:	
HbA1c		%OF GLUCOSE CONTROL
>10 %	:	POOR
9% - 10 %	:	FAIR
8% - 9%	:	GOOD
7% - 8%	:	CONTROL
6% - 7 %	:	NEAR NORMAL
<6	:	NON DIABETIC

Dated at Vijayawada on the 10<sup>TH</sup> day of February 2024

(Pathologist/DR.Incharge)

*Mae*  
ADARSH DIAGNOSTICS  
D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

## BOB

Name of the life to be Assured:-G.DEEPA KUMARI Age:-42/F

### BLOOD EXAMINATION REPORT

T3	:	172 ng/dl
(N.VALUE)	:	70 - 204 ng/dl)
T4	:	8.3 ug/dl
(N.VALUE)	:	5.5 -11.0ug/dl)
THYROID STIMULATING HORMONE TSH	:	3.46 uIU/ml
(N.VALUE)	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 10<sup>TH</sup> day of February 2024

(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS  
D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured: G.DEEPA KUMARI

AGE: 42/F

## ECG REPORT

<i>RATE</i>	:	<i>91bpm</i>
<i>RHY</i>	:	<i>SINUS</i>
<i>P</i>	:	<i>NORMAL</i>
<i>P RTHM INTERVAL</i>	:	<i>145ms</i>
<i>Q R S INTERVAL</i>	:	<i>89ms</i>
<i>S T SEGEMENT</i>	:	<i>NORMAL</i>
<i>T WAVES</i>	:	<i>ST-T CHANGES</i>
<i>Q WAVES</i>	:	<i>NIL</i>
<i>HYPERTRPHY</i>	:	<i>NO</i>
<i>Q T</i>	:	<i>476ms</i>
<i>Q R S AXIS</i>	:	<i>39Deg</i>
<i>IMPRESSION</i>	:	<i>NON SPECIFIC "T" OTHERS NORMAL ECG</i>

Dated at Vijayawada on the 10<sup>th</sup> day of February 2024

CONSULTANT CARDIOLOGIST

**Dr. MAGANTI S.V.R.K.V. PRASAD**  
M.B.B.S.;PGDHS;DC(CARDIOLOGY)  
Regd.No:14414 (A.P.MED.COUNCIL)  
CONSULTANT CARDIOLOGIST  
**MAGANTI CLINIC**  
VIJAYAWADA.

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

Rate 91 . Sinus rhythm..... normal P axis, V-rate 50- 99  
 PR 145 . Nonspecific T abnrm, anterolateral leads..... T <-0.10mV, I aVL V2-V6  
 QRSD 89 . Prolonged QT interval..... QTc >510ms  
 QT 476  
 QTc 586


--AXIS--  
 P 47  
 QRS 39  
 T 53

12 Lead; Standard Placement

- ABNORMAL ECG -

Requested by: MEDIWHEEL  
 Unconfirmed Diagnosis

*G. Deepa*



Dr. MAGANTI S.V.R.K.V. PRASAD  
 M.R.B.S.; PGDHS; DC(CARDIOLOGY)  
 Regd. No: 14414 (A.P.MED.COUNCIL)  
 CONSULTANT CARDIOLOGIST  
 MAGANTI CLINIC  
 VIJAYAWADA.

ST T CHANGES  
 Nonspecific  
*MM*



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured ; G.DEEPA KUMARI

AGE:42/F

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 10<sup>th</sup> day of February 2024

CONSULTANT RADIOLOGIST/Dr.Incharge

**DR. G. PRASADA RAO**

MBBS, DMRT

Reg. No: 17206

Consulting Radiologist

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- G.DEEPA KUMARI Age:-42/F

## SONO MAMMOGRAM

*PROMINENT FIBRO GLANDULAR TISSUE IS NORMAL IN TEXTURE*

*NO ABNORMAL OPACITIES ARE SEEN IN BOTH BREASTS*

*ALL QUADRANTS ARE NORMAL IN DENSITY*

*NIPPLE NO RETRACTION SEEN*

*SKIN CONTOUR OVER BREASTS IS SMOOTH AND NO IRREGULARITY SEEN*

*NO MICRO /MACRO CALCIFICATIONS SEEN*

*NO ABNORMAL SOFT TISSUE MASS DENSITY SEEN*

*IMPRESSION : - NORMAL MAMMOGRAM STUDY*

Dated at Vijayawada on the 12<sup>TH</sup> day of February 2024

Dr.Incharge

**ADARSH DIAGNOSTICS**

D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS  
10/02/24 11:38:06

ADM

G. DEEPA KUMARI, 42F,  
100724-112604


MI 1.2

TIs 0.4

3Sc

Adult

FR 69  
AO% 100  
CHI 3.5  
Frq 47  
Gn 3/3  
S/A 1/0  
Map 17.0  
D  
DR 75







# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

NAME:G.DEEPA KUMARI

DATE:10/02/2024

REF. Dr.

AGE:42 ; SEX:F

## ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER

: NORMAL LIVER WITH NORMAL HOMOGENIC ECHOIC  
PRANCHYMAL ECHOTEXTURE NORMAL IN SIZE. NO  
MASS OR CYST IN LIVER.NO DILATATION OF  
INTRA HEPATIC BILIARY RADICLES

GALL BLADDER

: NORMAL. NO CALICULI. NO MASS LESION

PANCREAS

: NORMAL. NO CALICULI. NO MASS LESION.

C B D

: NORMAL. NO CALICULI.

PORTAL VEIN

: NORMAL

SPLEEN

: NORMAL WITH HOMOGENOUS PARENCHYMAL  
ECHOTEXTURE

DIAPHRAGM

: BOTH DOMES MOVING WELL WITH RESPIRATION.

RIGHT KIDNEY

: NO SUB DIAPHRAGMATIC PATHOLOGY.

SIZE 8.4 X 4.2 CMS. NORMAL IN SIZE AND  
ECHOPATTERN, C.M.D MAINTAINED.

PCS NORMAL,NO CALICULI

LEFT KIDNEY

: NO HYDRONEPHROSIS. URETER NOT DILATED.

SIZE 9.7 X 4.6 CMS. NORMAL IN SIZE AND  
ECHOPATTERN.C.M.D.MAINTAINED.

PCS NORMAL. NO CALICULI

NO HYDRONEPHROSIS. URETER NOT DILATED.

URINARY BLADDER :

NORMAL.NO CALICULI.NO MASS LESION.

UTERUS

: NOT SEEN

RT.OVARY

: NOT SEEN

LT.OVARY

: NOT SEEN

OTHERS

: NIL

IMPRESSION

: NORMAL STUDY

FOR CLINICAL CORRELATION

DR.INCHARGE

**ADARSH DIAGNOSTICS**




D.No: 29-3-23, Flat No: 102

SRI RANGA HEIGHTS, GROUND FLOOR

Kaleswara Rao Road, Governorpet

VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY







# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

## BOB

Name of the life to be Assured:- G.DEEPA KUMARI Age:-42/F

### 2-D ECHOCARDIOGRAPHY

AORTA	:	2.8 CM	LEFT ATRIUM: 3.3 CMS
LEFT VENTRICLE	:	4.9X 2.8 CM	IVS: 1.0CM LVPW :1.1 CMS
			LVEF:62%
MITRAL VALVE	:	NORMAL	
AORTIC VALVE	:	NORMAL	
TRICUSPID VALVE	:	NORMAL	
PULMONARY VALVE	:	NORMAL	
RIGHT ATRIUM	:	NORMAL	
RIGHT VENTRICLE	:	NORMAL	
PULMONARY ARTERY	:	NORMAL	
PERICARDIUM	:	NORMAL	
IAS	:	INTACT	
IVS	:	INTACT	
OTHERS	:	NIL	
DOPPLER STUDY	:	MV :E<A /NO TR AJV:0.9M/SEC PJV:1.2M/SEC	
IMPRESSION	:	NO RWMA GOOD LV FUNCTION (EF :62%) NORMAL SIZED CHAMBERS.	

Dated at Vijayawada on the 10<sup>TH</sup> day of February 2024

CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD  
M.B,B.S;PGDHS;(CARDIOLOGY)  
Regd.No:14414 (MADRAS COUNCIL)  
CONSULTANT CARDIOLOGIST  
**MAGANTI CLINIC**

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, VIJAYAWADA, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY