Age / Gender: 37 years / Female

Patient ID: 31326
Source: Corporate

Referral : Mediwhile

Collection Time: Dec 23, 2023, 09:53 a.m. **Reporting Time**: Dec 23, 2023, 01:17 p.m.

Sample ID :



Test Description	Value(s)	Reference Range	Unit
CBC; Complete Blood Count			
Hemoglobin (Hb)*	12.8	12.0 - 15.0	gm/dL
Method : Cynmeth Photometric Measurement	12.0	12.0 10.0	giiiia
Erythrocyte (RBC) Count*	4.29	3.8 - 4.8	mil/cu.mm
Method : Electrical Impedence			
Packed Cell Volume (PCV)*	38.2	36 - 46	%
Method : Calculated			
Mean Cell Volume (MCV)*	89.04	83 - 101	fL
Method : Electrical Impedence			
Mean Cell Haemoglobin (MCH)*	29.84	27 - 32	pg
Method : Calculated			
Mean Corpuscular Hb Concn. (MCHC)*	33.51	31.5 - 34.5	gm/dL
Method : Calculated			
Red Cell Distribution Width (RDW)*	13.7	11.6 - 14.0	%
Method : Electrical Impedence			
Total Leucocytes (WBC) Count*	8200	4000-10000	cell/cu.mm
Method : Electrical Impedence			
Neutrophils*	63	40 - 80	%
Method : VCSn Technology			
Lymphocytes*	32	20 - 40	%
Method : VCSn Technology			
Monocytes*	4	2 - 10	%
Method : VCSn Technology			
Eosinophils*	1	1 - 6	%
Method : VCSn Technology			
Basophils	0	0 - 1	
Platelet Count*	2.72	1.5 - 4.5	Lakhs/cu.mm
Method : Electrical Impedence			
Mean Platelet Volume (MPV)*	7.1	7.2 - 11.7	fL
Method : Electrical Impedence			

Dr.CH.Deepthi Chandrika M.D. Pathology Reg.No.APCM/FMR/77174

Obsepter

Approved by



Age / Gender: 37 years / Female

Patient ID: 31326
Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:53 a.m. **Reporting Time :** Dec 23, 2023, 01:17 p.m.

Sample ID:

Test Description	Value(s)	Reference Range	Unit
PCT*	0.192	0.2 - 0.5	%
Method : Calculated PDW*	14.5	9.0 - 17.0	%
Method : Calculated	11.0	0.0 17.0	70

Tests done on Automated Three Part Cell Counter. (WBC, RBC, Platelet count by impedance method, colorimetric method for Hemoglobin, WBC differential by flow cytometry using laser technology other parameters are calculated). All Abnormal Haemograms are reviewed confirmed microscopically.

Esr, Erythrocyte Sedimentation Rate

Esr, Erythrocyte Sedimentation Rate 65 0-20 mm/hr (Westergren)

Interpretation:

- It indicates presence and intensity of an inflammatory process. It does not diagnose a specific disease. Changes in the ESR are more significant than the abnormal results of a single test.
- It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis and polymyalgia rheumatica.
- It is also increased in pregnancy, multiple myeloma, menstruation, and hypothyroidism.

Blood Group & Rh Type

Blood Grouping & Rh Typing

"A" POSITIVE (+VE)

Method : Forward and Reverse By Tube Method

Methodology

This is done by forward and reverse grouping by tube Agglutination method.

Interpretation

Newborn baby does not produce ABO antibodies until 3 to 6 months of age. So the blood group of the Newborn baby is done by ABO antigen grouping (forward grouping) only, antibody grouping (reverse grouping) is not required. Confirmation of the New-born's blood group is indicated when the A and B antigen expression and the isoagglutinins are fully developed (2–4 years).

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 37 years / Female

Patient ID: 31326
Source: Corporate

Referral : Mediwhile

Collection Time : Dec 23, 2023, 09:53 a.m. **Reporting Time :** Dec 23, 2023, 01:17 p.m.

Sample ID:

668056889

Test Description	Value(s)	Reference Range	Unit
Fasting - Glucose			
Glucose Fasting* Method : Plasma, Hexokinase	88.95	Normal: 70-100 Impaired Fasting Glucose (IFG): 101-125 Diabetes Mellitus: >125	mg/dL
Fasting Urine Sugar			
Fasting Urine Glucose	Negative	Negative	
Stool Complete Exam			
Lipid Profile			
Cholesterol-Total Method : Serum, Cholesterol oxidase esterase, peroxidase	173.89	Desirable: <= 200 Borderline High: 201-239 High: > 239 Ref: The National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.	mg/dL
Triglycerides Method : Serum, Enzymatic, endpoint	59.95	Normal: < 150 Borderline High: 150-199 High: 200-499 Very High: >= 500	mg/dL
Cholesterol-HDL Direct Method : Serum, Direct measure-PEG	53.12	<40: Low 40 - 60: Optimal > 60: Desirable	mg/dL

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 37 years / Female

Patient ID: 31326 Source: Corporate Referral: Mediwhile

Collection Time: Dec 23, 2023, 09:53 a.m. Reporting Time: Dec 23, 2023, 01:17 p.m.

Sample ID:



Test Description	Value(s)	Reference Range	Unit
LDL Cholesterol Method : Serum	108.78	Optimal: < 100 Near optimal/above optimal: 100-129 Borderline high: 130-159 High: 160-189 Very High: >= 190	mg/dL
Non - HDL Cholesterol, Serum Method : calculated	120.77	Desirable: < 130 mg/dL Borderline High: 130-159mg/dL High: 160-189 mg/dL Very High: > or = 190 mg/dL	mg/dL
VLDL Cholesterol Method : calculated	11.99	6 - 38	mg/dL
CHOL/HDL RATIO Method : calculated	3.27	3.5 - 5.0	ratio
LDL/HDL RATIO Method : calculated	2.05	Desirable / low risk - 0.5 -3.0 Low/ Moderate risk - 3.0- 6.0 Elevated / High risk - > 6.0	ratio
Note: 8-10 hours fasting sample is required.			
Liver Function Test Bilirubin - Total Method : Serum, Diazotization	0.57	Adults and Children: < 1.2	mg/dL
Bilirubin - Direct Method : Serum, Diazotization	0.24	Adults and Children: < 0.5	mg/dL
Bilirubin - Indirect Method : Serum, Calculated	0.33	0.1 - 1.0	mg/dL
SGOT Method : Serum, UV with P5P, IFCC 37 degree	7.81	< 50	U/L
SGPT Method: Serum, UV with P5P, IFCC 37 degree	24.55	< 50	U/L

Obsepter Dr.CH.Deepthi Chandrika M.D. Pathology Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 37 years / Female

Patient ID: 31326
Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:53 a.m. **Reporting Time :** Dec 23, 2023, 01:17 p.m.

Sample ID:



			00000009	
Test Description	Value(s)	Reference Range	Unit	
Alkaline Phosphatase-ALPI	49.08	30-120	U/L	
Method : Serum, PNPP, AMP Buffer, IFCC 37 degree				
Total Protein	8.56	6.6 - 8.3	g/dL	
Method : Serum, Biuret, reagent blank end point	4.00	A L II. 0.5. 5.0	/ 11	
Albumin Method : Serum, Bromcresol purple	4.29	Adults: 3.5 - 5.2	g/dL	
Globulin	4.27	1.8 - 3.6	g/dL	
Method : Calculated	7.21	1.0 0.0	g/dL	
A/G Ratio	1.00	1.2 - 2.2	ratio	
Method : Calculated				
KIDNEY FUNCTION TEST				
Urea *	29.07	15- 50	mg/dL	
Method : Serum				
Blood Urea Nitrogen-BUN*	13.58	7 - 24	mg/dL	
Method : Serum, Urease				
Uric Acid*	3.41	2.6 - 6.0	mg/dL	
Method : Serum, Uricase/POD				
Creatinine*	0.85	0.6 - 1.1	mg/dL	
Method : Serum, Jaffe IDMS				
<u>Urine Routine</u>				
Colour*	Yellow			
Transparency (Appearance)*	Clear	Clear		
Reaction (pH)*	5.0	4.5 - 8		
Specific Gravity*	1.020	1.010 - 1.030		
Chemical Examination (Automated Dipstick I	Method) Urine			
Urine Glucose*	Negative	Negative		
Urine Protein*	Negative	Negative		

Dr.CH.Deepthi Chandrika M.D. Pathology Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 37 years / Female

Patient ID: 31326
Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:53 a.m. **Reporting Time :** Dec 23, 2023, 01:17 p.m.

Sample ID :

Test Description	Value(s)	Reference Range	Unit
Urine Ketone*	Negative	Negative	
Blood*	Negative	Negative	
Bilirubin*	Negative	Negative	
Nitrite*	Negative	Negative	
Leucocytes*	Negative	Negative	
Urobilinogen*	Normal	With in normal limits	
Microscopic Examination Urine			
Pus Cells (WBCs)*	2-3	0 - 5	/hpf
Epithelial Cells*	1-2	0 - 4	/hpf
Red blood Cells*	Absent	Absent	/hpf
Crystals*	Absent	Absent	
Cast*	Absent	Absent	
Bacteria*	Absent	Absent	
HBA1C (Glycosylated Haemoglobin)			
Glyco Hb (HbA1C)	5.59	Non-Diabetic: <=5.9	%
Method : EDTA Whole blood,HPLC		Pre Diabetic:6.0-6.4	
		Diabetic: >=6.5	
Estimated Average Glucose :	113.73		mg/dL
Interpretations			

- 1. HbA1C has been endorsed by clinical groups and American Diabetes Association guidelines 2017 for diagnosing diabetes using a cut off point of 6.5%
- 2. Low glycated haemoglobin in a non diabetic individual are often associated with systemic inflammatory diseases, chronic anaemia (especially severe iron deficiency and haemolytic), chronic renal failure and liver diseases. Clinical correlation suggested.
- 3. In known diabetic patients, following values can be considered as a tool for monitoring the glycemic control.

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 37 years / Female

Patient ID: 31326
Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:53 a.m. **Reporting Time :** Dec 23, 2023, 01:17 p.m.

Sample ID :

Test Description	Value(s)	Reference Range	Unit
Excellent control-6-7 %			
Fair to Good control – 7-8 %			
Unsatisfactory control – 8 to 10 %			
Poor Control – More than 10 %			
Thyroid Function Test (TFT)			
TRI-IODO THYRONINE (T3)	1.087	0.60 - 1.81	ng/mL
Method : CLIA			
TOTAL THYROXINE (T4)	7.241	4.2 - 12.0	ug/dL
Method : CLIA			
THYROID STIMULATING HORMONE (TSH)	1.763	0.46 – 8.10 : 1 Yrs – 5 Yrs	uIU/mL
Method : CLIA		0.36 – 5.80 : 6 Yrs – 18 Yrs	
		0.35 – 5.50 : >18 Yrs	
		Pregnancy Ranges	
		1st Trimester :0.1 - 2.5	
		2nd Trimester :0.2 - 3.0	
		3rd Trimester:0.3 - 3.0	

Comments:

IF NOT ON DRUGS SUGGESTED FT3 & FT4 ESTIMATION

Please correlate with clinical conditions.

Note: Serum T3, T4 and TSH form the three components of thyroid screening panel, useful in diagnosing various disorders of the thyroid gland. Primary Hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels. Although elevated TSH levels are nearly always indicative of Primary Hypothyroidism, rarely they can from TSH secreting pituitary tumors (Secondary hyperthyroidism)To confirm diagnosis - evaluate FT3 and FT4.

Dr.CH.Deepthi Chandrika M.D. Pathology Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 37 years / Female

Method: Plasma - P, Hexokinase

Patient ID: 31326
Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:53 a.m. **Reporting Time :** Dec 23, 2023, 01:17 p.m.

Sample ID:

669056990

Test Description	Value(s)	Reference Range	Unit
Pap Smear			
SPECIMEN:		SAMPLE NOT COLLECTED	
Post Prandial Urine Sugar			
Post Prandial Blood Sugar			
Blood Glucose-Post Prandial*	132.01	70-140	mg/dL

END OF REPORT

Dr.CH.Deepthi Chandrika
M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by

