



Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH Registered On : 20/Oct/2024 09:12:11 Age/Gender Collected : 57 Y 0 M 0 D / M : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 10:31:15 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 14:04:17

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### DEPARTMENT OF HAEM ATOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY/TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	14.10	g/ dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <b>DLC</b>	6,900.00	/Qu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	74.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	17.00	%	20-40	FLOW CYTOMETRY
Monocytes	6.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	1.00	%	<1-2	FLOW CYTOMETRY
Observed	12.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	









Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR POAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH Registered On : 20/Oct/2024 09:12:11 Age/Gender Collected : 57 Y 0 M 0 D / M : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 10:31:15 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 14:04:17

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF HABMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	8.00	Mm for 1st hr.	· -	
PCV (HCT)	42.00	%	40-54	
Platelet count				
Platelet Count	1.2	LACS ou mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.80	fL	9-17	ELECTRONIC IMPEDANCE
P-LOR (Platelet Large Cell Patio)	60.10	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.17	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.70	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	85.30	fl	80-100	CALCULATED PARAMETER
MOH	29.70	pg	27-32	CALCULATED PARAMETER
MOHC	34.80	%	30-38	CALCULATED PARAMETER
RDW-CV	12.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	40.60	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,106.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	138.00	/cu mm	40-440	

Dr. R.K. Khanna (MBBS,DCP)











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR POAD Ph: 9235432707 CIN: U85110UP2003PLC193493

≥ 126 Diabetes

Patient Name : Mr.HARDEO SINGH : 20/Oct/2024 09:12:12 Registered On Age/Gender Collected : 57 Y 0 M 0 D / M : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 11:05:32 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 12:01:39

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

lest Name	Hesult	Unit	Bio. Het. Interval	Method
GLUCOSE FASTING, Plasma				
Glucose Fasting	211.98	mg/dl	< 100 Normal 100-125 Pre-diabetes	GOD POD

### **Interpretation:**

**-** . . . .

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

**CLINICAL SIGNIFICANCE:-** Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Dr. R.K. Khanna (MBBS,DCP)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr. HARDEO SINGH : 20/Oct/2024 09:12:12 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 15:52:30 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 17:33:12

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

### GLYCOSYLATED HAEM OGLOBIN (HBA1C) \*\*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	8.20	%NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	66.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	186	mg/dl	

### **Interpretation:**

### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level









<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr. HARDEO SINGH : 20/Oct/2024 09:12:12 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 15:52:30 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 17:33:12

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) \*\*
Sample:Serum

7.00

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

#### Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

**Creatinine** \*\* 0.92 mg/dl 0.7-1.30 MODIFIED JAFFES

Sample:Serum

### **Interpretation:**

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

**Uric Acid** \*\* 4.94 mg/dl 3.4-7.0 URICASE

Sample:Serum

**Interpretation:** 

Note:-

Elevated uric acid levels can be seen in the following:











Add: M-214/215.SECG LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH : 20/Oct/2024 09:12:12 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 15:52:30 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 17:33:12

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

## DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (	(WITH	I GAM	MAG	T) **	, Serum
-------	-------	-------	-----	-------	---------

SGOT / Aspartate Aminotransferase (AST)	28.10	U/L	<35	IFCCWITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	29.90	U/L	<40	IFCC WITHOUT P5P
Gamma GT (GGT)	32.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.26	gm/dl	6.2-8.0	BIURET
Albumin	4.26	gm/dl	3.4-5.4	B.C.G.
Globulin	3.00	gm/dl	1.8-3.6	CALCULATED
A:G Patio	1.42		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	106.86	U/L	42.0-165.0	PNP/ AMP KINETIC
Bilirubin (Total)	0.88	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.35	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.53	mg/dl	< 0.8	JENDRASSIK & GROF

Bilirubin (indirect)	0.53	rng/ ai	<0.8	JENDHASSIN & GHUF
LIPID PROFILE (MINI)**, Serum				
Cholesterol (Total)	115.00	mg/dl	<200 Desirable 200-239 Borderline I > 240 High	CHOD-PAP High
HDL Cholesterol (Good Cholesterol)	38.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	39	mg/dl	< 100 Optimal 100-129 Nr. Optimal/ Above Opt 130-159 Borderline I 160-189 High > 190 Very High	
VLDL	37.86	mg/dl	10-33	CALCULATED
Triglycerides	189.30	mg/dl	< 150 Normal 150-199 Borderline I	GPO-PAP High

Dr. Anupam Singh (MBBS MD Pathology)





200-499 High >500 Very High





Page 6 of 15





Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR POAD Ph: 9235432707 CIN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH Registered On : 20/Oct/2024 09:12:12 Age/Gender Collected : 57 Y 0 M 0 D / M : 20/Oct/2024 09:21:40 UHID/MR NO Received : CDCA.0000071393 : 20/Oct/2024 11:27:53 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 15:59:14

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urine				
Color	LIGHT YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	<10 Absent 10-40 (+) 40-200 (++) 200-500 (+++)	DIPSTICK
	ADOD IT	0/	>500 (++++)	DIDOTION
Sugar	ABSENT	gms%	<0.5 (+) 0.5-1.0 (++) 1-2 (+++) >2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	ABSENT			MICROSCOPIC EXAMINATION
Pus œlls	ABSENT			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR POAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH Registered On : 20/Oct/2024 09:12:12 Age/Gender Collected : 57 Y 0 M 0 D / M : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 11:27:53 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 15:59:14

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

### **Interpretation:**

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

Dr. R.K. Khanna (MBBS,DCP)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH : 20/Oct/2024 09:12:12 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 15:41:54 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 17:15:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### DEPARTMENT OF IMMUNOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	1.62	ng/mL	<4.1	CLIA	

### **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

### THYROID PROFILE - TOTAL \*\* , Serum

T3, Total (tri-iodothyronine)	87.20	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	12.10	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	6.630	μIU/mL	0.27 - 5.5	CLIA

### **Interpretation:**

0.3-4.5	μIU/mL	First Trimest	er
0.5-4.6	μIU/mL	Second Trim	ester
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ter
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years
0.7 - 27	μIU/mL	Premature	28-36 Week
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week
0.7-64	$\mu IU/mL$	Child(21 wk	- 20 Yrs.)
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	$\mu IU/mL$	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH : 20/Oct/2024 09:12:12 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 20/Oct/2024 09:21:40 UHID/MR NO : CDCA.0000071393 Received : 20/Oct/2024 15:41:54 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 17:15:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF IMMUNOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

autoimmune disorders.

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR POAD Ph: 9235432707 CIN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH : 20/Oct/2024 09:12:13 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 2024-10-20 12:42:13 UHID/MR NO : CDCA.0000071393 Received : 2024-10-20 12:42:13 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 12:43:29

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### X-RAY DIGITAL CHEST PA

(300 m A COMPUTERISED UNIT SPOT FILM DEVICE)

### **CHEST P-A VIEW**

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Bilateral bronchovascular markings are prominent.
- Pulmonary parenchyma did not reveal any significant lesion.

### **IMPRESSION**

• Bilateral prominent bronchovascular markings.

Recommended: Clinical correlation.













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR POAD Ph: 9235432707

GN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH : 20/Oct/2024 09:12:13 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 2024-10-20 11:49:25 UHID/MR NO : CDCA.0000071393 Received : 2024-10-20 11:49:25 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 12:01:59

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

## ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

### **LIVER**

• Liver is normal in size measuring 13.8 cm in longitudinal span & shows mild diffuse increase in parenchymal echogenicity.

### **PORTAL SYSTEM**

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

### **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct is normal at the porta. (6.1 mm)
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

### **PANCREAS**

The pancreas is normal in size and shape and has a normal homogenous echotexture.

### **FIGHT KIDNEY (12.0 x 4.5 cm)**

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

### **LEFT KIDNEY (11.4 x 5.5 cm)**

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Penal respiratory excursions are normal.













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707 CIN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH : 20/Oct/2024 09:12:13 Registered On Age/Gender : 57 Y 0 M 0 D / M Collected : 2024-10-20 11:49:25 UHID/MR NO : CDCA.0000071393 Received : 2024-10-20 11:49:25 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 12:01:59

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### SPLEEN

 Spleen is mildly enlarged measuring 12.0 cm in long axis and shows normal parenchymal echotexture.

### **ILIAC FOSSA**

Scan over the iliac fossae does not reveal any fluid collection or mass.

### **URINARY BLADDER**

- The urinary bladder is normal. Bladder wall is normal in thickness and regular.
- Pre-void urine volume is ~ 424 cc.
- Post-void residual urine volume is ~ 30 cc.

### **PROSTATE**

• The prostate gland is moderately enlarged in size, measuring 5.4 x 4.5 x 4.0 cm (vol-52.92 cc).

### **IMPRESSION**

- Grade-I fatty infiltration of liver.
- Mild splenomegaly.
- Grade-II prostatomegaly.













Add: M-214/215.SECG LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707 QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH Registered On : 20/Oct/2024 09:12:13 Age/Gender Collected : 57 Y 0 M 0 D / M : 2024-10-20 16:55:38 UHID/MR NO : CDCA.0000071393 Received : 2024-10-20 16:55:38 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 16:56:41

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

## DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### Tread Mill Test (TMT)

### 2D ECHO & M-MODE EXAMINATION VALUES

### **MITRAL VALVESTUDY**

DE Excursion:	1.78	cm/sec
EFSope:	7.25	cm/s
<b>PS</b> :	1.42	am
VALVE AREA (MVOA) PERIMETRY	3.54	cm <sup>2</sup>
PHT:	3.58	Om <sup>2</sup>

### **AORTIC VALVES STUDY**

Aortic Diam :	3.36	cm
LA Diam.	3.15	am
AV Qusp.	1.71	am

#### LEFT VENTRICLE

IVSD	0.93	Qm
LVIDD	4.42	Qm
LV PWD	0.80	Qm
IV Ss	0.96	Qm
LVIDs	3.05	Qm
LV PWS	1.19	Qm
₽DV	88	MI
ESV	36	MI

**ELECTION FRACTION:** 60%  $(60 \pm 7\%)$ SV (Teich) **36**ml

SHORTENING FRACTION: 30%  $(30 \pm 5\%)$ 

RIGHT VENTRICLE

2.02 cm. RVID:











Add: M-214/215.SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD

Ph: 9235432707

QN: U85110UP2003PLC193493

Patient Name : Mr.HARDEO SINGH Registered On : 20/Oct/2024 09:12:13 Age/Gender : 57 Y 0 M 0 D / M Collected : 2024-10-20 16:55:38 UHID/MR NO : CDCA.0000071393 Received : 2024-10-20 16:55:38 Visit ID : CDCA0247952425 Reported : 20/Oct/2024 16:56:41

: Dr. Mediwheel - Arcofemi Health Care Ltd. : Final Report Ref Doctor

## DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

**DIMENSIONAL IMAGING** 

MITRAL VALVE: Normal **AORTIC VALVE** Normal **PULMONARY VALVE:** Normal TRICUSPID VALVE: Normal INTERVENTRICULAR SEPTA: Normal INTERATRIAL SEPTUM: Normal INTRACARDIAC CLOT / VEGETATION / MYXOMA: Absent LEFT ATRIUM: Normal LEFT VENTRICLE: Normal RIGHT VENTRICLE: Normal **RIGHT ATRIUM:** Normal PERICARDIUM: Normal OTHER: Normal

### COLOUR FLOW MAPPING

DOPPLERSTUDY

**VELOCITY** cm/s PRESSURE GRADIENT **E**: 69 cm/s REGURGITATION MITRAL FLOW Normal **A:** 60 cm/s

**AORTIC FLOW** 98 cm/s Normal TRICUSPID FLOW 37 cm/s Normal PULMONARY FLOW 71 cm/s Normal

### SUMMARY OF FINDINGS AND ECHOCARDIOGRAPHY DIAGNOSIS

- IVFF 60 %
- RWMA not seen.
- No Diastolic dysfunction.
- No MS/TS/AS/PS.
- No MR/TR/PR/AR.
- No pericardial effusion.
- No vegetation.

### End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups 365 Days Open

\*Facilities Available at Select Location

Page 15 of 15





