
# SUBURBAN DIAGNOSTICS - KALINA, SANTACRUZ EAST



Patient Name: SWETA KUMARI

Patient ID: 2406117132

Date and Time: 1st Mar 24 10:12 AM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Sut In

Dr Naveed Sheikh PGDCC 2016/11/4694

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr. : -

**Reg. Location**: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:01-Mar-2024 / 09:13 :01-Mar-2024 / 12:24

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood	CBC (Complete Blood Count), E	Blood
-----------------------------------	-------------------------------	-------

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	10.8	12.0-15.0 g/dL	Spectrophotometric
RBC	3.92	3.8-4.8 mil/cmm	Elect. Impedance
PCV	33.8	36-46 %	Calculated
MCV	86.2	81-101 fl	Measured
MCH	27.6	27-32 pg	Calculated
MCHC	32.1	31.5-34.5 g/dL	Calculated
RDW	14.2	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4720	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	30.0	20-40 %	
Absolute Lymphocytes	1416.0	1000-3000 /cmm	Calculated
Monocytes	9.3	2-10 %	
Absolute Monocytes	439.0	200-1000 /cmm	Calculated
Neutrophils	55.6	40-80 %	
Absolute Neutrophils	2624.3	2000-7000 /cmm	Calculated
Eosinophils	4.2	1-6 %	
Absolute Eosinophils	198.2	20-500 /cmm	Calculated
Basophils	0.9	0.1-2 %	
Absolute Basophils	42.5	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

## **PLATELET PARAMETERS**

Platelet Count	197000	150000-410000 /cmm	Elect. Impedance
MPV	12.1	6-11 fl	Measured
PDW	26.0	11-18 %	Calculated

## **RBC MORPHOLOGY**

Hypochromia -Microcytosis -



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr. Collected :01-Mar-2024 / 09:13 Reported :01-Mar-2024 / 12:30 Reg. Location : Kalina, Santacruz East (Main Centre)

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

**Target Cells** 

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 24 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

#### Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

## Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

#### Reference:

- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab \*\*\* End Of Report \*\*\*





Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) **Pathologist** 

Page 2 of 10

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MRS.SWETA KUMARI

: 36 Years / Female Age / Gender

Consulting Dr.

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected :01-Mar-2024 / 09:13

Reported :01-Mar-2024 / 14:00

# **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

Impaired Fasting Glucose: 100-125 mg/dl   Diabetic: >/= 126 mg/dl   Diabetic: >/= 126 mg/dl   Diabetic: >/= 126 mg/dl   Diabetic: >/= 126 mg/dl   Impaired Glucose Tolerance: 140-199 mg/dl   Impaired Glucose Tolerance: 140-199 mg/dl   Diabetic: >/= 200 mg/dl   Va   Diabetic: >/= 200 mg/dl   Diabetic: >/=	<u>PARAMETER</u>		RESULTS BIOLOGICAL REF RA		<u>METHOD</u>	
Plasma PP/R			84.4	Impaired Fasting Glucose: 100-125 mg/dl	Hexokinase	
BILIRUBIN (DIRECT), Serum       0.15       0-0.3 mg/dl       Va         BILIRUBIN (INDIRECT), Serum       0.31       <1.2 mg/dl			90.6	Impaired Glucose Tolerance: 140-199 mg/dl	Hexokinase	
BILIRUBIN (INDIRECT), Serum       0.31       <1.2 mg/dl		BILIRUBIN (TOTAL), Serum	0.46	0.3-1.2 mg/dl	Vanadate oxidation	
TOTAL PROTEINS, Serum       6.9       5.7-8.2 g/dL       Bit         ALBUMIN, Serum       4.2       3.2-4.8 g/dL       BC         GLOBULIN, Serum       2.7       2.3-3.5 g/dL       Ca         A/G RATIO, Serum       1.6       1 - 2       Ca         SGOT (AST), Serum       28.9       <34 U/L		BILIRUBIN (DIRECT), Serum	0.15	0-0.3 mg/dl	Vanadate oxidation	
ALBUMIN, Serum       4.2       3.2-4.8 g/dL       BC         GLOBULIN, Serum       2.7       2.3-3.5 g/dL       Cc         A/G RATIO, Serum       1.6       1 - 2       Cc         SGOT (AST), Serum       28.9       <34 U/L	, , ,		0.31	<1.2 mg/dl	Calculated	
GLOBULIN, Serum       2.7       2.3-3.5 g/dL       Ca         A/G RATIO, Serum       1.6       1 - 2       Ca         SGOT (AST), Serum       28.9       <34 U/L		TOTAL PROTEINS, Serum	6.9	5.7-8.2 g/dL	Biuret	
A/G RATIO, Serum       1.6       1 - 2       Ca         SGOT (AST), Serum       28.9       <34 U/L		ALBUMIN, Serum	4.2	3.2-4.8 g/dL	BCG	
SGOT (AST), Serum       28.9       <34 U/L		GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated	
SGPT (ALT), Serum       34.3       10-49 U/L       Mod         GAMMA GT, Serum       14.7       <38 U/L		A/G RATIO, Serum	1.6	1 - 2	Calculated	
GAMMA GT, Serum       14.7       <38 U/L		SGOT (AST), Serum	28.9	<34 U/L	Modified IFCC	
ALKALINE PHOSPHATASE, 82.1 46-116 U/L Moserum  BLOOD UREA, Serum 18.7 19.29-49.28 mg/dl Car BUN, Serum 8.7 9.0-23.0 mg/dl Ur		SGPT (ALT), Serum	34.3	10-49 U/L	Modified IFCC	
Serum         18.7         19.29-49.28 mg/dl         Ca           BUN, Serum         8.7         9.0-23.0 mg/dl         Ur		GAMMA GT, Serum	14.7	<38 U/L	Modified IFCC	
BUN, Serum <b>8.7</b> 9.0-23.0 mg/dl Ur			82.1	46-116 U/L	Modified IFCC	
BUN, Serum <b>8.7</b> 9.0-23.0 mg/dl Ur		BLOOD UREA, Serum	18.7	19.29-49.28 mg/dl	Calculated	
CREATININE, Serum 0.57 0.55-1.02 mg/dl Er		BUN, Serum	8.7	<u> </u>	Urease with GLDH	
		CREATININE, Serum	0.57	0.55-1.02 mg/dl	Enzymatic	

Note: Kindly note in change in reference range w.e.f. 07-09-2023



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr.

eGFR, Serum

Reg. Location

: Kalina, Santacruz East (Main Centre)

121

Use a QR Code Scanner Application To Scan the Code

Collected :01-Mar-2024 / 15:58 Reported :01-Mar-2024 / 18:16

Authenticity Check

(ml/min/1.73sqm)Calculated

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

Moderate to severe decrease:30

-44

Severe decrease: 15-29 Kidney failure:<15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

URIC ACID, Serum 4.7 3.1-7.8 mg/dl Uricase/ Peroxidase

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent **Absent** 

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab \*\*\* End Of Report \*\*\*





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 4 of 10



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr. : -Collected :01-Mar-2024 / 09:13 Reported Reg. Location : Kalina, Santacruz East (Main Centre)

Use a OR Code Scanner Application To Scan the Code

Authenticity Check

:01-Mar-2024 / 15:55

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

**BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD** 

**HPLC** Glycosylated Hemoglobin 5.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 108.3 mg/dl Calculated

(eAG), EDTA WB - CC

#### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

- HbA1c. Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab \*\*\* End Of Report \*\*\*





( en es Dr.NAMRATA RAUL M.D (Biochem) **Biochemist** 

Page 5 of 10



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Collected Consulting Dr. :01-Mar-2024 / 15:52 : Kalina, Santacruz East (Main Centre) Reported Reg. Location



Use a OR Code Scanner Application To Scan the Code

:01-Mar-2024 / 09:13

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale Yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	clear	Clear	-
Volume (ml)	20	-	-
<b>CHEMICAL EXAMINATION</b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	10-15	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein ( 1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl )
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab \*\*\* End Of Report \*\*





Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) **Pathologist** 

Page 6 of 10



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr. Collected :01-Mar-2024 / 09:13 Reported :01-Mar-2024 / 12:31 Reg. Location : Kalina, Santacruz East (Main Centre)

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD GROUPING & Rh TYPING**

**RESULTS PARAMETER** 

**ABO GROUP** Α

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

#### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

#### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab \*\*\* End Of Report \*\*\*





Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) **Pathologist** 

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 7 of 10



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr. :

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:01-Mar-2024 / 09:13 :01-Mar-2024 / 14:00

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
CHOLESTEROL, Serum	171.7	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	74.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	54.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	117.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	102.4	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	14.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.9	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab  $^{***}$  End Of Report  $^{***}$ 









Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr. :

Reg. Location

: Kalina, Santacruz East (Main Centre)

Collected

Reported

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

:01-Mar-2024 / 09:13 :01-Mar-2024 / 12:52

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.1	3.5-6.5 pmol/L	CLIA
Free T4, Serum	15.1	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	3.179	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	CLIA



Name : MRS.SWETA KUMARI

Age / Gender : 36 Years / Female

Consulting Dr. : - Collected : 01-Mar-2024 / 09:13

Reg. Location : Kalina, Santacruz East (Main Centre) Reported :01-Mar-2024 / 12:52

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

### Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 10 of 10



R

E

0

т

Date: - 0.03 2024.

Name: Mrs. Sweta Cunani

CID: 240611 9132

Sex/Age: / 36 yrs/ Remake

# EYE CHECK UP

Chief complaints: Hil

Systemic Diseases: Hell

Past history:

Unaided Vision:

Kes 4 ] M5 D. 1 1 7 66.

Aided Vision: NOV

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	Levy .			6/6				6/6
Near	_			N5				NS

Colour Vision: Normal / Abnormal

Remark: | Ju

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Nala Petrol Pump, Kalina, CST Road, Santacruz (East), Tel. No. 022-61700000

Dr. D.G. HATALKAR R.No. 61067 M.D. (Ob.Gy) Hatalkan



Dr. D.G. HATALKAR R.No. 61067 W.D. (Ob.Gy)

7903833187 Shueta Kimeuri.

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Nafa Petrol Pump, Kalina, CST Road, Santacruz (East). Tel. No. 022-61700000

# Suburban Diagnostics Kalina

**Patient Details** Date: 01-Mar-24 Name: MRS. SWETA KUMARI ID: 2406117132

Age: 35 y Sex: F

Clinical History: Routine Test Time: 10:59:14 AM

Height: 147 cms

Weight: 55 Kgs

Medications: NONE

# **Test Details**

Protocol: Bruce

Total Exec. Time: 9 m 38 s

Max. BP: 180 / 70 mmHg Test Termination Criteria: Pr.MHR: 185 bpm

Max. HR: 161 (87% of Pr.MHR )bpm

Target HR attained


Max. BP x HR: 28980 mmHg/min THR: 157 (85 % of Pr.MHR) bpm


Max. Mets: 13.50

Min. BP x HR: 4900 mmHg/min

# Protocol Details


Stage Name	Stage Time	Mets	Speed	Grade	Heart	Max. BP	Max. ST	Max. ST
	(min : sec)		(mph)	(%)	Rate (bpm)	(mm/Hg)	Level (mm)	Slope (mV/s)
Supine	0:34	1.0	0	0	86	100 / 70	-1.27 aVR	1.771
Standing	0:6	1.0	0	0	76	100 / 70	-0.85 aVR	1.421
Hyperventilation	0 : 12	1.0	0	0	70	100 / 70	-1.27 aVR	1.421
1	3:0	4.6	1.7	10	111	130 / 70	-2.55 aVR	3.891
2	3:0	7.0	2.5	12	126	150 / 70	-1.27	3.18 (
3	3:0	10.2	3.4	14	147	170 / 70	-2.34 III	2.831
Peak Ex	0:38	13.5	4.2	16	161	180 / 70	-2.34 III	3.541
Recovery(1)	2:0	1.8		0	95	160 / 70	-2.55 II	3.181
Recovery(2)	2:0	1.0	0	0	91	140 / 70	-0.64 II	2.83 II
Recovery(3)	0:55	1.0	0	0	93	120 / 70	-0.64 aVR	1.421





(a) Cabillar Unallibrary factor 5 4 14 4 14 15

Suburban Diagnostics Kalina
ID: 2406117132 Da MRS. SWETA KUMARI (35 F) Date: 01-Mar-24 B.P: 100 / 70 Protocol Bruce Stage: Supine Speed: 0 mph Grade: 0 % Exec Time : 0 m 0 s Stage Time: 0 m 28 s HR: 78 bpm (THR: 157 bpm) 11 III aVR aVL aVF aVR V1 1.3 -1.3 \$T Level (mm) 0.7 aVL V2 V5 1.3 0.4 0.4 0.0 0.0 aVF **V**3 -0.4 0.4 0.2 -0.4 0.0 0.4 Chart Speed: 25 mm/sec Filter 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms  $J = R + 60 \, ms$ Post J = J + 60 msLinked Median




Suburban Diagnostics Kalina MRS. SWETA KUMARI (35 F) ID: 2406117132 Date: 01-Mar-24 B.P: 100 / 70 Protocol: Bruce Stage: Hyperventilation Speed: 0 mph Grade: 0 % Exec Time : 0 m 0 s Stage Time: 0 m 6 s HR: 82 bpm (THR: 157 bpm) m aVR aVL aVF aVR V1 -0.2 ST Level -0.6 (mm) -1.1 11 aVL V2 V5 0.0 0.4 0.2 0.0 0.0 -0.4 0.0 111 aVF **V**3 V6 -0.4 -0.2 0.0 -0.2 0.0 -0.7 -0.4 -0.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J=R+60 ms Post J = J + 60 msLinked Median

Suburban Diagnostics Kalina
ID: 2406117132 Da MRS. SWETA KUMARI (35 F) Date: 01-Mar-24 B.P: 130 / 70 Protocol: Bruce Stage: 1 Speed: 1.7 mph Grade: 10 % Exec Time : 2 m 54 s Stage Time : 2 m 54 s HR: 110 bpm (THR: 157 bpm) 11 aVR aVL aVF aVR V1 0.8 -0.6 ST Level -0.2 (mm) 2.5 -2.1 -0.4 ST Slope (mV/s) 11 aVL V2 V5 0.4 0.4 0.4 0.0 1.8 0.4 Ш aVF V3 V6 -0.4 0.0 0.2 0.2 -0.7 0.7 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J + 60 msLinked Median

Suburban Diagnostics Kalina ID: 2406117132 Da MRS. SWETA KUMARI (35 F) Date: 01-Mar-24 B.P: 150 / 70 Protocol: Bruce Stage: 2 Speed: 2.5 mph Grade: 12 % Exec Time : 5 m 54 s Stage Time: 2 m 54 s HR: 126 bpm (THR: 157 bpm) Ш aVR aVL aVF aVR 0.8 ST Level (mm) -0.6 -0.2 2.8 -2.5 ST Slope (mV/s) aVL V2 0.2 0.6 0.0 aVF V3 V6 -0.8 0.4 0.2 0.4 Chart Speed: 25 mm/sec Filter 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms  $J = R + 60 \, ms$ Post J = J + 60 msLinked Median

Suburban Diagnostics Kalina MRS. SWETA KUMARI (35 F) Date: 01-Mar-24 B.P: 170 / 70 Protocol: Bruce Stage: 3 Speed: 3.4 mph Grade: 14 % Exec Time : 8 m 54 s Stage Time: 2 m 54 s HR: 145 bpm (THR: 157 bpm) III aVR aVL aVF aVR 0.8 \$T Level (mm) 0.0 2.1 -1.8 0.7 H aVL V5 -1.1 1.3 0.0 III aVF **V3** -2.1 -1.5 -0.4 8.0-0.0 0.0 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J + 60 msLinked Median



Suburban Diagnostics Kalina ID: 2406117132 Da MRS. SWETA KUMARI (35 F) Date: 01-Mar-24 Protocol: Bruce B.P: 160 / 70 Stage: Recovery(1) Speed: 1 mph Grade: 0 % Exec Time : 9 m 38 s Stage Time: 1 m 54 s HR: 93 bpm (THR: 157 bpm) 111 aVR aVL aVF aVR 0.0 0.2 ST Level (mm) 0.0 1.1 0.7 ST Slope (mV/s) aVL V2 V5 -0.2 0.0 0.0 0.7 0.4 0.4 111 aVF V3 V6 -0.2 -0.4 0.0 -0.2 0.0 0.4 0.4 0.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms  $J = R + 60 \, ms$ Post  $J = J + 60 \, \text{ms}$ Linked Median

Suburban Diagnostics Kalina MRS. SWETA KUMARI (35 F) D: 2406117132 Date: 01-Mar-24 B.P: 140 / 70 Protocol: Bruce Stage: Recovery(2) Speed: 0 mph Grade: 0 % Exec Time : 9 m 38 s Stage Time : 1 m 54 s HR: 89 bpm (THR: 157 bpm) 111 aVR aVL aVF aVR 0.2 -0.2 ST Level (mm) -0.2 1.1 -0.4 0.4 aVL V2 V5 0.0 0.2 0.2 0.0 1.1 0.4 0.4 Ш aVF V3 V6 -0.2 -0.2 0.0 0.0 0.4 0.0 0.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2406117132 Da MRS. SWETA KUMARI (35 F) Date: 01-Mar-24 B.P: 120 / 70 Protocol: Bruce Stage: Recovery(3) Speed: 0 mph Grade: 0 % Exec Time : 9 m 38 s Stage Time: 0 m 49 s HR: 93 bpm (THR: 157 bpm) III V3 aVR aVL aVF aVR V1 0.6 -0.4 ST Level -0.4 0.2 (mm) -0.7 ST Slope (mV/s) Ħ aVL V2 V5 0.2 0.2 0.0 aVF V3 V6 -0.2 0.0 0.0 0.0 0.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Post J = J + 60 ms Linked Median



Name : kumari Sweta Mrs Age / Sex : 36 Years/Female

Ref. Dr Reg. Date : 01-Mar-2024

Reg. Location : Kalina, Santacruz East Main Centre Reported : 01-Mar-2024/10:48



Use a QR Code Scanner

Application To Scan the Code

## **USG OF WHOLE ABDOMEN**

## LIVER:

The liver is normal in size, shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

# **GALL BLADDER:**

The gall bladder is physiologically distended and shows normal wall thickness. No evidence of pericholecystic fluid, gall stones or mass lesions seen.

## **PANCREAS:**

The pancreas well visualised and appears normal. No evidence of solid or cystic mass lesion is noted

## **KIDNEYS**:

Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures: 9.6 x 4.7 cms. Left kidney measures: 9.4 x 4.7 cms.

### **SPLEEN:**

The spleen is normal in size and shape and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascitis

## **URINARY BLADDER:**

The urinary bladder is well distended. It shows thin walls and sharp mucosa.

No evidence of calculus is noted. No mass or diverticulum is seen.

## **UTERUS:**

The Uterus is anteverted and appears normal. It measures: 7.0 x 3.2 x 3.1 cm in size. The endometrial thickness is 6 mm.



Name : kumari Sweta Mrs Age / Sex : 36 Years/Female

Ref. Dr Reg. Date : 01-Mar-2024

: 01-Mar-2024/10:48 Reg. Location : Kalina, Santacruz East Main Centre Reported



Use a QR Code Scanner

Application To Scan the Code

R

## **OVARIES:**

Both the ovaries are well visualised and appears normal. Right ovary measures:  $2.5 \times 1.7 \times 1.5 \text{ cms}$  (volume  $\sim 3.6 \text{ cc}$ ). Left ovary measures:  $2.8 \times 1.8 \times 1.7 \text{ cms}$  (volume ~4.8 cc). There is no evidence of any ovarian or adnexal mass seen.. POD is clear.

## **IMPRESSION:**

No Significant abnormality is detected.

-----End of Report-----

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST



Name : kumari Sweta Mrs Age / Sex : 36 Years/Female

Ref. Dr :

**Reg. Location**: Kalina, Santacruz East Main Centre

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

**Reg. Date** : 01-Mar-2024

**Reported** : 01-Mar-2024/10:48



Name : kumari Sweta Mrs Age / Sex : 36 Years/Female

Ref. Dr : Reg. Date : 01-Mar-2024

Reg. Location : Kalina, Santacruz East Main Centre Reported

Authenticity Check

R E

Use a QR Code Scanner Application To Scan the Code

Application to scan the Cou

: 01-Mar-2024/13:14

# X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

# **IMPRESSION:**

NO SIGNIFICANT ABNORMALITY IS DETECTED.

------End of Report-----

DR.ASHA DHAVAN MBBS ; D.M.R.E

CONSULTANT RADIOLOGIST



Name : kumari Sweta Mrs Age / Sex : 36 Years/Female

Ref. Dr

Reg. Location : Kalina, Santacruz East Main Centre

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 01-Mar-2024

Reported : 01-Mar-2024/13:14