Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,

Sodala, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787 General Physical Examination Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com Date of Examination: 08-01-24 Paradeep Yadan. Age: 33 Sex: Male DOB: 03-16-1990. Referred By: ____ RoR Photo ID: Agolhey ID#: attechned Ht: 19 (cm) Chest (Expiration): 98 (cm) Abdomen Circumference: 90. (cm) Blood Pressure: 10/80 mm Hg PR: 11/9 min 27.2 Eye Examination: 20 On examination he/she appears physically and mentally fit: Signature Of Examine: Name of Examinee: ---- Name Medical Examiner ---Signature Medical Examiner:









पताः S/Ö सुरेश कुमार यादव, ८१, अजमेर ठ रोड, पुराणी ढाणी यादव ग्राम, रामचंद्रपुरा, ठ जयपुर, राजस्थान, 302026

Address: S/O Suresh Kumar Yadav, 81, ajmer road, purani dhani yadav gram, Ramchandpura, Jaipur, Rajasthan, 302026



6126 4599 9538








DE. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg. No.-017996

DR.GOYAL PATH LAB
3545 / MR PRADEEP YADAV / 33 Yrs / M/ Non Smoker
Heart Rate: 63 bpm / Tested On: 08-Jan-24 13:15:35 / HF 0.05 Hz - LF 35 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s / Refd By:: BOB







B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Read, 5509

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

33 Yrs

Date :- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178 Ref. By Dr:- BOB

Lab/Hosp :-

Company :- MediWheel

Sex / Age :- Male

Sample Type :- EDTA

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 14:50:57

HAEMATOLOGY

	HAEMAI	LUGI	
Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM			
HAEMOGLOBIN (Hb)	13.1	g/dL	13.0 - 17.0
TOTAL LEUCOCYTE COUNT	6.55	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	51.4	%	40.0 - 80.0
LYMPHOCYTE	38.2	%	20.0 - 40.0
EOSINOPHIL	3.9	%	1.0 - 6.0
MONOCYTE	5.8	%	2.0 - 10.0
BASOPHIL	0.7	%	0.0 - 2.0
NEUT#	3.37	10^3/uL	1.50 - 7.00
LYMPH#	2.50	10^3/uL	1.00 - 3.70
EO#	0.19	10^3/uL	0.00 - 0.40
MONO#	0.26	10^3/uL	0.00 - 0.70
BASO#	0.03	10^3/uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.68	x10^6/uL	4.50 - 5.50
HEMATOCRIT (HCT)	41.40	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	88.3	fL	83.0 - 101.0
MEAN CORP HB (MCH)	27.9	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	31.6	g/dL	31.5 - 34.5
PLATELET COUNT	243	x10^3/uL	150 - 410
RDW-CV	13.1	%	11.6 - 14.0
MENTZER INDEX	18.87		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

MUKESHSINGH Technologist

Page No: 2 of 12





B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

33 Yrs

Date :- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178

Ref. By Dr:- BOB

Lab/Hosp :-

Company :- MediWheel

Sex / Age :- Male

Sample Type :- EDTA

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 14:50:57

HAEMATOLOGY

Test Name Value Unit Biological Ref Interval

Erythrocyte Sedimentation Rate (ESR)

17 H

mm/hr.

00 - 13

(ESR) Methodology: Measurment of ESR by cells aggregation.

Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states.

The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC), McHodology also also also are calculated. InstrumentName: Sysmex 6 part fully automatic analyzer XN-L, Japan

MUKESHSINGH Technologist

Page No: 3 of 12





B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Rda 5509

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

33 Yrs

Company:- MediWheel

Patient ID: -12235178

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 14:50:57

HAEMATOLOGY

Test Name

Method:- HPLC

Value

Biological Ref Interval

BOB PACKAGE BELOW 40MALE

GLYCOSYLATED HEMOGLOBIN (HbA1C)

5.6

%

Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher ADA Target: 7.0

Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb.High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measureof the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C.Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1cmeasurements. The effects vary depending on the specific Hb vatiant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE

Method:- Calculated Parameter

114

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

MUKESHSINGH **Technologist**

Page No: 1 of 12



Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Food, 5509

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

33 Yrs

Date :- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178

Ref. By Dr:- BOB

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sex / Age :- Male

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 18:02:01

BIOCHEMISTRY

	BIOCHEMISTRY				
Test Name	Value	Unit	Biological Ref Interval		
LIPID PROFILE					
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	274.70 H	mg/dl	Desirable <200 Borderline 200-239 High> 240		
TRIGLYCERIDES Method:- GPO-PAP	135.13	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500		
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	46.13	mg/dl	Low < 40 High > 60		
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	206.05 H	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190		
VLDL CHOLESTEROL Method:- Calculated	27.03	mg/dl	0.00 - 80.00		
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	5.95 H		0.00 - 4.90		
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	4.47 H		0.00 - 3.50		
TOTAL LIPID Method:- CALCULATED TOTAL GIVE PETEROL Instrument Name: Randov Rv Imple	776.14	mg/dl	400.00 - 1000.00		

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism disorders.

TRIGLYCERIDES InstrumentName: Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.

DIRECT HDLCHOLESTERO InstrumentName: Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLInstrumentName: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

MUKESHSINGH

Page No: 4 of 12



Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Awad, 5509

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178

Ref. By Dr:- BOB

Sex / Age :- Male 33 Yrs Lab/Hosp :-

Final Authentication: 08/01/2024 18:02:01

Company :- MediWheel

Sample Type :- PLAIN/SERUM

BIOCHEMISTRY

Sample Collected Time 08/01/2024 12:35:49

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
CEDIM DILIDIDINI (TOTAL)	0.00	ma/dl	Up to - 1 0 Cord blood <2

LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.98	mg/dl	Up to - 1.0 Cord blood <2 Premature < 6 days <16 Full-term < 6 days= 12 1month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.21	mg/dL	Adult - Up to 0.25 Newborn - <0.6 >- 1 month - <0.2
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.77	mg/dl	0.30-0.70
SGOT Method:- IFCC	33.3	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	45.2 H	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	104.70	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	26.50	U/L	11.00 - 50.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.92	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.77	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	3.15	gm/dl	2.20 - 3.50
A/G RATIO	1.51		1.30 - 2.50

Total BilirubinMethodology:Colorimetric method InstrumentName:Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName:Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName:Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology Biuret Reagent InstrumentName Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName:Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra-or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal)

MUKESHSINGH

Page No: 5 of 12





B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Avade

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 08/01/2024 12:29:35

Patient ID: -12235178

NAME :- Mr. PRADEEP YADAV Ref. By Dr:- BOB 33 Yrs Sex / Age :- Male

Lab/Hosp :-

Company:- MediWheel Sample Type :- PLAIN/SERUM

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 14:03:20

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.100	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	10.100	ug/dl	5.530 - 11.000
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	2.064	$\mu IU/mL$	0.350 - 5.500

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation: TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

NARENDRAKUMAR **Technologist**

Page No: 6 of 12



Dr. Goyal' Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Fired, 5509

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 08/01/2024 12:29:35 NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178 Ref. By Dr:- BOB

Sex / Age :- Male 33 Yrs Lab/Hosp :-

Company :- MediWheel Sample Type :- URINE

Sample Collected Time 08/01/2024 12:35:49 Final Authentication: 08/01/2024 14:14:07

PALE YELLOW

NORMAL

CLINICAL PATHOLOGY

PALE YELLOW

Test Name Value Unit **Biological Ref Interval**

Urine Routine

COLOUR

PROTEIN

UROBILINOGEN

PHYSICAL EXAMINATION

APPEARANCE	Clear	Clear
CHEMICAL EXAMINATION		
REACTION(PH) Method:- Reagent Strip(Double indicatior blue reaction)	6.0	5.0 - 7.5
CDECUEIG CD ALUEN	1.015	1.010 1.020

1.015 SPECIFIC GRAVITY 1.010 - 1.030Method:- Reagent Strip(bromthymol blue) NIL NIL

Method:- Reagent Strip (Sulphosalicylic acid test) **GLUCOSE** NIL NIL Method:- Reagent Strip (Glu.Oxidase Peroxidase Benedict)

BILIRUBIN NEGATIVE NEGATIVE Method:- Reagent Strip (Azo-coupling reaction)

Method:- Reagent Strip (Modified ehrlich reaction) KETONES **NEGATIVE NEGATIVE**

NORMAL

Method:- Reagent Strip (Sodium Nitropruside) Rothera's

NEGATIVE NEGATIVE Method:- Reagent Strip (Diazotization reaction)

MICROSCOPY EXAMINATION

RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	2-3	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		

VIJENDRAMEENA **Technologist**

Page No: 7 of 12



Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Florad, 5509

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

33 Yrs

Sample Type :- KOx/Na FLUORIDE-F, KOx/Na Sabbon IDE RECEITANN 66 RU2024 12:35:49

Date :- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Patient ID: -12235178

Ref. By Dr:- BOB

Lab/Hosp :-

Company :- MediWheel

Sex / Age :- Male

Final Authentication: 08/01/2024 16:46:41

DIOCHEMICTON

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma)

119.9

mg/dl

70.0 - 140.0

Method:- GOD PAP
Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

 SERUM CREATININE
 1.03
 mg/dl
 Men - 0.6-1.30

 Method:- Colorimetric Method
 5.70
 mg/dl
 Men - 3.4-7.0

 Method:- Enzymatic colorimetric
 5.70
 mg/dl
 Men - 3.4-7.0

 Women - 2.4-5.7
 Women - 2.4-5.7

MUKESHSINGH

Page No: 9 of 12



Dr. Rashmi Bakshi MBBS. MD (Path) RMC No. 17975/008828 Dr. Chandrika Gupta



B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178

Ref. By Dr:- BOB

Lab/Hosp :-

Sex / Age :- Male 33 Yrs Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 18:02:01

BIOCHEMISTRY

Test Name Value Unit Biological Ref Interval

BLOOD UREA NITROGEN (BUN)

11.2

mg/dl

0.0 - 23.0

*** End of Report ***

MUKESHSINGH

Page No: 12 of 12





B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

33 Yrs

Date :- 08/01/2024 12:29:35
NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178

Ref. By Dr:- BOB

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA, URINE, URINE-PP

Sex / Age :- Male

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 17:24:46

HAEMATOLOGY

Test Name Value Unit Biological Ref Interval

BLOOD GROUP ABO

"O" POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone).

URINE SUGAR (FASTING)
Collected Sample Received

Nil

Nil

URINE SUGAR PP Collected Sample Received Nil

Nil

MUKESHSINGH, VIJENDRAMEENA **Technologist**

Page No: 11 of 12



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Patient ID :-12235178 Ref. By Dr:- BOB

Sex / Age :- Male 33 Yrs Lab/Hosp :-

Company :- MediWheel
Sample Type :- STOOL

Sample Collected Time 08/01/2024 12:35:49

Final Authentication: 08/01/2024 14:14:06

CLINICAL PATHOLOGY

Test Name Value Unit Biological Ref Interval

STOOL ANALYSIS

PHYSICAL EXAMINATION

COLOUR YELLOW BROWN

CONSISTENCY SEMI SOLID
MUCUS ABSENT
BLOOD ABSENT

MICROSCOPIC EXAMINATION

RBC's NIL /HPF WBC/HPF NIL /HPF

MACROPHAGES ABSENT
OVA ABSENT
CYSTS ABSENT
TROPHOZOITES ABSENT
CHARCOT LEYDEN CRYSTALS ABSENT

OTHERS
Collected Sample Received
NORMAL BACTERIA FLORA PRESENT

VIJENDRAMEENA Technologist

Page No: 8 of 12





B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com E-mail: drgoyalpiyush@gmail.com



:- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

33 Yrs

Company :- MediWheel

Patient ID :-12235178 Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 08/01/2024 14:34:48

BOB PACKAGE BELOW 40MALE

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression: - Normal Study

(Please correlate clinically and with relevant further investigations)



DR ABHISHEK JAIN MBBS. DNB. (RADIO DIAGNOSIS) RMC NO. 21687

*** End of Report ***

Dr. Piyush Goyal (D.M.R.D.)

ANITASHARMA

Transcript by.

Dr. Piyush Goyal M.B.B.S., D.M.R.D.

RMC Reg No. 017996

Page No: 1 of 1

MBBS, MD (Sale Fetal Medicine Consultant

FMF ID - 260517 | RMC No 22430

Dr. Abhishek Jain

RMC No. 21687

Dr. Navneet Agarwal RMC No. 33613/14911

Dr. Poorvi Malik MBBS, DNB, (Radio-Diagnosis) MD, DNB (Radio Diagnosis) MBBS, MD, DNB (Radio Diagnosis) RMC No. 21505



B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

NAME :- Mr. PRADEEP YADAV

:- 08/01/2024 12:29:35

Patient ID: -12235178

Ref. By Dr:- BOB

Lab/Hosp :-

Company :- MediWheel

Sex / Age :- Male

33 Yrs

Final Authentication: 08/01/2024 16:46:08

Sample Type :-

Sample Collected Time

BOB PACKAGE BELOW 40MALE

2D ECHO OPTION TMT (ADULT/CHILD)

2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:

FAIR TRANSTHORACIC ECHOCARIDIOGRAPHIC WINDOW MORPHOLOGY:

MITRAL VAL	VE .	NOR	MAL	TRICUS	SPID VALVE		NORMAL	
AORTIC VAL	VE	NOR	MAL	PULMONARY VALVE			NORMAL	
	1	M.MODE E	XAMITATION:					
AO	26	mm	LA	30	Mm	IVS-D	7	mm
IVS-S	12	mm	LVID	40	Mm	LVSD	27	mm
LVPW-D	8	mm-	LVPW-S	13	Mm	RV		mm
RVWT		mm	EDV		MI	LVVS		ml
LVEF	62%		-	RWMA		ABSENT		
				CHAI	MBERS:			

LA	NORMAL	RA	NORMAL	
LV	NORMAL	RV	NORMAL	
PERICARDIL	M	NORMAL		

COLOUR DOPPLER:

•	MI	TRAL VALV	/E					
E VELOCITY	0.71	m/sec	PEAK	GRADIENT		Mm/hg		
A VELOCITY	0.41	m/sec	MEAN	GRADIEN	г	Mm/hg		
MVA BY PHT		Cm2	MVA	BY PLANIM	ETRY	Cm2	Cm2	
MITRAL REGURGITAT	ION				ABSENT			
	AC	RTIC VALV	'E					
PEAK VELOCITY	1.31	m,	/sec	PEAK GE	RADIENT	mr	m/hg	
AR VMAX		m	/sec	MEAN GRADIENT mm/hg				
AORTIC REGURGITAT	ION			ABSENT				
6 11 11	TRIC	CUSPID VA	LVE					
PEAK VELOCITY	0.5	5	m/sec	PEAK G	PEAK GRADIENT		mm/hg	
MEAN VELOCITY			m/sec	MEAN	MEAN GRADIENT		mm/hg	
VMax VELOCITY								
TRICUSPID REGURGI	TATION			ABSENT				
	PU	LMONARY	VALVE					
PEAK VELOCITY		0.90		M/sec.	PEAK GRADIENT		Mm/hg	
MEAN VALOCITY					MEAN GRADIENT		Mm/hg	
PULMONARY REGUR	GITATION			-	ABSENT			

VIKAS

Page No: 1 of 2





B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,

Sodala, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www. drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

33 Yrs

:- 08/01/2024 12:29:35 NAME :- Mr. PRADEEP YADAV Patient ID: -12235178

Ref. By Dr:- BOB

Company :- MediWheel

Lab/Hosp :-

Sample Type :-

Sex / Age :- Male

Sample Collected Time

Final Authentication: 08/01/2024 16:46:08

Impression--

- 1. Normal LV size & contractility.
- 2. No RWMA, LVEF 62 %.
- 3. Normal cardiac chamber.
- 4. Normal valve.
- 5. No clot, no vegetation, no pericardial effusion.

(Cardiologist

*** End of Report ***

VIKAS

Page No: 2 of 2 '





B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com E-mail: drgoyalpiyush@gmail.com



Date

:- 08/01/2024 12:29:35

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

Company :- MediWheel

Patient ID: -12235178 Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 08/01/2024 15:40:05

BOB PACKAGE BELOW 40MALE

USG WHOLE ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is obscured due to bowel gases.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size with normal echo-texture and outline. No enlarged nodes are visualised. No retro-peritoneal lesion is identified No significant free fluid is seen in peritoneal cavity.

IMPRESSION:

* Normal study

Needs clinical correlation.

*** End of Report ***

Page No: 1 of 1

RINKUSAINI

Transcript by.

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant FMF ID - 260517 | RMC No 22430 Dr Abhishek Jain RMC No. 21687

Dr. Navneet Agarwal RMC No. 33613/14911

Dr. Poorvi Malik MBBS, DNB, (Radio-Diagnosis) MD, DNB (Radio Diagnosis) MBBS, MD, DNB (Radio Diagnosis) RMC No. 21505

Dr. Goyal's Path Lab


Name PRADEEP YADAV 33YRS Patient Id PRADE59_59539

Date 01/08/2024 Diagnosis Dr.














Dr Goyal's Path Lab, Jaipur

