

# **EYE GLASS PRESCRIPTION**

Name: M8. Deva Rakonda Maga Raju  Age: 43 Employee ID: 6/057/  Gender: M1 Date: 27/01/24						
Vn (unaided PGP		8/6	6/6			
Distance	OD OS	SPH  D  D	CYL	AXIS	BCVA 6/6 e/6	
Add	1.	t 1	+ .25	□ Sir □ Sir □ Bif □ Pro	ENS TYPE  Ingle Vision Distance  Ingle Vision Near  Ingle Vision Near	
Remarks:		ov ~ n	Josmal	abei d	Signature	



My Derbrakonda Nagaraju Uslm 6/0571

27/01/2024



43	61
Years	0571
•	

# MR. DEVARAKONDA NAGARAJU

27-Jan-24 9:40:06 AM
YODA LIFELINE DIAGNOSTICS

Device:	\frac{1}{2}	→ H	\frac{1}{2}	j i	P P P P P P P P P P P P P P P P P P P	
	}		}	}		70 . Si . Ir 171 . Rs 108 417 450
Speed:	<b>{</b>	}	\{		47 43 17 Standard Placement	Sinus rhythm Incomplete RBB RSR' in V1 or
Speed: 25 mm/sec	}		avi	avs.	nt .	RBBB or V2
						and LAFB, right VCD (
Limb: 10 mm/mV			}		I	or RVH
	}		}	}	ABNORMAL	
Chest: 10.0 mm/mV		-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\	-\ -\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		ECG -	axis (2:
m/mV					confirme	10, rea
	}		\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \		Unconfirmed Diagnosis	-40), S>R III
-я -я			45	V4		e 50- 99 I III avr R' V1/V2
50~ 0.15-100	}	}	}	}		
00 Hz	}	}	}			
100B C	coun * You	Heline				
CI.?	- Possinsoufer		_ (	_(		

<u>.</u>8



**Patient Name** : Mr. DEVARAKONDA NAGARAJU

Age/Gender : 43 Y 3 M 8 D /M

DOB : 20/Oct/1980

Ref Doctor : SELF : MEDI WHEELS

: F-701, Lado Sarai, Mehravli, N Client Add

Hospital Name

Client Name

UHID/MR No : YOD.0000589122

Client Code : YOD-DL-0021

Barcode No : 10899816

Registration : 27/Jan/2024 08:46AM

: 27/Jan/2024 08:51AM Collected

Received : 27/Jan/2024 09:39AM Reported : 27/Jan/2024 11:23AM

DEPARTMENT OF HAEMATOLOGY				
Test Name	Result	Unit	Biological Ref. Range	Method

ESR (ERYTHROCYTE SEDIMENTATION RATE)					
Sample Type : WHOLE BLOOD EDTA					
ERYTHROCYTE SEDIMENTATION RATE	2	mm/1st hr	0 - 15		Capillary Photometry

### COMMENTS:

ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.

Increased levels may indicate: Chronic renal failure (e.g., nephritis, nephrosis), malignant diseases (e.g., multiple myeloma, Hodgkin disease, advanced Carcinomas), bacterial infections (e.g., abdominal infections, acute pelvic inflammatory disease, syphilis, pneumonia), inflammatory diseases (e.g. temporal arteritis, polymyalgia rheumatic, rheumatoid arthritis, rheumatic fever, systemic lupus erythematosus [SLE]), necrotic diseases (e.g., acute myocardial infarction, necrotic tumor, gangrene of an extremity), diseases associated with increased proteins (e.g., hyperfibrinogenemia, macroglobulinemia), and severe anemias (e.g., iron deficiency or B12 deficiency).

Falsely decreased levels may indicate: Sickle cell anemia, spherocytosis, hypofibrinogenemia, or polycythemia vera.

Verified By: M Thirumalesh Reddy



Approved By:

DR. ABDUL ALEEM MOHAMMED MD, DNB (PATHOLOGY) Fellowship in Cytogenetics (USA)



Patient Name : Mr. DEVARAKONDA NAGARAJU

Age/Gender : 43 Y 3 M 8 D /M

DOB : 20/Oct/1980 Ref Doctor : SELF

Client Name : MEDI WHEELS

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name :

UHID/MR No : YOD.0000589122

Client Code : YOD-DL-0021

Barcode No : 10899816

Registration : 27/Jan/2024 08:46AM Collected : 27/Jan/2024 08:51AM

Received : 27/Jan/2024 09:39AM

Reported : 27/Jan/2024 11:28AM

DEPARTMENT OF HAEMATOLOGY				
Test Name	Result	Unit	Biological Ref. Range	Method

BLOOD GROUP ABO & RH Typing				
Sample Type : WHOLE BLOOD EDTA				
ABO	0			
Rh Typing	POSITIVE			

Method: Hemagglutination Tube method by forward and reverse grouping

### COMMENTS:

The test will detect common blood grouping system A, B, O, AB and Rhesus (RhD). Unusual blood groups or rare subtypes will not be detected by this method. Further investigation by a blood transfusion laboratory, will be necessary to identify such groups.

Disclaimer: There is no trackable record of previous ABO & RH test for this patient in this lab. Please correlate with previous blood group findings. Advsied cross matching before transfusion

Verified By : M Thirumalesh Reddy



Approved By:

DR. ABDUL ALEEM MOHAMMED MD, DNB (PATHOLOGY) Fellowship in Cytogenetics (USA)



Patient Name : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M Barcode No : 10899816

DOB : 20/Oct/1980 Registration : 27/Jan/2024 08:46AM Ref Doctor : SELF Collected : 27/Jan/2024 08:51AM : MEDI WHEELS Client Name Received : 27/Jan/2024 09:39AM : F-701, Lado Sarai, Mehravli, N : 27/Jan/2024 11:23AM Client Add Reported

Hospital Name :

DEPARTMENT OF HAEMATOLOGY				
Test Name Result Unit Biological Ref. Range Method				Method

UHID/MR No

: YOD.0000589122

СВ	CBC(COMPLETE BLOOD COUNT)					
Sample Type : WHOLE BLOOD EDTA						
HAEMOGLOBIN (HB)	16.0	g/dl	13.0 - 17.0	Cyanide-free SLS method		
RBC COUNT(RED BLOOD CELL COUNT)	5.03	million/cmm	4.50 - 5.50	Impedance		
PCV/HAEMATOCRIT	45.9	%	40.0 - 50.0	RBC pulse height detection		
MCV	91.3	fL	83 - 101	Automated/Calculated		
MCH	31.8	pg	27 - 32	Automated/Calculated		
MCHC	34.9	g/dl	31.5 - 34.5	Automated/Calculated		
RDW - CV	13.3	%	11.0-16.0	Automated Calculated		
RDW - SD	44.3	fl	35.0-56.0	Calculated		
MPV	9.0	fL	6.5 - 10.0	Calculated		
PDW	9.6	fL	8.30-25.00	Calculated		
PCT	0.2	%	0.15-0.62	Calculated		
TOTAL LEUCOCYTE COUNT	5,440	cells/ml	4000 - 11000	Flow Cytometry		
DLC (by Flow cytometry/Microscopy)						
NEUTROPHIL	47	%	40 - 80	Impedance		
LYMPHOCYTE	44.5	%	20 - 40	Impedance		
EOSINOPHIL	1.5	%	01 - 06	Impedance		
MONOCYTE	6.6	%	02 - 10	Impedance		
BASOPHIL	0.4	%	0 - 1	Impedance		
PLATELET COUNT	2.24	Lakhs/cumm	1.50 - 4.10	Impedance		

Verified By :
M Thirumalesh Reddy



Approved By:

DR. ABDUL ALEEM MOHAMMED MD, DNB (PATHOLOGY) Fellowship in Cytogenetics (USA)



Visit ID : YOD610571 UHID/MR No : YOD.0000589122

**Patient Name** : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M Barcode No : 10899816

DOB Registration : 20/Oct/1980 : 27/Jan/2024 08:46AM : 27/Jan/2024 08:51AM Ref Doctor : SELF Collected : MEDI WHEELS Client Name Received : 27/Jan/2024 08:59AM

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name

DEPARTMENT OF BIOCHEMISTRY				
Test Name	Unit	Biological Ref. Range	Method	

Reported

: 27/Jan/2024 10:37AM

THYROID PROFILE (T3,T4,TSH)				
Sample Type : SERUM				
T3	1.13	ng/ml	0.60 - 1.78	CLIA
T4	8.50	ug/dl	4.82-15.65	CLIA
TSH	17.15	ulU/mL	0.30 - 5.60	CLIA

### INTERPRETATION:

- 1. Serum T3, T4 and TSH are the measurements form three components of thyroid screening panel and are useful in diagnosing various disorders of thyroid gland function.
- 2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.
- 3. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.
- 4. Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis. Slightly elevated T3 levels may be found in pregnancy and in estrogen therapy while depressed levels may be encountered in severe illness, malnutrition, renal failure and during therapy with drugs like propanolol and propylthiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hypothyroidism, rarely they can result from TSH secreting pituitary tumors (secondary hyperthyroidism)
- 6. Low levels of Thyroid hormones (T3, T4 & FT3, FT4) are seen in cases of primary, secondary and tertiary hypothyroidism and sometimes
- in non-thyroidal illness also.
  7. Increased levels are found in Grave's disease, hyperthyroidism and thyroid hormone resistance.
- 8. TSH levels are raised in primary hypothyroidism and are low in hyperthyroidism and secondary hypothyroidism.
- 9. REFERENCE BANGE

PREGNANCY	TSH in uIU/ mL
1st Trimester	0.60 - 3.40
2nd Trimester	0.37 - 3.60
3rd Trimester	0 38 - 4 04

( References range recommended by the American Thyroid Association)

Comments:

- 1. During pregnancy, Free thyroid profile (FT3, FT4 & TSH) is recommended.
- 2. TSH levels are subject to circadian variation, reaches peak levels between 2-4 AM and at a minimum between 6-10 PM. The variation of the day has influence on the measured serum TSH concentrations.

Verified By: M Thirumalesh Reddy





**Patient Name** : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M Barcode No : 10899816

DOB : 20/Oct/1980 Registration : 27/Jan/2024 08:46AM Ref Doctor : SELF Collected : 27/Jan/2024 08:51AM : MEDI WHEELS Client Name Received : 27/Jan/2024 08:59AM Reported : F-701, Lado Sarai, Mehravli, N : 27/Jan/2024 10:36AM Client Add

Hospital Name

DEPARTMENT OF BIOCHEMISTRY						
Test Name	Test Name Result Unit Biological Ref. Range Method					

UHID/MR No

: YOD.0000589122

	LIVER FUNCTION TEST(LFT)					
Sample Type : SERUM	Sample Type : SERUM					
TOTAL BILIRUBIN	1.02	mg/dl	0.3 - 1.2	JENDRASSIK & GROFF		
CONJUGATED BILIRUBIN	0.21	mg/dl	0 - 0.2	DPD		
UNCONJUGATED BILIRUBIN	0.81	mg/dl		Calculated		
AST (S.G.O.T)	63	U/L	< 50	KINETIC WITHOUT P5P- IFCC		
ALT (S.G.P.T)	73	U/L	< 50	KINETIC WITHOUT P5P- IFCC		
ALKALINE PHOSPHATASE	106	U/L	30 - 120	IFCC-AMP BUFFER		
TOTAL PROTEINS	7.5	gm/dl	6.6 - 8.3	Biuret		
ALBUMIN	4.4	gm/dl	3.5 - 5.2	BCG		
GLOBULIN	3.1	gm/dl	2.0 - 3.5	Calculated		
A/G RATIO	1.42			Calculated		

Verified By: M Thirumalesh Reddy



SURYADEEP PRATAP



Patient Name : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M Barcode No : 10899816

 DOB
 : 20/Oct/1980
 Registration
 : 27/Jan/2024 08:46AM

 Ref Doctor
 : SELF
 Collected
 : 27/Jan/2024 08:51AM

 Client Name
 : MEDI WHEELS
 Received
 : 27/Jan/2024 08:59AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:36AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY							
Test Name	Test Name Result Unit Biological Ref. Range Method						

LIPID PROFILE						
Sample Type : SERUM						
TOTAL CHOLESTEROL	220	mg/dl	Refere Table Below	Cholesterol oxidase/peroxidase		
H D L CHOLESTEROL	67	mg/dl	> 40	Enzymatic/ Immunoinhibiton		
L D L CHOLESTEROL	116.2	mg/dl	Refere Table Below	Enzymatic Selective Protein		
TRIGLYCERIDES	184	mg/dl	See Table	GPO		
VLDL	36.8	mg/dl	< 35	Calculated		
T. CHOLESTEROL/ HDL RATIO	3.28		Refere Table Below	Calculated		
TRIGLYCEIDES/ HDL RATIO	2.75	Ratio	< 2.0	Calculated		
NON HDL CHOLESTEROL	153	mg/dl	< 130	Calculated		

Interpretation					
NATIONAL CHOLESTEROL EDUCATION		TOTAL	TRI GLYCERI DE	LDL	NON HDL
PROGRAMME (NCEP)		CHOLESTEROL	CHOLESTEROL THI GET GETTIBLE		CHOLESTEROL
Optimal		<200	<150	<100	<130
Above Optimal		-	-	100-129	130 - 159
Borderline High		200-239	150-199	130-159	160 - 189
High		>=240	200-499	160-189	190 - 219
Very High	_	-	>=500	>=190	>=220
REMARKS	Cholesterol : HDL	Ratio	•		-
Low rick	3 3-4 4			1	

REMARKS Cholesterol: HDL Ratio

Low risk 3.3-4.4

Average risk 4.5-7.1

Moderate risk 7.2-11.0

High risk >11.0

Note:

- 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol
- 2. NLA-2014 identifies Non HDL Cholesterol(an indicator of all atherogenic lipoproteins such as LDL , VLDL, IDL, Lpa, Chylomicron remnants)along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL &Non HDL.

3.Apolipoprotein B is an optional, secondary lipid target for treatment once LDL & Non HDL goals have been achieved

4. Additional testing for Apolipoprotein B, hsCRP, Lp(a ) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement

Verified By: M Thirumalesh Reddy







**Patient Name** : Mr. DEVARAKONDA NAGARAJU

Age/Gender : 43 Y 3 M 8 D /M

DOB : 20/Oct/1980 Ref Doctor : SELF

: MEDI WHEELS Client Name

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name

Client Code	: YOD-DL-0021
Barcode No	: 10899816
Registration	: 27/Jan/2024 08:46AM

UHID/MR No

Registration Collected : 27/Jan/2024 08:51AM

: YOD.0000589122

: 27/Jan/2024 08:59AM Received Reported : 27/Jan/2024 11:54AM

DEPARTMENT OF BIOCHEMISTRY							
Test Name	Test Name Result Unit Biological Ref. Range Method						

PSA (PROSTATE SPECIFIC ANTIGEN) - TOTAL						
Sample Type : SERUM						
PROSTATE SPECIFIC ANTIGEN	0.43	ng/mL	< 4.0		CLIA	

### INTERPRETATION:

Raised Total PSA levels may indicate prostate cancer, benign prostate hypertation (BPH), or inflammation of the prostate. Prostate manipulation by biopsy or rigorous physical activity may temporarily elevate PSA levels. The blood test should be done before surgery or six weeks after manipulation. The total PSA may be ordered at regular intervals during treatment of men who have been diagnosed with Prostate cancer and in prostatic cancer cases under observation.

Verified By: M Thirumalesh Reddy

SURYADEEP PRATAP





Patient Name : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

 Age/Gender
 : 43 Y 3 M 8 D /M
 Barcode No
 : 10899816

 DOB
 : 20/Oct/1980
 Registration
 : 27/Jan/2024 08:46AM

Ref Doctor : SELF Collected : 27/Jan/2024 08:51AM
Client Name : MEDI WHEELS Received : 27/Jan/2024 08:59AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:00AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY						
Test Name Result Unit Biological Ref. Range Method						

HBA1C					
Sample Type : WHOLE BLOOD EDTA					
HBA1c RESULT	4.9	%	Normal Glucose tolerance (non-diabetic): <5.7% Pre-diabetic: 5.7-6.4% Diabetic Mellitus: >6.5%	HPLC	
ESTIMATED AVG. GLUCOSE	94	mg/dl			

### Note

1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled .

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions targeting a goal of < 7.0 % may not be appropriate.

co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control.

Verified By:
M Thirumalesh Reddy







Patient Name : Mr. DEVARAKONDA NAGARAJU

Age/Gender : 43 Y 3 M 8 D /M

DOB : 20/Oct/1980 Ref Doctor : SELF

Client Name : MEDI WHEELS

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name :

UHID/MR No	: YOD.0000589122
Client Code	: YOD-DL-0021

lient Code : YOD-DL-002

Barcode No : 10899816

Registration

Collected : 27/Jan/2024 08:51AM

: 27/Jan/2024 08:46AM

Received : 27/Jan/2024 08:59AM

Reported : 27/Jan/2024 10:36AM

DEPARTMENT OF BIOCHEMISTRY							
Test Name	Test Name Result Unit Biological Ref. Range Method						

BLOOD UREA NITROGEN (BUN)					
Sample Type : Serum					
SERUM UREA	16	mg/dL	13 - 43	Urease GLDH	
Blood Urea Nitrogen (BUN)	7.5	mg/dl	5 - 25	GLDH-UV	

### Increased In:

Impaired kidney function, Reduced renal blood flow {CHF, Salt and water depletion, (vomiting, diarrhea, diuresis, sweating), Shock}, Any obstruction of urinary tract, Increased protein catabolism, AMI, Stress

### Decreased In:

Diuresis (e.g. with over hydration), Severe liver damage, Late pregnancy, Infancy, Malnutrition, Diet (e.g., low-protein and high-carbohydrate, IV feedings only), Inherited hyperammonemias (urea is virtually absent in blood)

### Limitations:

Urea levels increase with age and protein content of the diet.

Verified By:
M Thirumalesh Reddy







Patient Name: Mr. DEVARAKONDA NAGARAJUClient Code: YOD-DL-0021Age/Gender: 43 Y 3 M 8 D /MBarcode No: 10899816

Age/Gender : 43 Y 3 M 8 D /M DOB : 20/Oct/1980

Ref Doctor : SELF

Client Name : MEDI WHEELS Received : 27/Jan/2024 08:59AM
Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:36AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Test Name Result Unit Biological Ref. Range Method				

UHID/MR No

Registration

Collected

: YOD.0000589122

: 27/Jan/2024 08:46AM

: 27/Jan/2024 08:51AM

FBS (GLUCOSE FASTING)					
Sample Type : FLOURIDE PLASMA					
FASTING PLASMA GLUCOSE	116	mg/dl	70 - 100	HEXOKINASE	

## INTERPRETATION:

Increased In

- Diabetes Mellitus
- Stress (e.g., emotion, burns, shock, anesthesia)
- Acute pancreatitis
- Chronic pancreatitis
- Wernicke encephalopathy (vitamin B1 deficiency)
- Effect of drugs (e.g. corticosteroids, estrogens, alcohol, phenytoin, thiazides)

### Decreased In

- Pancreatic disorders
- Extrapancreatic tumors
- Endocrine disorders
- Malnutrition
- Hypothalamic lesions
- Alcoholism
- Endocrine disorders

Verified By:
M Thirumalesh Reddy







Patient Name : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M

DOB : 20/Oct/1980
Ref Doctor : SELF

Client Name : MEDI WHEELS

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY						
Test Name	Test Name Result Unit Biological Ref. Range Method					

UHID/MR No

Barcode No

Registration

Collected

Received

Reported

: YOD.0000589122

: 27/Jan/2024 08:46AM

: 27/Jan/2024 11:26AM

: 27/Jan/2024 12:13PM

: 27/Jan/2024 01:19PM

: 10899816

PPBS (POST PRANDIAL GLUCOSE)						
Sample Type : FLOURIDE PLASMA						
POST PRANDIAL PLASMA GLUCOSE	88	mg/dl	<140		HEXOKINASE	

The discordant post prandial blood glucose values are observed in some of the conditions related to defective absorption, insufficient dietary intake, endocrine disorders, hypoglycemic drug overdose and reactive hypoglycemia etc.

### **INTERPRETATION:**

### Increased In

- Diabetes Mellitus
- Stress (e.g., emotion, burns, shock, anesthesia)
- Acute pancreatitis
- Chronic pancreatitis
- Wernicke encephalopathy (vitamin B1 deficiency)
- Effect of drugs (e.g. corticosteroids, estrogens, alcohol, phenytoin, thiazides)

### Decreased In

- Pancreatic disorders
- Extrapancreatic tumors
- Endocrine disorders
- Malnutrition
- Hypothalamic lesions
- Alcoholism
- Endocrine disorders

Verified By: M Thirumalesh Reddy







**Patient Name** : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M Barcode No : 10899816

DOB : 20/Oct/1980 Registration : 27/Jan/2024 08:46AM Ref Doctor : SELF Collected : 27/Jan/2024 08:51AM : MEDI WHEELS Received : 27/Jan/2024 08:59AM Client Name Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:36AM

Hospital Name

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

UHID/MR No

: YOD.0000589122

SERUM CREATININE					
Sample Type : SERUM					
SERUM CREATININE	0.78	mg/dl	0.70 - 1.30	KINETIC-JAFFE	

### Increased In:

- Diet: ingestion of creatinine (roast meat), Muscle disease: gigantism, acromegaly,
- Impaired kidney function.

### Decreased In:

- Pregnancy: Normal value is 0.4-0.6 mg/dL. A value >0.8 mg/dL is abnormal and should alert the clinician to further diagnostic evaluation.
- Creatinine secretion is inhibited by certain drugs (e.g., cimetidine, trimethoprim).

Verified By: M Thirumalesh Reddy





**Patient Name** : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M Barcode No

DOB : 20/Oct/1980 : 27/Jan/2024 08:46AM Registration Ref Doctor : SELF Collected : 27/Jan/2024 08:51AM : MEDI WHEELS : 27/Jan/2024 08:59AM Client Name Received

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:36AM

Hospital Name

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Test Name Result Unit Biological Ref. Range Method				

UHID/MR No

: YOD.0000589122

: 10899816

GGT (GAMMA GLUTAMYL TRANSPEPTIDASE)					
Sample Type : SERUM					
GGT	204	U/L	0 - 55.0	KINETIC-IFCC	

### INTERPRETATION:

GGT functions in the body as a transport molecule, helping to move other molecules around the body. It plays a significant role in helping the liver metabolize drugs and other toxins. Increased GGT include overuse of alcohol, chronic viral hepatitis, lack of blood flow to the liver, liver tumor, cirrhosis, or scarred liver, overuse of certain drugs or other toxins, heart failure, diabetes, pancreatitis, fatty liver disease.

Verified By: M Thirumalesh Reddy





Patient Name : Mr. DEVARAKONDA NAGARAJU Client Code

Age/Gender : 43 Y 3 M 8 D /M Barcode No : 10899816

DOB : 20/Oct/1980
Ref Doctor : SELF

Client Name : MEDI WHEELS Received : 27/Jan/2024 08:59AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:36AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

UHID/MR No

Registration

Collected

: YOD.0000589122

: 27/Jan/2024 08:46AM

: 27/Jan/2024 08:51AM

: YOD-DL-0021

URIC ACID -SERUM					
Sample Type : SERUM					
SERUM URIC ACID		7.0	mg/dl	3.5 - 7.20	URICASE - PAP

Interpretation

Uric acid is the final product of purine metabolism in the human organism. Uric acid measurements are used in the diagnosis and treatment of numerous renal and metabolic disorders, including renal failure, gout, leukemia, psoriasis, starvation or other wasting conditions, and of patients receiving cytotoxic drugs.

Verified By : M Thirumalesh Reddy



Sung deg Chain

Approved By:

SURYADEEP PRATAP Senior Biochemist



Patient Name : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M Barcode No : 10899816

DOB : 20/Oct/1980 Registration : 27/Jan/2024 08:46AM Ref Doctor : SELF Collected : 27/Jan/2024 08:51AM : MEDI WHEELS Client Name Received : 27/Jan/2024 08:59AM : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:36AM Client Add

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY				
Test Name	Result	Unit	Biological Ref. Range	Method

UHID/MR No

: YOD.0000589122

BUN/CREATININE RATIO					
Sample Type : SERUM					
Blood Urea Nitrogen (BUN)	7.5	mg/dl	5 - 25	GLDH-UV	
SERUM CREATININE	0.78	mg/dl	0.70 - 1.30	KINETIC-JAFFE	
BUN/CREATININE RATIO	9.58	Ratio	6 - 25	Calculated	

Verified By:
M Thirumalesh Reddy

CONTACT US







**Patient Name** : Mr. DEVARAKONDA NAGARAJU Client Code : YOD-DL-0021

Age/Gender : 43 Y 3 M 8 D /M DOB : 20/Oct/1980

Ref Doctor : SELF

: MEDI WHEELS Client Name

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name

Barcode No : 10899816

: 27/Jan/2024 08:46AM Registration

Collected : 27/Jan/2024 08:46AM

Received

UHID/MR No

Reported : 27/Jan/2024 10:56AM

: YOD.0000589122

### DEPARTMENT OF RADIOLOGY

**2D ECHO DOPPLER STUDY** 

MITRAL VALVE : Normal

**AORTIC VALVE** : Normal

TRICUSPID VALVE : Normal

**PULMONARY VALVE** : Normal

**RIGHT ATRIUM** : Normal

RIGHT VENTRICLE : Normal

LEFT ATRIUM : 3.5 cms

LEFT VENTRICLE

IVS(d):1.0 cm LVEF:67 % EDD: 4.3 cm PW (d):1.0 cm FS :34 % ESD: 2.6 cm

No RWMA

**IAS** : Intact

**IVS** : Intact

**AORTA** : 3.1cms

**PULMONARY ARTERY** : Normal

**PERICARDIUM** : Normal

IVS/ SVC/ CS : Normal

Verified By: M Thirumalesh Reddy







Patient Name: Mr. DEVARAKONDA NAGARAJUClient Code: YOD-DL-0021Age/Gender: 43 Y 3 M 8 D /MBarcode No: 10899816

Age/Gender : 43 Y 3 M 8 D /M
DOB : 20/Oct/1980

 DOB
 : 20/Oct/1980
 Registration
 : 27/Jan/2024 08:46AM

 Ref Doctor
 : SELF
 Collected
 : 27/Jan/2024 08:46AM

Client Name : MEDI WHEELS Received :

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 10:56AM

Hospital Name :

### DEPARTMENT OF RADIOLOGY

UHID/MR No

: YOD.0000589122

PULMONARY VEINS : Normal

INTRA CARDIAC MASSES: No

**DOPPLER STUDY:** 

MITRAL FLOW : E 0.7 m/sec, A 0.9 m/sec.

AORTIC FLOW : 1.1m/sec

PULMONARY FLOW : 0.8m/sec

TRICUSPID FLOW : NORMAL

COLOUR FLOW MAPPING: TRIVIAL TR

### **IMPRESSION:**

- \* NO RWMA OF LV
- \* NORMAL LV SYSTOLIC FUNCTION
- \* GRADE I LV DIASTOLIC DYSFUNCTION
- \* TRIVIAL TR
- \* NO PE / CLOT / PAH

Verified By:
M Thirumalesh Reddy







 Visit ID
 : YOD610571
 UHID/MR No
 : YOD.0000589122

Patient Name: Mr. DEVARAKONDA NAGARAJUClient Code: YOD-DL-0021Age/Gender: 43 Y 3 M 8 D /MBarcode No: 10899816

 DOB
 : 20/Oct/1980
 Registration
 : 27/Jan/2024 08:46AM

 Ref Doctor
 : SELF
 Collected
 : 27/Jan/2024 08:51AM

 Client Name
 : MEDI WHEELS
 Received
 : 27/Jan/2024 12:33PM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 02:35PM

Hospital Name :

DEPARTMENT OF CLINICAL PATHOLOGY					
Test Name	Result	Unit	Biological Ref. Range	Method	

(	CUE (COMPLETE U	RINE EXAMIN	NATION)	
Sample Type : SPOT URINE				
PHYSICAL EXAMINATION				
TOTAL VOLUME	20 ML	ml		
COLOUR	PALE YELLOW	$\wedge$		
APPEARANCE	CLEAR			
SPECIFIC GRAVITY	1.006		1.003 - 1.035	Bromothymol Blue
CHEMICAL EXAMINATION				<b>:</b>
pH	5.5		4.6 - 8.0	Double Indicator
PROTEIN	NEGATIVE		NEGATIVE	Protein - error of Indicators
GLUCOSE(U)	NEGATIVE		NEGATIVE	Glucose Oxidase
UROBILINOGEN	0.1	mg/dl	< 1.0	Ehrlichs Reaction
KETONE BODIES	NEGATIVE	1/2	NEGATIVE	Nitroprasside
BILIRUBIN - TOTAL	NEGATIVE		Negative	Azocoupling Reaction
BLOOD	NEGATIVE		NEGATIVE	Tetramethylbenzidine
LEUCOCYTE	NEGATIVE		Negative	Azocoupling reaction
NITRITE	NEGATIVE		NEGATIVE	Diazotization Reaction
MICROSCOPIC EXAMINATION	·			
PUS CELLS	1-2	cells/HPF	0-5	
EPITHELIAL CELLS	1-2	/hpf	0 - 15	
RBCs	NIL	Cells/HPF	Nil	
CRYSTALS	NIL	Nil	Nil	
CASTS	NIL	/HPF	Nil	
BUDDING YEAST	NIL		Nil	
BACTERIA	NIL		Nil	
OTHER	NIL			

Verified By :
M Thirumalesh Reddy



~ ~

Dr.VIKAS REDDY Consultant Pathologist



Patient Name : Mr. DEVARAKONDA NAGARAJU Client Code

Age/Gender : 43 Y 3 M 8 D /M Barcode No

 DOB
 : 20/Oct/1980
 Registration
 : 27/Jan/2024 08:46AM

 Ref Doctor
 : SELF
 Collected
 : 27/Jan/2024 08:51AM

 Client Name
 : MEDI WHEELS
 Received
 : 27/Jan/2024 12:33PM

Client Name : MEDI WHEELS Received : 27/Jan/2024 12:33PM
Client Add : F-701, Lado Sarai, Mehravli, N Reported : 27/Jan/2024 02:35PM

Hospital Name :

DEPARTMENT OF CLINICAL PATHOLOGY					
Test Name	Result	Unit	Biological Ref. Range	Method	

UHID/MR No

: YOD.0000589122

: YOD-DL-0021

: 10899816

\*\*\* End Of Report \*\*\*

Verified By:
M Thirumalesh Reddy



Dr.VIKAS REDDY Consultant Pathologist