PID No.
 : MED122474379
 Register On
 : 24/02/2024 8:08 AM

 SID No.
 : 522403056
 Collection On
 : 24/02/2024 9:54 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 24/02/2024 6:24 PM



Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	<u>Value</u>		Reference Interval

'A' 'Positive'

BLOOD GROUPING AND Rh

**TYPING** 

 $(EDTA\ Blood Agglutination)$ 

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

# Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	10.3	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	31.8	%	37 - 47
RBC Count (EDTA Blood)	3.65	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	87.2	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.1	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.3	g/dL	32 - 36
RDW-CV	16.5	%	11.5 - 16.0
RDW-SD	51.2	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7700	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	64.0	%	40 - 75
Lymphocytes (Blood)	26.5	%	20 - 45
Eosinophils (Blood)	0.8	%	01 - 06
Monocytes (Blood)	7.4	%	01 - 10







 PID No.
 : MED122474379
 Register On
 : 24/02/2024 8:08 AM

 SID No.
 : 522403056
 Collection On
 : 24/02/2024 9:54 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 24/02/2024 6:24 PM

**Printed On** 



Ref. Dr : MediWheel

: OP

**Type** 

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	1.3	%	00 - 02
INTERPRETATION: Tests done on Automated F	ive Part cell count	er. All abnormal results	are reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.9	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.0	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.1	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.6	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.1	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	292	10^3 / μl	150 - 450
MPV (Blood)	9.5	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.278	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	42	mm/hr	< 20
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	87.09	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

: 27/02/2024 3:53 PM

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	98.74	mg/dL	70 - 140







: MediWheel

 PID No.
 : MED122474379
 Register On
 : 24/02/2024 8:08 AM

 SID No.
 : 522403056
 Collection On
 : 24/02/2024 9:54 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 24/02/2024 6:24 PM

**Printed On** 



Type : OP

Ref. Dr

<u>Investigation</u>	Observed Unit	<u>Biological</u>
	<u>Value</u>	Reference Interval

#### INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

: 27/02/2024 3:53 PM

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.9	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.58	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Cic.			
Uric Acid (Serum/Enzymatic)	3.78	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.41	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.21	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.20	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	19.04	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	14.01	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	19.97	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	61.5	U/L	42 - 98







 PID No.
 : MED122474379
 Register On
 : 24/02/2024 8:08 AM

 SID No.
 : 522403056
 Collection On
 : 24/02/2024 9:54 AM

**Printed On** 

Type : OP

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Total Protein (Serum/Biuret)	7.27	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.09	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.18	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.29		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	149.12	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	78.69	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

: 27/02/2024 3:53 PM

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	48.12	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	85.3	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	15.7	mg/dL	< 30







PID No. : MED122474379 : 522403056 SID No.

Age / Sex : 46 Year(s) / Female Report On : 24/02/2024 6:24 PM

**Type** : OP

Ref. Dr : MediWheel Register On : 24/02/2024 8:08 AM

Collection On : 24/02/2024 9:54 AM

**Printed On** : 27/02/2024 3:53 PM



Investigation **Observed** <u>Unit</u> **Biological** Value Reference Interval Non HDL Cholesterol 101.0 mg/dL Optimal: < 130 Above Optimal: 130 - 159 (Serum/Calculated) Borderline High: 160 - 189

High: 190 - 219 Very High:  $\geq 220$ 

High Risk: > 6.0

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol 3.1 Optimal: < 3.3Low Risk: 3.4 - 4.4 Ratio Average Risk: 4.5 - 7.1 (Serum/Calculated) Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 1.6 Optimal: < 2.5Mild to moderate risk: 2.5 - 5.0 (TG/HDL) High Risk: > 5.0(Serum/Calculated) Optimal: 0.5 - 3.0 LDL/HDL Cholesterol Ratio 1.8 Borderline: 3.1 - 6.0 (Serum/Calculated)

Glycosylated Haemoglobin (HbA1c)

Normal: 4.5 - 5.6 HbA1C 4.5 % Prediabetes: 5.7 - 6.4 (Whole Blood/HPLC) Diabetic:  $\geq$  6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 82.45 mg/dL

(Whole Blood)







: MED122474379 **Register On** : 24/02/2024 8:08 AM

Type : OP Printed On : 27/02/2024 3:53 PM

Ref. Dr : MediWheel

PID No.

Investigation Observed Unit Biological Value Reference Interval

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

#### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.18 ng/ml 0.7 - 2.04

(Serum/ECLIA)

#### INTERPRETATION:

#### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 6.98  $\mu$ g/dl 4.2 - 12.0

(Serum/ECLIA)

#### INTERPRETATION:

#### **Comment:**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 5.34 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

# PHYSICAL EXAMINATION (URINE

**COMPLETE**)







**APPROVED BY** 

The results pertain to sample tested.

Page 6 of 10

 PID No.
 : MED122474379
 Register On
 : 24/02/2024 8:08 AM

 SID No.
 : 522403056
 Collection On
 : 24/02/2024 9:54 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 24/02/2024 6:24 PM



Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
Colour (Urine)	Yellow	Yellow to Amber
Appearance Urine)	Clear	Clear
Volume(CLU) Jrine)	20	
CHEMICAL EXAMINATION COMPLETE)	<u>(URINE</u>	
H Urine)	5	4.5 - 8.0
Specific Gravity Urine)	1.019	1.002 - 1.035
Letone Jrine)	Negative	Negative
robilinogen <sup>Irine)</sup>	Normal	Normal
lood (rine)	Negative	Negative
itrite <sub>Irine)</sub>	Negative	Negative
ilirubin <sup>Jrine)</sup>	Negative	Negative
rotein <sup>Jrine</sup> )	Negative	Negative
·lucose Jrine/ <i>GOD - POD</i> )	Negative	Negative
eukocytes(CP)	Negative	
MICROSCOPIC EXAMINATI	<u>ION</u>	







The results pertain to sample tested.

(URINE COMPLETE)

PID No. : MED122474379 Register On : 24/02/2024 8:08 AM : 522403056 SID No. Collection On : 24/02/2024 9:54 AM

Age / Sex : 46 Year(s) / Female Report On : 24/02/2024 6:24 PM

**Printed On** 

**Type** : OP

(Urine)

Ref. Dr : MediWheel

: 27/02/2024 3:53 PM



Investigation **Observed** <u>Unit</u> **Biological Value** Reference Interval 0-1 NIL Pus Cells /hpf (Urine) **NIL Epithelial Cells** 0-1 /hpf (Urine) **NIL RBCs NIL** /HPF (Urine) NIL Others

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

NIL **NIL** /hpf Casts (Urine)

NIL /hpf **NIL** Crystals (Urine)





PID No. : MED122474379

: 522403056 SID No.

Age / Sex : 46 Year(s) / Female

**Type** : OP

Register On : 24/02/2024 8:08 AM

Collection On : 24/02/2024 9:54 AM

Report On

: 24/02/2024 6:24 PM

**Printed On** : 27/02/2024 3:53 PM



Ref. Dr : MediWheel

<u>Unit</u> **Investigation** <u>Observed</u> **Biological Value** Reference Interval BUN / Creatinine Ratio 6.0 - 22.0 17.0





**APPROVED BY** 

PID No. : MED122474379

: MediWheel

: 522403056 SID No.

Age / Sex : 46 Year(s) / Female

**Type** 

Ref. Dr

: OP

Register On : 24/02/2024 8:08 AM

Collection On : 24/02/2024 9:54 AM

**Printed On** : 27/02/2024 3:53 PM

Report On : 24/02/2024 6:24 PM



<u>Observed</u> **Investigation** Value

<u>Unit</u>

<u>Biological</u> Reference Interval

**URINE ROUTINE** 





-- End of Report --



Name	Mrs.GEETA DEVI	ID	MED122474379
Age & Gender	46/FEMALE	Visit Date	24/02/2024
Ref Doctor Name	MediWheel		

X-ray mammogram (mediolateral oblique & craniocaudal views) followed by Sonomammography.

#### **BILATERAL MAMMOGRAPHY**

Breast composition Type C (The breasts are heterogeneously dense, which may obscure small masses).

No evidence of focal soft tissue lesion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

Bilateral axillary lymphnodes are seen.

# **BILATERAL SONOMAMMOGRAPHY**

Both the breasts show normal echopattern.

No evidence of focal solid / cystic areas.

No evidence of ductal dilatation.

Bilateral benign axillary lymph nodes are seen with preserved fatty hilum, largest measuring 3.4 mm on left side and 4.3 mm on right.

## **IMPRESSION:**

Essentially normal study.

**ASSESSMENT: BI-RADS CATEGORY - 1** 

### **BI-RADS CLASSIFICATION**

- 1.This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mrs.GEETA DEVI	ID	MED122474379
Age & Gender	46/FEMALE	Visit Date	24/02/2024
Ref Doctor Name	MediWheel		

# **CATEGORY RESULT**

1 Negative. Routine mammogram in 1 year recommended.

DR. SHWETHA S
CONSULTANT RADIOLOGIST
Sw/Sp

<sup>1.</sup>This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

<sup>2.</sup> The results reported here in are subject to interpretation by qualified medical professionals only.

<sup>3.</sup> Customer identities are accepted provided by the customer or their representative.

<sup>4.</sup>information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

<sup>5.</sup>If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

<sup>6.</sup>Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.

<sup>7.</sup>Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

<sup>8.</sup>If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

<sup>9.</sup>Liability is limited to the extend of amount billed.

<sup>10.</sup>Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

<sup>11.</sup>Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mrs.GEETA DEVI	ID	MED122474379
Age & Gender	46/FEMALE	Visit Date	24/02/2024
Ref Doctor Name	MediWheel		

### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size and echopattern.

#### **BOTH KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

· ·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	8.5	1.7
Left Kidney	9.8	1.5

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

#### UTERUS is anteverted and shows mildly bulky in size.

It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 7.6mm.

Uterus measures LS: 9.0 cms

AP: 4.5cms

TS: 5.2 cms.

#### **OVARIES** are normal in size, shape and echotexture

Right ovary measures - 2.7 x 1.6 cm Left ovary measures - 3.3 x 1.9 cm.

#### POD & adnexa are free.

- 1.This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11. Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mrs.GEETA DEVI	ID	MED122474379
Age & Gender	46/FEMALE	Visit Date	24/02/2024
Ref Doctor Name	MediWheel		

No evidence of ascites.

# **IMPRESSION:**

- Bulky uterus.
- No other significant abnormality detected.

DR. SHWETHA S
CONSULTANT RADIOLOGIST
Sw/Sp

<sup>1.</sup>This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

<sup>2.</sup> The results reported here in are subject to interpretation by qualified medical professionals only.

<sup>3.</sup> Customer identities are accepted provided by the customer or their representative.

<sup>4.</sup>information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

<sup>5.</sup>If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

<sup>6.</sup>Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.

<sup>7.</sup>Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

<sup>8.</sup>If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

<sup>9.</sup>Liability is limited to the extend of amount billed.

<sup>10.</sup>Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

<sup>11.</sup>Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mrs. GEETA DEVI	ID	MED122474379
Age & Gender	46Y/F	Visit Date	Feb 24 2024 8:07AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

DR. TRISHUL SHETTY
CONSULTANT RADIOLOGIST