PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

Investigation HAEMATOLOGY	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	12.5	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	36.7	%	37 - 47
RBC Count (EDTA Blood)	4.43	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	82.9	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	34.1	g/dL	32 - 36
RDW-CV	13.7	%	11.5 - 16.0
RDW-SD	39.75	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7600	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	56.1	%	40 - 75
Lymphocytes (Blood)	32.0	%	20 - 45
Eosinophils (Blood)	5.6	%	01 - 06
Monocytes (Blood)	5.8	%	01 - 10



 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils	0.5	%	00 - 02
(Blood)			
INTERPRETATION: Tests done on Automated Five	Part cell counter. All a	abnormal results are	e reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.26	10^3 / μΙ	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.43	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.43	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.44	10^3 / μ1	< 1.0
Absolute Basophil count (EDTA Blood)	0.04	10^3 / μ1	< 0.2
Platelet Count (EDTA Blood)	282	10^3 / μ1	150 - 450
MPV (Blood)	7.1	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	6	mm/hr	< 20



 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 : OP
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.55	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.20	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.35	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	45.40	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	73.33	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	35.08	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	62.3	U/L	42 - 98
Total Protein (Serum/Biuret)	6.96	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	5.45	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	1.51	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	3.61		1.1 - 2.2



 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 : OP
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	171.02	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	141.83	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

r · · · · · · · · · · · · · · · · · · ·			
HDL Cholesterol (Serum/Immunoinhibition)	36.95	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	105.7	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	28.4	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	134.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

Printed On

Type : OP

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed Unit Biological</u>
<u>Value</u> <u>Reference Interval</u>

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

: 27/02/2023 7:31 AM

Total Cholesterol/HDL Cholesterol Ratio
(Serum/Calculated)

4.6

Optimal: < 3.3

Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1

Moderate Risk: 7.2 - 11.0

High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio

3.8

Optimal: < 2.5

(TG/HDL)

Mild to moderate risk: 2.5 - 5.0

High Pick: > 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 2.9 Optimal: 0.5 - 3.0 (Serum/Calculated) Borderline: 3.1 - 6.0

High Risk: > 6.0



PID No. : MED121693913 Register On : 25/02/2023 8:39 AM : 522302909 SID No. Collection On : 25/02/2023 11:21 AM Age / Sex : 34 Year(s) / Female Report On : 25/02/2023 9:32 PM **Type** : OP **Printed On**

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 108.28 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



: 27/02/2023 7:31 AM

Age / Sex : 34 Year(s) / Female

Type : OP

PID No.

: OP **Printed On** : 27/02/2023 7:31 AM

Report On

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

: 25/02/2023 9:32 PM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.32 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Tyroxine) - Total 8.51 μg/dl 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 3.25 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 : OP
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
Value Reference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Yellow Yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 20

(Urine)

CHEMICAL EXAMINATION (URINE

<u>COMPLETE</u>)

pH 5.0 4.5 - 8.0

(Urine)

Specific Gravity 1.017 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 : OP
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine) MICROSCOPIC EXAMINATION (URINE COMPLETE)	Negative		Negative
Pus Cells (Urine)	0-2	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/hpf	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 : OP
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771

 PID No.
 : MED121693913
 Register On
 : 25/02/2023 8:39 AM

 SID No.
 : 522302909
 Collection On
 : 25/02/2023 11:21 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 25/02/2023 9:32 PM

 Type
 : OP
 Printed On
 : 27/02/2023 7:31 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	16		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	91.88	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS)	118.19	mg/dL	70 - 140

(Plasma - PP/GOD-PAP)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.3	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.58	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 5.49 mg/dL 2.6 - 6.0 (Serum/Enzymatic)



ALLHOVED D

-- End of Report --

GE MAC2000 1.1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\{ \}	1	QT/QTcBaz QT/QTcBaz PR PR P/QRS/T	, MRS vimala ID: MED121693913 34 Years Female
12SL™ v241	• }	av -	avL A	ay N	72 ms 376 / 419 ms 120 ms 96 ms 802 / 800 ms 33 / 46 / 26 degrees	25.0 CLU) VYA, BANA
25 mm/s 10 mm/mV ADS 0.5		YS S			Normal sinus rhythm Normal FCG	25.02.2023 11:03:08 CLUMAX DIAGNOSTICS VYALIKAVAL BANGALORE
0.56-20 Hz 50 Hz 4x2 5x3_25_R1 1/1					Technician Ordering Ph Referring Ph Attending Ph	75. bpm

Name	MRS.VIMALA M S	ID	MED121693913
Age & Gender	34Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (14.3cms) and has increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER partially distended.

CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

BOTH KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

•	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.5	1.5
Left Kidney	12.1	2.0

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is retroverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 8.1mm.

Uterus measures LS: 4.2cms AP: 4.2cms TS: 5.5cms.

OVARIES are normal in size, shape and echotexture

Right ovary measures 3.7 x 2.1 cms.

Left ovary measures 2.6 x 2.1 cms.

POD and adnexa are free.

No evidence of ascites.

IMPRESSION:

- Grade I-II fatty infiltration of liver.
- No other significant sonological abnormality detected.

Name	MRS.VIMALA M S	ID	MED121693913
Age & Gender	34Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

DR. HEMANANDINI V.N CONSULTANT RADIOLOGISTS Hn/Lr

Name	MRS.VIMALA M S	ID	MED121693913
Age & Gender	34Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA 2.01 cms. LEFT ATRIUM : 2.93 cms. AVS 1.47 cms. LEFT VENTRICLE (DIASTOLE) 3.67 cms. (SYSTOLE) 2.20 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 0.93 cms. (SYSTOLE) 1.04 cms. **POSTERIOR WALL** (DIASTOLE) 1.43 cms. (SYSTOLE) 1.20 cms. **EDV** 56 ml. **ESV** 16 ml. FRACTIONAL SHORTENING 40 % **EJECTION FRACTION** 60 % : **EPSS** cms. **RVID** 1.80 cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE: E - 0.8 m/s A - 0.6 m/s NO MR.

AORTIC VALVE: 1.1 m/s NO AR.

TRICUSPID VALVE: E - 0.4 m/s A - 0.3 m/s NO TR.

PULMONARY VALVE: 0.8 m/s NO PR.

Name	MRS.VIMALA M S	ID	MED121693913
Age & Gender	34Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal, Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

Name	MRS.VIMALA M S	ID	MED121693913
Age & Gender	34Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		