

PHYSICAL EXAMINATION REPORT

0

R

Patient Name	Anil Bhojwai Sex/Age Mco
Date	Location
TY:	13/23. Journal Flane.
History and Co	omplaints
	N_{i}
	the control of the co
EXAMINATION	FINDINGS:
Height (cms):	Temp (0c):
Veight (kg):	Skin:
Blood Pressure	60/00 Nails: AD.
ulse	Lymph Node:
	26 Comparade:
stems:	
ardiovascular:	
spiratory:	
nitourinary:	Talan
System:	HOLV.
S:	
pression:	
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 Bip. Johne- Pus cells (30-40/hpf) 1 LOL. 20 EHO-WH.
	Dotre- Pus celle 100-1 1/200
	(CIS (30-40 [NIPF)
	7 10 1

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



& Usine intersor

Ac	Ivice: - Physician's Consultation for Pruk Plenty of Liquids. 1B'R.
	THUK Plenty of Liquids. TB'R.
	Low Fat Low Sugar Pret Reg: Exercise
	Reg. Event
1)	Hypertension:
2)	IHD
3)	Arrhythmia
4)	Diabetes Mellitus
5)	Tuberculosis
6)	Asthama
7)	Pulmonary Disease
8)	Thyroid/ Endocrine disorders
9)	Nervous disorders
10)	GI system
11)	Genital urinary disorder
12)	Rheumatic joint diseases or symptoms
13)	Blood disease or disorder
14)	Cancer/lump growth/cyst
15)	Congenital disease
16)	Surgeries
17)	Surgeries #155.466 (2008) Musculoskeletal System
PERSO	ONAL HISTORY:
1)	Alcohol
2)	Smoking
3)	Diet
4)	Medication
(4	Dr. Manasee Kulkarni 2005/09/3439

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

Date:-15/8/23 Name: Any Bhojoan Sex/Age: 19-33

EYE CHECK UP

Chief complaints: RCU

Systemic Diseases:

Past history: 1 Hel

Unaided Vision: BEER AVRE 14/8

Aided Vision: BR & NUMME

Refraction:

(Right Eye)

(Left Eye)

					(Left Eye)			
	Sph	Cyl	Axis	Vn	Sph	Cul		
Distance					- Jan	Cyl	Axis	Vn
Near								

Colour Vision: Normal / Abnormal / Cart al

Remark: Us a con speeks.

MR. PRAKASH KUDVA



: 2307409967

Name

: MR. ANIL C BHOJWANI

Age / Gender

Reg. Location

: 58 Years / Male

Consulting Dr.

: G B Road, Thane West (Main Centre)

Authenticity Chock

R

E

0

Use a QR Code Scanner plication To Scan the Code

Collected

: 15-Mar-2023 / 09:32

Reported :15-Mar-2023 / 15:32

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER		te Blood Count), Blood	
	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	14.7	13.0-17.0 g/dL	Spectrophotometric
RBC	4.98	4.5-5.5 mil/cmm	Elect. Impedance
PCV	43.4	40-50 %	Measured
MCV	87.2	80-100 fl	Calculated
MCH	29.5	27-32 pg	Calculated
MCHC	33.9	31.5-34.5 g/dL	Calculated
RDW	12.2	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	3840	4000-10000 /cmm	Float Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS	1000 10000 7 (111111	Elect. Impedance
Lymphocytes	34.0	20-40 %	
Absolute Lymphocytes	1305.6	1000-3000 /cmm	Calculated
Monocytes	10.0	2-10 %	carcatated
Absolute Monocytes	384.0	200-1000 /cmm	Calculated
Neutrophils	54.8	40-80 %	catculated
Absolute Neutrophils	2104.3	2000-7000 /cmm	Calculated
Eosinophils	1.2	1-6 %	Calculated
Absolute Eosinophils	46.1	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	Calculated
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes		20 100 / Chilli	Calculated
WBC Differential Count by Abso	orhance & Impedance mother	1/Microscow.	

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLAT	TELET	PARAM	METERS

Platelet Count	244000	150000-400000 /cmm	Elect. Impedance
MPV	9.8	6-11 fl	
PDW	14.2	11-18 %	Calculated
RBC MORPHOLOGY	SPO ME MANUAL	11-10 %	Calculated

Page 1 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

At. henticity Check

Use a QR Code Scanner

Collected

: 15-Mar-2023 / 09:32

R

R

Reported

:15-Mar-2023 / 16:10

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

28

2-20 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 2 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanne

Collected

: 15-Mar-2023 / 12:48

Reported

:15-Mar-2023 / 15:28

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

88.8

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

Hexokinase

R

R

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 115.7

Plasma PP/R

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: Hexokinase

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)

Absent

Absent

Urine Ketones (Fasting)

Absent

Absent

Urine Sugar (PP)

Absent

Absent Absent


Urine Ketones (PP)

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West ** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 3 of 19



CID : 2307409967

Name : MR. ANIL C BHOJWANI

Age / Gender

:58 Years / Male

Consulting Dr.

: -

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner

Collected

: 15-Mar-2023 / 09:32

R

E

Reported :15-Mar-2023 / 13:06

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	15.5	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	7.2	6-20 mg/dl	Calculated
CREATININE, Serum	0.79	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	107	>60 ml/min/1.73sqm	Calculated

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation

TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.1	1 - 2	Calculated
URIC ACID, Serum	4.5	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	3.0	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	9.1	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	141	135-148 mmol/l	ISE
POTASSIUM, Serum	4.2	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 4 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:15-Mar-2023 / 09:32

E

Reported :15-Mar-2023 / 17:11

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.0	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	96.8	mg/dl	Calculated

Intended use:

- · In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- · To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 5 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender : 58 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner plication To Scan the Code

Collected

: 15-Mar-2023 / 09:32

Reported

:15-Mar-2023 / 13:04

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

R

E

TOTAL PSA, Serum

1.393

<4.0 ng/ml

CLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert







africa.

Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director

Page 6 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender : 58 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authoriticity Check

R

0

R

T

Use a QR Code Scanner plication To Scan the Code

Collected Reported

:15-Mar-2023 / 09:32 :15-Mar-2023 / 13:04

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***

Page 7 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

:58 Years / Male

Consulting Dr. Reg. Location

.

DARAMETED

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 15-Mar-2023 / 09:32

R

E

0

R

Reported :15-Mar-2023 / 12:00

FRANGE

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO EXAMINATION OF FAECES

PARAMETER	RESULTS	BIOLOGIC	AL RE
PHYSICAL EXAMINATION			
Colour	Brown	Brown	
Form and Consistency	Semi Solid	Semi Solid	
Mucus	Absent	Absent	
Blood	Absent	Absent	
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.5)	21221	
Occult Blood	Absent	Absent	
MICROSCOPIC EXAMINATION	ON	1.00	
Protozoa	Absent	Absent	
Flagellates	Absent	Absent	
Ciliates	Absent	Absent	
Parasites	Absent	Absent	
Macrophages	Absent	Absent	
Mucus Strands	Absent	Absent	
Fat Globules	Absent	Absent	
RBC/hpf	Absent	Absent	
WBC/hpf	Absent	Absent	
Yeast Cells	Absent	Absent	
Undigested Particles	Present +		
Concentration Method (for ova	No ova detected	Absent	

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 8 of 19



CID : 2307409967

Name : MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner plication To Scan the Code

Collected Reported

: 15-Mar-2023 / 09:32 :15-Mar-2023 / 14:23

R

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

	PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
	PHYSICAL EXAMINATION			
	Color	Pale yellow	Pale Yellow	
	Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
	Specific Gravity	1.015	1.010-1.030	Chemical Indicator
	Transparency	Slight hazy	Clear	-
	Volume (ml)	50		
	CHEMICAL EXAMINATION			
	Proteins	Absent	Absent	pH Indicator
	Glucose	Absent	Absent	GOD-POD
	Ketones	Absent	Absent	Legals Test
	Blood	Absent	Absent	Peroxidase
	Bilirubin	Absent	Absent	Diazonium Salt
	Urobilinogen	Normal	Normal	Diazonium Salt
	Nitrite	Absent	Absent	Griess Test
Ī	MICROSCOPIC EXAMINATION			
	Leukocytes(Pus cells)/hpf	30-40	0-5/hpf	
	Red Blood Cells / hpf	Absent	0-2/hpf	
	Epithelial Cells / hpf	2-3		
1	Casts	Absent	Absent	
-	Crystals	Absent	Absent	
1	Amorphous debris	Absent	Absent	
I	Bacteria / hpf	+(>20/hpf)	Less than 20/hpf	
			The state of the s	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose:(1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl,4+ -1000 mg/dl)
- Ketone:(1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **





Dr.IMRAN MUJAWAR M.D (Path)

Mujawar

Pathologist

Page 9 of 19



CID : 2307409967

: MR.ANIL C BHOJWANI Name

Age / Gender : 58 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner plication To Scan the Code

Collected Reported

: 15-Mar-2023 / 09:32 :15-Mar-2023 / 13:37 E

0

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 10 of 19



: 2307409967

:58 Years / Male

Name

: MR.ANIL C BHOJWANI

Age / Gender

Consulting Dr. :

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

P

0

R

Т

Use a QR Code Scanner Application To Scan the Code

Collected

: 15-Mar-2023 / 09:32

Reported : 15-Mar-2023 / 13:06

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	190.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	57.6	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	44.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	146.3	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	134.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High; 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	12.3	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO,	3.0	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Jr.IMRAN MUJAWAR

M.D (Path)
Pathologist

Page 11 of 19



CID : 2307409967

Name : MR.ANIL C BHOJWANI

Age / Gender

er : 58 Years / Male

Consulting Dr. Reg. Location

trealely lypole

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 15-Mar-20

Reported

:15-Mar-2023 / 09:32 :15-Mar-2023 / 12:34 R

E

P

0

R

Т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.8	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.34	0.35-5.5 microIU/ml	ECLIA

Page 12 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Collected

:15-Mar-2023 / 09:32

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

Reported

:15-Mar-2023 / 12:34

R

E

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4/T4	FT3/T3	Interpretation	
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.	
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results, this assay is designed to minimize interference from heterophilic antibodies.


Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 13 of 19



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

Consulting Dr. Reg. Location

.

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 15-Mar-2023 / 09:32

R

E

Reported

:15-Mar-2023 / 13:06


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.6	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.25	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.35	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.1	1 - 2	Calculated
SGOT (AST), Serum	15.1	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	9.6	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	12.3	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	57.8	40-130 U/L	PNPP

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







M.D (Path)
Pathologist

Page 14 of 19

022-6170-0000



CID : 2307409967

Name : MR.ANIL C BHOJWANI

Age / Gender

:58 Years / Male

15.3 g/dL

30-Mar-2021

232000 /cmm

30-Mar-2021

190.6 mg/dl

30-Mar-2021

Consulting Dr.

20

15

10

5

0

300000

250000

200000

150000

100000

50000

250

200

150

100

50

0

0

: -

Reg. Location : G B Road, Thane West (Main Centre)

Haemoglobin

15.2 g/dL

22-Mar-2022

257000 /cmm

22-Mar-2022

CHOLESTEROL

213.7 mg/dl

22-Mar-2022

Platelet Count

14.7 g/dL

15-Mar-2023

244000 /cmm

15-Mar-2023

190.8 mg/dl

15-Mar-2023



R


E

P

0

R

Use a QR Code Scanner Application To Scan the Code



Page 15 of 19

022-6170-0000



: 2307409967

Name

: MR. ANIL C BHOJWANI

Age / Gender

:58 Years / Male

Consulting Dr.

iting Dr. :

Reg. Location : G B Road, Thane West (Main Centre)



R


E

P

0

T

Use a QR Code Scanner Application To Scan the Code



Page 16 of 19

022-6170-0000



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

30-Mar-2021

22-Mar-2022

15-Mar-2023

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)



R

E


P

0

R

T

Use a QR Code Scanner Application To Scan the Code



Page 17 of 19

02246170-0000

15-Mar-2023

22-Mar-2022



: 2307409967

22-Mar-2022

17.6 U/L

30-Mar-2021

62.9

30-Mar-2021

22-Mar-2022

74.3

22-Mar-2022

ALKALINE PHOSPHATASE

15-Mar-2023

57.8

15-Mar-2023

Name

: MR.ANIL C BHOJWANI

: 58 Years / Male

Age / Gender

Consulting Dr.

Reg. Location

5

4

3

2

1

0

20

15

10

5

0

80

60

40

20

0

: G B Road, Thane West (Main Centre)



R


E

P


0

R

Use a QR Code Scanner Application To Scan the Code



30-Mar-2021



22-Mar-2022

15-Mar-2023

Page 18 of 19

4 2

0



: 2307409967

Name

: MR.ANIL C BHOJWANI

Age / Gender

: 58 Years / Male

Consulting Dr.

. . .

Reg. Location

: G B Road, Thane West (Main Centre)




R


E


0

R

Use a QR Code Scanner Application To Scan the Code














Page 19 of 19

022 6170 0000



E P O R T

R

REG NO.:2307409967	SEX : MALE	
NAME : MR.ANIL BHOJWANI	AGE: 58YRS	
REF BY:	DATE: 15.03.2023	

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS:

LVIDD	53	mm
LVIDS	34	mm
LVEF	60	0/0
IVS	12	mm
PW	7	mm
AO	23	mm
LA	36	mm

2D ECHO:

- All cardiac chambers are normal in size
- · Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- · Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- · Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.

0000-0716-930



PATIENT NAME: MR.ANIL BHOJWANI

P O R T

R

E

COLOR DOPPLER:

- Mitral valve doppler E-0.7 m/s, A- 0.6 m/s.
- · Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.4 m/s, PG 8.1 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----

DR.YOGESH KHARCHE

DNB (MEDICINE) DNB (CARDIOLOGY)

CØNSULTANAT INTERVENTIONAL CARDIOLOGIST.



CID : 2307409967

Name : Mr ANIL C BHOJWANI

Age / Sex

: 58 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Use a QR Code Scanner Application To Scan the Code R

: 15-Mar-2023

Authenticity Check

: 15-Mar-2023 / 13:31

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Dr Gauri Varma Consultant Radiologist

MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023031509271410

Page no 1 of 1



: 2307409967

Name

: Mr ANIL C BHOJWANI

Age / Sex

Reg. Location

: 58 Years/Male

Ref. Dr

.

: G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

R

E

P

R

: 15-Mar-2023

: 15-Mar-2023 / 11:10

USG WHOLE ABDOMEN

EXCESSIVE BOWEL GAS:

<u>LIVER:</u> Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

<u>GALL BLADDER:</u>Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS</u>: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

<u>KIDNEYS</u>: Right kidney measures $10.3 \times 4.4 \text{ cm}$. Left kidney measures $10.5 \times 5.0 \text{ cm}$. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

<u>URINARY BLADDER:</u> Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>PROSTATE:</u> Prostate is normal in size and echotexture. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023031509271441



: 2307409967

Name

: Mr ANIL C BHOJWANI

Age / Sex

: 58 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

P

0

: 15-Mar-2023

Reported : 15-Mar-2023 / 11:10

Reg. Date

IMPRESSION: USG ABDOMEN IS WITHIN NORMAL LIMITS.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

End of Report-

PRocks

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113


Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023031509271441

SUBURBAN

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Date and Time: 15th Mar 23 9:57 AM

Patient Name: ANIL C BHOJWANI
Patient ID: 2307409967



ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

REPORTED BY

DR SHAILAJA PILLAI MBBS, MD Physican MD Physican 49972

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG. and must be interpreted by a qualified