Name	: Mrs. DIVYA J		
PID No.	: MED120619606	Register On	: 02/11/2023 8:19 AM
SID No.	: 522317136	Collection On	: 02/11/2023 10:56 AM
Age / Sex	: 43 Year(s) / Female	Report On	: 02/11/2023 6:54 PM
Туре	: OP	Printed On	: 03/11/2023 7:15 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BLOOD GROUPING AND Rh TYPING	'A' 'Positive'		
(EDTA Blood/Agglutination)		° '4 m 1 4 1 6	
INTERPRETATION: Note: Slide method is screen	ing method. Kindly con	firm with Tube method f	or transfusion.
<u>Complete Blood Count With - ESR</u>			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.7	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	44.2	%	37 - 47
RBC Count (EDTA Blood)	5.06	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	87.3	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	29.1	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.4	g/dL	32 - 36
RDW-CV	13.2	%	11.5 - 16.0
RDW-SD	40.33	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6800	cells/cu.m m	4000 - 11000
Neutrophils (Blood)	56.7	%	40 - 75
Lymphocytes (Blood)	28.1	%	20 - 45
Eosinophils (Blood)	6.8	%	01 - 06



nusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Name	: Mrs. DIVYA J		
PID No.	: MED120619606	Register On	: 02/11/2023 8:19 AM
SID No.	: 522317136	Collection On	: 02/11/2023 10:56 AM
Age / Sex	: 43 Year(s) / Female	Report On	: 02/11/2023 6:54 PM
Туре	: OP	Printed On	: 03/11/2023 7:15 AM
Ref. Dr	: MediWheel		

Unit Investigation Observed **Biological** Value Reference Interval 7.6 01 - 10 Monocytes % (Blood) 00 - 02 **Basophils** 0.8 % (Blood) INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically. Absolute Neutrophil count 3.86 10^3 / µl 1.5 - 6.6 (EDTA Blood) Absolute Lymphocyte Count 1.91 10^3 / µl 1.5 - 3.5 (EDTA Blood) Absolute Eosinophil Count (AEC) 0.46 10^3 / µl 0.04 - 0.44 (EDTA Blood) 0.52 10^3 / µl < 1.0 Absolute Monocyte Count (EDTA Blood) Absolute Basophil count 10^3 / µl < 0.2 0.05 (EDTA Blood) Platelet Count 252 10^3 / µl 150 - 450 (EDTA Blood) MPV 9.8 fL 8.0 - 13.3 (Blood) PCT 0.25 % 0.18 - 0.28 (Automated Blood cell Counter) ESR (Erythrocyte Sedimentation Rate) 19 mm/hr < 20(Citrated Blood) 9.4 6.0 - 22.0 **BUN / Creatinine Ratio** Normal: < 100 88.48 mg/dL Glucose Fasting (FBS) Pre Diabetic: 100 - 125 (Plasma - F/GOD-PAP) Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.





The results pertain to sample tested.

Page 2 of 8

Name	: Mrs. DIVYA J		
PID No.	: MED120619606	Register On	: 02/11/2023 8:19 AM
SID No.	: 522317136	Collection On	: 02/11/2023 10:56 AM
Age / Sex	: 43 Year(s) / Female	Report On	: 02/11/2023 6:54 PM
Туре	: OP	Printed On	: 03/11/2023 7:15 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	82.86	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	7.6	mg/dL	7.0 - 21
Creatinine	0.81	mg/dL	0.6 - 1.1
(Serum/Modified Jaffe)			

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/ <i>Enzymatic</i>)	4.26	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	1.40	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.41	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.99	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	28.59	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	33.35	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	23.11	U/L	< 38





The results pertain to sample tested.

Page 3 of 8

Name	: Mrs. DIVYA J	
PID No.	: MED120619606	Register On : 02/11/2023 8:19 AM
SID No.	: 522317136	Collection On : 02/11/2023 10:56 AM
Age / Sex	: 43 Year(s) / Female	Report On : 02/11/2023 6:54 PM
Туре	: OP	Printed On : 03/11/2023 7:15 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	95.5	U/L	42 - 98
Total Protein (Serum/ <i>Biuret</i>)	7.32	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.93	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.39	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.06		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	180.25	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	79.76	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol	50.42	mg/dL	Optimal(Negative Risk Factor): ≥ 60
(Serum/Immunoinhibition)			Borderline: 50 - 59
			High Risk: < 50



Dr Anusha,K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. DIVYA J		
PID No.	: MED120619606	Register On	: 02/11/2023 8:19 AM
SID No.	: 522317136	Collection On	: 02/11/2023 10:56 AM
Age / Sex	: 43 Year(s) / Female	Report On	: 02/11/2023 6:54 PM
Туре	: OP	Printed On	: 03/11/2023 7:15 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL Cholesterol (Serum/Calculated)	113.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	16	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	129.8	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	3.6	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	1.6	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.3	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)



Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. DIVYA J					
PID No.	: MED120619606	Register On : 02/11/2	2023 8:19 AM			
SID No.	: 522317136	Collection On : 02/11/2023 10:56 AM				
Age / Sex	: 43 Year(s) / Female	Report On : 02/11/2023 6:54 PM				
Туре	: OP	Printed On : 03/11/	2023 7:15 AM			
Ref. Dr	: MediWheel					
Investig	ation	<u>Observed</u> Value	<u>Unit</u>	Biological Reference Interval		
HbA1C (Whole Bl	ood/HPLC)	5.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5		
INTERP	RETATION: If Diabetes - Good con	trol : 6.1 - 7.0 % , Fair contro	l : 7.1 - 8.0 % , Poor c	ontrol >= 8.1 %		
Estimate (Whole Bl	ed Average Glucose	114.02	mg/dL			
control as Condition hypertrigl Condition ingestion,	compared to blood and urinary glucus that prolong RBC life span like Iro yceridemia,hyperbilirubinemia,Drug	ose determinations. n deficiency anemia, Vitamin s, Alcohol, Lead Poisoning, A te or chronic blood loss, hemo	B12 & Folate deficien Asplenia can give false Alytic anemia, Hemogl	ch better indicator of long term glycemic ncy, ly elevated HbA1C values. obinopathies, Splenomegaly,Vitamin E		
T3 (Triid (Serum/EC	odothyronine) - Total CLIA)	1.74	ng/ml	0.7 - 2.04		
Commen Total T3 v	RETATION: t: variation can be seen in other conditionally active.	on like pregnancy, drugs, nepl	nrosis etc. In such case	es, Free T3 is recommended as it is		
T4 (Tyro (Serum/E0	oxine) - Total CLIA)	7.77	µg/dl	4.2 - 12.0		
Commen Total T4 v	RETATION: t: variation can be seen in other conditionally active.	on like pregnancy, drugs, nepl	nrosis etc. In such case	es, Free T4 is recommended as it is		
TSH (Th (Serum/EG	nyroid Stimulating Hormone) CLIA)	2.79	µIU/mL	0.35 - 5.50		
				Annshall Dr Anusha.K.S		



Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 6 of 8

Name	: Mrs. DIVYA J	
PID No.	: MED120619606	Register On : 02/11/2023 8:19 AM
SID No.	: 522317136	Collection On : 02/11/2023 10:56 AM
Age / Sex	: 43 Year(s) / Female	Report On : 02/11/2023 6:54 PM
Туре	: OP	Printed On : 03/11/2023 7:15 AM
Ref. Dr	: MediWheel	

Investigation Observed Unit Biological Value Reference Interval

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

URINE ROUTINE

<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>

Colour (Urine)	Pale yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	20	
<u>CHEMICAL EXAMINATION (URI</u> <u>COMPLETE)</u>	<u>NE</u>	
pH (Urine)	6.5	4.5 - 8.0
Specific Gravity (Urine)	1.003	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
		Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Name	: Mrs. DIVYA J	
PID No.	: MED120619606	Register On : 02/11/2023 8:19 AM
SID No.	: 522317136	Collection On : 02/11/2023 10:56 AM
Age / Sex	: 43 Year(s) / Female	Report On : 02/11/2023 6:54 PM
Туре	: OP	Printed On : 03/11/2023 7:15 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL



Anusha,K,S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 8 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	MRS.DIVYA J	ID	MED120619606
Age & Gender	43Y/FEMALE	Visit Date	02 Nov 2023
Ref Doctor Name	MediWheel		

X-ray mammogram (mediolateral oblique & craniocaudal views) followed by Sonomammography.

BILATERAL MAMMOGRAPHY

Breast composition Type B (These are scattered areas of fibroglandular density).

No evidence of focal soft tissue lesion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

Bilateral axillary lymph nodes are seen with preserved fatty hilum.

BILATERAL SONOMAMMOGRAPHY

Both the breasts show normal echopattern.

No evidence of focal solid / cystic areas.

No evidence of ductal dilatation.

Bilateral axillary lymph nodes are seen with preserved fatty hilum.

IMPRESSION: No breast lesions.

Bilateral benign axillary lymph nodes.

ASSESSMENT: BI-RADS CATEGORY - 2

BI-RADS CLASSIFICATION

CATEGORY RESULT

2

Benign finding. Routine mammogram in 1 year recommended.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST

Name	MRS.DIVYA J	ID	MED120619606
Age & Gender	43Y/FEMALE	Visit Date	02 Nov 2023
Ref Doctor Name	MediWheel		

Hn/Sp

Name	MRS.DIVYA J	ID	MED120619606
Age & Gender	43Y/FEMALE	Visit Date	02 Nov 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and shows increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER - Partially distended.

CBD is not dilated.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS - Posy-hysterectomy status.

OVARIES - Post-oophorectomy status.

POD & adnexa are free. No evidence of ascites.

IMPRESSION:

• Grade I fatty infiltration of liver

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/Sp

Name	MRS.DIVYA J	ID	MED120619606
Age & Gender	43Y/FEMALE	Visit Date	02 Nov 2023
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA	:	2.27	cms.
LEFT ATRIUM	:	2.99	cms.
AVS LEFT VENTRICLE	:	1.47	cms.
(DIASTOLE)	:	4.26	cms.
(SYSTOLE)	:	2.40	cms.
VENTRICULAR SEPTUM	:		
(DIASTOLE)	:	0.90	cms.
(SYSTOLE)	:	1.50	cms.
POSTERIOR WALL	:		
(DIASTOLE)	:	1.31	cms.
(SYSTOLE)	:	1.86	cms.
EDV	:	29	ml.
ESV	:	16	ml.
FRACTIONAL SHORTENING	:	38	%
EJECTION FRACTION	:	60	%
EPSS	:		cms.
RVID	:	1.80	cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.8 m/s	A -0.6 m/s	NO MR.
AORTIC VALVE:	1.1 m/s		NO AR.
TRICUSPID VALVE: E -	0.4 m/s A -0.3	3 m/s	NO TR.
PULMONARY VALVE:	0.8 m/s		NO PR.

Name	MRS.DIVYA J	ID	MED120619606
Age & Gender	43Y/FEMALE	Visit Date	02 Nov 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle:Normal size, Normal systolic function.:No regional wall motion abnormalities.

Left Atrium	:	Normal.
Right Ventricle :	Norm	al.
Right Atrium	:	Normal.
Mitral Valve	:	Normal. No mitral valve prolapsed.
Aortic Valve	:	Normal.Trileaflet.
Tricuspid Valve	:	Normal.
Pulmonary Valve	:	Normal.
IAS	:	Intact.
IVS	:	Intact.
Pericardium	:	No pericardial effusion.

IMPRESSION:

• NORMAL SIZED CARDIAC CHAMBERS.

• NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.

• NO REGIONAL WALL MOTION ABNORMALITIES.

• NORMAL VALVES.

• NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

Name	MRS.DIVYA J	ID	MED120619606
Age & Gender	43Y/FEMALE	Visit Date	02 Nov 2023
Ref Doctor Name	MediWheel		

Name	MRS. DIVYA J	Customer ID	MED120619606
Age & Gender	43Y/F	Visit Date	Nov 2 2023 8:18AM
Ref Doctor	MediWheel	-	

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.

a e.vd

Dr.Hemanandini Consultant Radiologist



1-287-

Patient Name	Divya.J	Date	2/11/23.
Age	12 425	Visit Number	52231713
Sex	Female	Corporate	Medicheel

cms

kgs

/minute

mm of Hg

cms

cms

cms

. To a the state

GENERAL PHYSICAL EXAMINATION

Identification Mark :

Height : 175 Weight: 79.1.

Blood Pressure : NO TO'

•

BMI

Pulse :

82

BMI INTERPRETATION Underweight = <18.5 Normal weight = 18.5–24.9 Overweight = 25–29.9

80

88

20

Chest :

Expiration : Inspiration :

Abdomen Measurement :

Eyes : Throat : /

RS : MAN PA :

Ears : NA> Neck nodes : CVS: (NAD

No abnormality is detected. ₩? / Her general physical examination is within normal limits.

CNS:

NOTE : MEDICAL FIT FOR EMPLOYMENT YES / NO

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



ignature

CLUMAX DIAGNOSTICS 6 2 Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Dr. RITESH RAJ. MBBS General Physician & Distanciegies

KMC Reg. No: 85875

