PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

| Investigation HAEMATOLOGY | Observed Value | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|-------------------|-------------|--|
| Complete Blood Count With - ESR | | | |
| Haemoglobin (EDTA Blood/Spectrophotometry) | 16.4 | g/dL | 13.5 - 18.0 |
| Packed Cell Volume(PCV)/Haematocrit (EDTA Blood) | 50.0 | % | 42 - 52 |
| RBC Count (EDTA Blood) | 5.08 | mill/cu.mm | 4.7 - 6.0 |
| Mean Corpuscular Volume(MCV) (EDTA Blood) | 98.6 | fL | 78 - 100 |
| Mean Corpuscular Haemoglobin(MCH) (EDTA Blood) | 32.3 | pg | 27 - 32 |
| Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood) | 32.8 | g/dL | 32 - 36 |
| RDW-CV | 15.1 | % | 11.5 - 16.0 |
| RDW-SD | 52.1 | fL | 39 - 46 |
| Total Leukocyte Count (TC) (EDTA Blood) | 9700 | cells/cu.mm | 4000 - 11000 |
| Neutrophils (Blood) | 58.1 | % | 40 - 75 |
| Lymphocytes (Blood) | 29.3 | % | 20 - 45 |
| Eosinophils (Blood) | 2.9 | % | 01 - 06 |
| Monocytes (Blood) | 8.9 | % | 01 - 10 |



 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

| Investigation | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|---------------------------------|----------------------|--|
| Basophils (Blood) | 0.8 | % | 00 - 02 |
| INTERPRETATION: Tests done on Automated Five | Part cell counter. All | abnormal results are | reviewed and confirmed microscopically. |
| Absolute Neutrophil count (EDTA Blood) | 5.7 | 10^3 / μl | 1.5 - 6.6 |
| Absolute Lymphocyte Count (EDTA Blood) | 2.8 | 10^3 / μl | 1.5 - 3.5 |
| Absolute Eosinophil Count (AEC) (EDTA Blood) | 0.3 | 10^3 / μl | 0.04 - 0.44 |
| Absolute Monocyte Count (EDTA Blood) | 0.9 | 10^3 / μl | < 1.0 |
| Absolute Basophil count (EDTA Blood) | 0.1 | 10^3 / μl | < 0.2 |
| Platelet Count (EDTA Blood) | 437 | 10^3 / μl | 150 - 450 |
| MPV (Blood) | 7.2 | fL | 7.9 - 13.7 |
| PCT (Automated Blood cell Counter) | 0.313 | % | 0.18 - 0.28 |
| ESR (Erythrocyte Sedimentation Rate) (Citrated Blood) | 2 | mm/hr | < 20 |



 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

| Investigation BIOCHEMISTRY | Observed Value | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|-------------------|-------------|--|
| Liver Function Test | | | |
| Bilirubin(Total) (Serum/DCA with ATCS) | 2.26 | mg/dL | 0.1 - 1.2 |
| Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid) | 0.57 | mg/dL | 0.0 - 0.3 |
| Bilirubin(Indirect) (Serum/Derived) | 1.69 | mg/dL | 0.1 - 1.0 |
| SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>) | 18.87 | U/L | 5 - 40 |
| SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>) | 14.83 | U/L | 5 - 41 |
| GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic) | 15.24 | U/L | < 55 |
| Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>) | 115.7 | U/L | 56 - 119 |
| Total Protein (Serum/Biuret) | 6.78 | gm/dl | 6.0 - 8.0 |
| Albumin (Serum/Bromocresol green) | 4.29 | gm/dl | 3.5 - 5.2 |
| Globulin (Serum/Derived) | 2.49 | gm/dL | 2.3 - 3.6 |
| A : G RATIO (Serum/Derived) | 1.72 | | 1.1 - 2.2 |



 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

| Investigation | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|---------------------------------|-------------|---|
| <u>Lipid Profile</u> | | | |
| Cholesterol Total (Serum/CHOD-PAP with ATCS) | 194.65 | mg/dL | Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240 |
| Triglycerides (Serum/GPO-PAP with ATCS) | 105.59 | mg/dL | Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500 |

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

| Part of the party. | | | |
|--|-------|-------|--|
| HDL Cholesterol (Serum/Immunoinhibition) | 42.22 | mg/dL | Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40 |
| LDL Cholesterol (Serum/Calculated) | 131.3 | mg/dL | Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190 |
| VLDL Cholesterol (Serum/Calculated) | 21.1 | mg/dL | < 30 |
| Non HDL Cholesterol (Serum/Calculated) | 152.4 | mg/dL | Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220 |



 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio
(Serum/Calculated)

4.6

Optimal: < 3.3

Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1

Moderate Risk: 7.2 - 11.0

High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio

2.5

Optimal: < 2.5

(TG/HDL)

Mild to moderate risk: 2.5 - 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 3.1 Optimal: 0.5 - 3.0 (Serum/Calculated) Borderline: 3.1 - 6.0

High Risk: > 6.0



APPROVED BY

Page 5 of 12

 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

| Investigation | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|----------------------------------|---------------------------------|-------------|---|
| Glycosylated Haemoglobin (HbA1c) | | | |
| HbA1C (Whole Blood/HPLC) | 6.1 | % | Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 |

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 128.37 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



APPROVED BY

 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

Printed On

Type : OP

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

: 14/11/2022 10:23 AM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.23 ng/ml 0.4 - 1.81

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Tyroxine) - Total 7.88 $\mu g/dl$ 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 3.60 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 30

(Urine)

CHEMICAL EXAMINATION (URINE

COMPLETE)

pH 5.5 4.5 - 8.0

(Urine)

Specific Gravity 1.006 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

(Urine)

| Investigation | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|---------------------------------|-------------|--|
| Glucose (Urine/GOD - POD) | Negative | | Negative |
| Leukocytes(CP) (Urine) | Negative | | |
| MICROSCOPIC EXAMINATION (URINE COMPLETE) | | | |
| Pus Cells (Urine) | 0-1 | /hpf | NIL |
| Epithelial Cells (Urine) | 0-1 | /hpf | NIL |
| RBCs (Urine) | NIL | /HPF | NIL |
| Others | NIL | | |

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

Type : OP Printed On : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674

 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

| Investigation | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|---------------------------------|-------------|--|
| BIOCHEMISTRY | | | |
| BUN / Creatinine Ratio | 6.28 | | 6.0 - 22.0 |
| Glucose Fasting (FBS) (Plasma - F/GOD-PAP) | 93.78 | mg/dL | Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126 |

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

| Glucose, Fasting (Urine) (Urine - F/GOD - POD) | Negative | | Negative |
|---|----------|-------|----------|
| Glucose Postprandial (PPBS) | 76.00 | mg/dL | 70 - 140 |

(Plasma - PP/GOD-PAP)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

| Urine Glucose(PP-2 hours) (Urine - PP) | Negative | | Negative |
|--|----------|-------|-----------|
| Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived) | 4.9 | mg/dL | 7.0 - 21 |
| Creatinine (Serum/Modified Jaffe) | 0.78 | mg/dL | 0.9 - 1.3 |

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 4.18 mg/dL 3.5 - 7.2

(Serum/Enzymatic)



 PID No.
 : MED121471335
 Register On
 : 11/11/2022 9:57 AM

 SID No.
 : 522228321
 Collection On
 : 11/11/2022 10:46 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 11/11/2022 2:50 PM

 Type
 : OP
 Printed On
 : 14/11/2022 10:23 AM

Ref. Dr : MediWheel

| Investigation | Observed Value | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|--|-------------------|-------------|---|
| IMMUNOASSAY | | | |
| Prostate specific antigen - Total(PSA) (Serum/Manometric method) | 1.03 | ng/ml | Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0 |



-- End of Report --

| Name | MR.NAGESWARA RAO | ID | MED121471335 |
|--------------------|------------------|------------|--------------|
| Age & Gender | 55Y/MALE | Visit Date | 11 Nov 2022 |
| Ref Doctor Name | MediWheel | | |

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA 2.94 cms. LEFT ATRIUM : 2.70 cms. AVS 1.47 cms. LEFT VENTRICLE (DIASTOLE) 4.20 cms. (SYSTOLE) 2.36 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 0.96 cms. (SYSTOLE) 1.50 cms. **POSTERIOR WALL** (DIASTOLE) 1.16 cms. (SYSTOLE) 1.59 cms. **EDV** 78 ml. **ESV** 19 ml. FRACTIONAL SHORTENING 43 % **EJECTION FRACTION** 60 % : **EPSS** cms. **RVID** 1.80 cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE: E - 0.4 m/s A - 0.3 m/s NO MR.

AORTIC VALVE: 0.7 m/s NO AR.

TRICUSPID VALVE: E - 0.2 m/s A - 0.1 m/s NO TR.

PULMONARY VALVE: 0.5 m/s NO PR.

| Name | MR.NAGESWARA RAO | ID | MED121471335 |
|--------------------|------------------|------------|--------------|
| Age & Gender | 55Y/MALE | Visit Date | 11 Nov 2022 |
| Ref Doctor Name | MediWheel | | |

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

| Name | MR.NAGESWARA RAO | ID | MED121471335 |
|--------------------|------------------|------------|--------------|
| Age & Gender | 55Y/MALE | Visit Date | 11 Nov 2022 |
| Ref Doctor Name | MediWheel | | |

DR. YASHODA RAVI

CONSULTANT CARDIOLOGIST

| Name | MR.NAGESWARA RAO | ID | MED121471335 |
|--------------------|------------------|------------|--------------|
| Age & Gender | 55Y/MALE | Visit Date | 11 Nov 2022 |
| Ref Doctor Name | MediWheel | | |

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (11.5 cm) and shows increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER - post cholecystectomy status.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

| · | Bipolar length (cm) | Parenchymal thickness (cm) |
|--------------|---------------------|----------------------------|
| Right Kidney | 10.2 | 1.4 |
| Left Kidney | 9.3 | 1.7 |

URINARY BLADDER is moderately distended. Wall is irregular and appears to be thickened. It has clear contents. No evidence of diverticula.

Prevoid: 213 cc. Postvoid Residue: 30 cc.

PROSTATE is enlarged in size. It measures 4.2 x 4.0 x 5.9 cm, volume: 52.4cc. Prostatic calcification is noted.

No evidence of ascites.


IMPRESSION:


- Grade I fatty infiltration of liver.
- Prostatomegaly with postvoid residue of 30 cc.


DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/mj


| Name | MR.NAGESWARA RAO | ID | MED121471335 |
|--------------------|------------------|------------|--------------|
| Age & Gender | 55Y/MALE | Visit Date | 11 Nov 2022 |
| Ref Doctor Name | MediWheel | | |


| Name | MR.NAGESWARA RAO | ID | MED121471335 |
|--------------------|------------------|------------|--------------|
| Age & Gender | 55Y/MALE | Visit Date | 11 Nov 2022 |
| Ref Doctor Name | MediWheel | | |















| Name | MR.NAGESWARA RAO | ID | MED121471335 |
|--------------------|------------------|------------|--------------|
| Age & Gender | 55Y/MALE | Visit Date | 11 Nov 2022 |
| Ref Doctor Name | MediWheel | | |



| Name | NAGESWARA RAO | Customer ID | MED121471335 |
|--------------|---------------|-------------|--------------------|
| Age & Gender | 55Y/M | Visit Date | Nov 11 2022 9:56AM |
| Ref Doctor | MediWheel | | |

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.

DR.HEMANANDHINI CONSULTANT RADIOLOGIST