

Name	Mr.MANOJ TIWARI	ID	MED120841303
Age & Gender	56/MALE	Visit Date	13/02/2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (11.9 cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	10.2	1.9
Left Kidney	10.4	2.0

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 2.9 x 3.1 x 4.6 cm, volume: 21.8cc.

No evidence of ascites.

IMPRESSION:

laboratory.

• No significant abnormality detected.					
REPORT	DISCLAIMER				
 This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and 	7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,				
pathological findings. 2.The results reported here in are subject to interpretation by qualified medical professionals only.	8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.				
3.Customer identities are accepted provided by the customer or their representative.	9.Liability is limited to the extend of amount billed.				
4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not	10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.				
be investigated for its truthfulness.	11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the				
5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.	competent courts chennai only.				
6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the					



Name	Mr.MANOJ TIWARI	ID	MED120841303
Age & Gender	56/MALE	Visit Date	13/02/2023
Ref Doctor Name	MediWheel	-	

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/mj

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	: Mr. MANOJ TIWARI		
PID No.	: MED120841303	Register On : 13/02/2023 8:10 Al	м 🕐
SID No.	: 522302255	Collection On : 13/02/2023 8:51 A	M
Age / Sex	: 56 Year(s) / Male	Report On : 13/02/2023 3:08 P	MEDALL
Туре	: OP	Printed On : 21/02/2023 11:52	AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HAEMATOLOGY			
<u>Complete Blood Count With - ESR</u>			
Haemoglobin (EDTA Blood/Spectrophotometry)	13.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	42.3	%	42 - 52
RBC Count (EDTA Blood)	6.66	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	63.6	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	19.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	31.2	g/dL	32 - 36
RDW-CV	18.2	%	11.5 - 16.0
RDW-SD	40.51	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6400	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	70.9	%	40 - 75
Lymphocytes (Blood)	21.2	%	20 - 45
Eosinophils (Blood)	2.0	%	01 - 06



Name	: Mr. MANOJ TIWARI	
PID No.	: MED120841303 Register On : 13/02/2023 8:10 AM	M
SID No.	: 522302255 Collection On : 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male Report On : 13/02/2023 3:08 PM	MEDALL
Туре	: OP Printed On : 21/02/2023 11:52 AM	Λ
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Monocytes (Blood)	5.5	%	01 - 10
Basophils (Blood)	0.4	%	00 - 02
INTERPRETATION: Tests done on Automated Five P	art cell counter. All a	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.54	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.36	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.13	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.35	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	192	10^3 / µl	150 - 450
MPV (Blood)	9.5	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.18	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 20



Name	: Mr. MANOJ TIWARI			
PID No.	: MED120841303	Register On	: 13/02/2023 8:10 AM	\mathbf{C}
SID No.	: 522302255	Collection On	: 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On	: 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On	: 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	2.17	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.67	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	1.50	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	31.96	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	29.46	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	14.97	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	75.5	U/L	56 - 119
Total Protein (Serum/Biuret)	7.25	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.85	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.40	gm/dL	2.3 - 3.6
A : G RATIO	2.02		1.1 - 2.2

(Serum/Derived)



Name	: Mr. MANOJ TIWARI			
PID No.	: MED120841303	Register On	: 13/02/2023 8:10 AM	\mathbf{C}
SID No.	: 522302255	Collection On	: 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On	: 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On	: 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	118.62	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/ <i>GPO-PAP with ATCS</i>)	173.53	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	45.10	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i>)	38.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	34.7	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	73.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



Name	: Mr. MANOJ TIWARI			
PID No.	: MED120841303	Register On	: 13/02/2023 8:10 AM	M
SID No.	: 522302255	Collection On	: 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On	: 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On	: 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPRETATION: 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.	1		
Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	2.6		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	3.8		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	0.9		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. MANOJ TIWARI			
PID No.	: MED120841303	Register On	: 13/02/2023 8:10 AM	\mathbf{M}
SID No.	: 522302255	Collection On	: 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On	: 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On	: 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC</i>)	6.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERDRET ATTOM IS Disk store Coord controls (1)		71 80 07 D	

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	128.37	mg/dL
---------------------------	--------	-------

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



Name	: Mr. MANOJ TIWARI			
PID No.	: MED120841303	Register On	: 13/02/2023 8:10 AM	\mathbf{C}
SID No.	: 522302255	Collection On	: 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On	: 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On	: 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> Value	<u>Unit</u>	<u>Biological</u> Reference Interval
IMMUNOASSAY			
<u>THYROID PROFILE / TFT</u>			
T3 (Triiodothyronine) - Total (Serum/ECLIA) INTERPRETATION: Comment : Total T3 variation can be seen in other condition like preg	1.40 nancy, drugs, neph	ng/ml prosis etc. In such case	0.4 - 1.81 es, Free T3 is recommended as it is
Metabolically active. T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i>)	7.46	µg/dl	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like preg Metabolically active.	nancy, drugs, neph	rrosis etc. In such case	es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.74	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodin 2.TSH Levels are subject to circadian variation, reaching j of the order of 50%,hence time of the day has influence of	beak levels betwee	n 2-4am and at a mini	mum between 6-10PM. The variation can be

3.Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	: Mr. MANOJ TIWARI		
PID No.	: MED120841303	Register On : 13/02/2023 8:10 AM	M
SID No.	: 522302255	Collection On : 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On : 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On : 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
CLINICAL PATHOLOGY		
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
Colour (Urine)	Pale yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	25	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	7.0	4.5 - 8.0
Specific Gravity (Urine)	1.004	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative



Name	: Mr. MANOJ TIWARI		
PID No.	: MED120841303	Register On : 13/02/2023 8:10 AM	\mathbf{C}
SID No.	: 522302255	Collection On : 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On : 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On : 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine) <u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)	Negative		Negative
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

mishall Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. MANOJ TIWARI			
PID No.	: MED120841303	Register On	: 13/02/2023 8:10 AM	\mathbf{M}
SID No.	: 522302255	Collection On	: 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On	: 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On	: 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel			

Investigation

<u>Observed</u> <u>Value</u> Biological Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination) 'A' 'Positive'

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



<u>Unit</u>

Name	: Mr. MANOJ TIWARI			
PID No.	: MED120841303	Register On	: 13/02/2023 8:10 AM	C
SID No.	: 522302255	Collection On	: 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On	: 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On	: 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	10		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	113.01	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative	Negative
(Urine - F/GOD - POD)		
Glucose Postprandial (PPBS)	117.83 mg/dL	70 - 140
(Plasma - PP/GOD-PAP)		

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	9.6	mg/dL	7.0 - 21
(Serum/Urease UV / derived)	0.00	. 17	
Creatinine	0.89	mg/dL	0.9 - 1.3

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	6.05	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			



Name	: Mr. MANOJ TIWARI		
PID No.	: MED120841303	Register On : 13/02/2023 8:10 AM	M
SID No.	: 522302255	Collection On : 13/02/2023 8:51 AM	
Age / Sex	: 56 Year(s) / Male	Report On : 13/02/2023 3:08 PM	MEDALL
Туре	: OP	Printed On : 21/02/2023 11:52 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
IMMUNOASSAY			
Prostate specific antigen - Total(PSA) (Serum/Manometric method)	0.655	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary

Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

Dr Anusha.K.S

Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

-- End of Report --