Mediclu[™]



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre

NAME:Mrs. SOWBHAGYAAGE/SEX:41 Yrs / FemaleREFERRED BY::REF CENTER:MEDIWHEEL

 MR / VISIT NO
 :
 21100062 / 141660

 BILLED TIME
 :
 141660

 BILL NO.
 :
 161548

 DATE OF REPORT
 :
 02-10-2021 at 11:06 AM

MEDIWHEEL HEALTH CHECKUP FEMALE

RADIOLOGY

ULTRASOUND WHOLE ABDOMEN AND PELVIS

LIVER: Liver is normal in size and normal homogenous echotexture. No focal lesions. Intrahepatic biliary radicles not dilated. Hepatic veins are normal.CBD & Portal vein normal.

GALL BLADDER: Normal in distension. Lumen echo free. Wall thickness is normal.

SPLEEN: Normal in size with normal homogenous echotexture. No focal lesion seen. Splenic vein is normal in caliber.

PANCREAS: Head and body appears normal. No focal lesion seen. Pancreatic duct not dilated. Tail not visualized.

RIGHT KIDNEY: Normal in size measuring 11.0×1.6 cm (Length x Parenchymal thickness) with normal echo pattern. Pelvi-calyceal system is not dilated. Corticomedullary differentiation is well maintained. No calculus seen. Cortical thickness is normal.

LEFT KIDNEY: Normal in size measuring 11.9×1.6 cm (Length x Parenchymal thickness) with normal echo pattern. Pelvi-calyceal system is not dilated. Corticomedullary differentiation is well maintained. No calculus seen. Cortical thickness is normal.

URINARY BLADDER: Normal in distension with normal wall thickness. Lumen echo free.

UTERUS: Anteverted normal in size 7.9 \times 4.5 \times 5.4 cm with normal homogenous echotexture. No focal lesion seen. Endometrial and myometrial echoes are normal. Endometrium is normal measures 10.4 mm.

RIGHT ADNEXA: Normal in appearance. No focal lesion seen. Right ovary measures 2.2×1.5 cm with normal echo pattern.

LEFT ADNEXA: Normal in appearance. No focal lesion seen. Left ovary measures 2.8×1.9 cm with normal echo pattern.

No evidence of free fluid in the pelvic or abdominal cavity.

IMPRESSION:

No sonological abnormality detected.

Dr. GIRISH DMRD, DNB (RD) CONSULTANT RADIOLOGIST

Page 1 of 2

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116 For Home Sample Collections Contact : +91 99867 333 33 Mediclu™



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre

NAME	:	Mrs. SOWBHAGYA	MR / VISIT NO	:	21100062 / 141660
AGE/SEX	:	41 Yrs / Female	BILLED TIME	:	141660
REFERRED BY	:		BILL NO.	:	161548
REF CENTER	:	MEDIWHEEL	DATE OF REPORT	:	02-10-2021 at 11:06 AM

Dispatched by: Varalakshmi R

**** End of Report ****

Printed on 02-10-2021 at 11:06 AM

Dr. GIRISH DMRD, DNB (RD) CONSULTANT RADIOLOGIST

Page 2 of 2

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116 For Home Sample Collections Contact : +91 99867 333 33





Diagnostics & Speciality Centre

NAME:Mrs. SOWBHAGYAAGE/SEX:41 Yrs / FemaleREFERRED BY:REF CENTER:MEDIWHEELTEST PARAMETER	RESULT	VISIT NO. : DATE OF COLLECTION : (DATE OF REPORT : (21100062 141660 02-10-2021 at 09:09 AM 02-10-2021 at 01:36 PM
MEDIV	VHEEL HEALTH CH	ECKUP FEMALE	
	HAEMATOLO	<u>DGY</u>	
COMPLETE BLOOD COUNT (CBC) WITH	<u>ESR</u>		
HAEMOGLOBIN Colorimetric Method	14.7 gm/dL	12 - 16 gm/dL	
HEMATOCRIT (PCV) Calculated	44.1 %	36 - 47 %	
RED BLOOD CELL (RBC) COUNT	4.9 million/cu.mm	4 - 5.2 million/cu.mm	
PLATELET COUNT Electrical Impedance	3.3 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm	
MEAN CELL VOLUME (MCV)	89.7 fl	80 - 100 fl	
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	30.0 pg	26 - 34 pg	
MEAN CORPUSCULAR HEMOGLOBIN	33.4 %	31 - 35 %	
TOTAL WBC COUNT (TC) Electrical Impedance	7420 cells/cumm	4000 - 11000 cells/cumm	
DIFFERENTIAL COUNT			
NEUTROPHILS VCS Technology/Microscopic	56 %	40 - 75 %	
LYMPHOCYTES VCS Technology/Microscopic	36 %	25 - 40 %	
EOSINOPHILS VCS Technology/Microscopic	02 %	0 - 7 %	
MONOCYTES VCS Technology/Microscopic	06 %	1 - 8 %	
BASOPHILS Electrical Impedance	00 %		
Kolleson, u.	Bender Distance		A. Hunsedbay

Dr. KRISHNA MURTHY

MD BIOCHEMIST Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Lab Seal

Page 1 of 9





Diagnostics & Speciality Centre

NAME:Mrs. SOWBHAGYAAGE/SEX:41 Yrs / FemaleREFERRED BY::REF CENTER:MEDIWHEEL		VISIT NO. DATE OF COLLECTION	 21100062 141660 02-10-2021 at 09:09 AM 02-10-2021 at 01:36 PM
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
ESR Westergren Method	08 mm/hr	0 - 20 mm/hr	

BLOOD GROUP & Rh TYPING Tube Agglutination (Forward and Reverse) "O" Positive

aller. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST





Dr. VAMSEEDHAR.A D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 2 of 9





Diagnostics & Speciality Centre

NAME:Mrs. SOWBHAGYAAGE/SEX:41 Yrs / FemaleREFERRED BY::REF CENTER:MEDIWHEEL		MR NO. : 21100062 VISIT NO. : 141660 DATE OF COLLECTION : 02-10-2021 at 09:09 AM DATE OF REPORT : 02-10-2021 at 01:36 PM
TEST PARAMETER	RESULT	REFERENCE RANGE SPECIMEN
GLYCATED HAEMOGLOBIN (HbA1C)	8.0 %	American Diabetic Association (ADA) recommendations:
		Non diabetic adults : <5.7 %
		At risk (Pre diabetic): 5.7 – 6.4%
		Diabetic : >/= 6.5%
		Therapeutic goal for glycemic control :
		Goal for therapy: < 7.0%
		Action suggested: > 8.0%

ESTIMATED AVERAGE GLUCOSE (eAG) Calculation Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

182.90 mg/dL

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

alleen. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Lab Seal

Dr. VAMSEEDHAR.A D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 3 of 9





Diagnostics & Speciality Centre

NAME:Mrs. SOWBHAGYAAGE/SEX:41 Yrs / FemaleREFERRED BY:		VISIT NO. : DATE OF COLLECTION	21100062 141660 02-10-2021 at 09:09 AM 02-10-2021 at 01:36 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
	CLINICAL BIOCH	IEMISTRY	
BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH)	14.0 mg/dL	15 - 50 mg/dL	
CREATININE Jaffe Kinetic	0.78 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID Uricase-Peroxidase	4.8 mg/dL	2.5 - 6 mg/dL	
SERUM ELECTROLYTES			
SODIUM Ion Selective Electrode (ISE)	137 mmol/L	136 - 145 mmol/L	
POTASSIUM Ion Selective Electrode (ISE)	4.1 mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE Ion Selective Electrode (ISE)	103 mmol/L	97 - 111 mmol/L	

aller. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Lab Seal

Dr. VAMSEEDHAR.A D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 4 of 9





Diagnostics & Speciality Centre

NAME:Mrs. SOWBHAGYAAGE/SEX:41 Yrs / FemaleREFERRED BY::REF CENTER:MEDIWHEEL		VISIT NO.	21100062 141660 02-10-2021 at 09:09 AM 02-10-2021 at 01:36 PM
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
LIVER FUNCTION TEST (LFT)			
TOTAL BILIRUBIN Colorimetric Diazo Method	1.70 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN Colorimetric Diazo Method	0.60 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN	1.10 mg/dl		
S G O T (AST) IFCC Without Pyridoxal Phosphates	16.3 U/L	up to 31 U/L	
S G P T (ALT) IFCC Without Pyridoxal Phosphates	11.8 U/L	up to 46 U/L	
ALKALINE PHOSPHATASE	99 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GG [*] GCNA-IFCC	Г) 19.0 U/L	5 - 55 U/L	
TOTAL PROTEIN Biuret Colorimetric	6.82 g/dl	6.2 - 8 g/dl	
S.ALBUMIN Bromocresol Green (BCG)	4.31 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN Calculation	2.5 g/dl	2.5 - 3.8 g/dl	
A/G RATIO Calculation	1.7	1 - 1.5	
POST PRANDIAL BLOOD SUGAR Hexokinase	215.9 mg/dl	80 - 150 mg/dl	

aller. u.

Lab Seal

Dr. KRISHNA MURTHY

MD BIOCHEMIST Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST rence range is for an average normal

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 5 of 9





Diagnostics & Speciality Centre

NAME:Mrs. SOWBHAGYAAGE/SEX:41 Yrs / FemaleREFERRED BY:		MR NO. : 21100062 VISIT NO. : 141660 DATE OF COLLECTION : 02-10-2021 at 09:09 AM DATE OF REPORT : 02-10-2021 at 01:36 PM
REF CENTER : MEDIWHEEL		DATE OF REPORT : 02-10-2021 at 01:36 PM
TEST PARAMETER	RESULT	REFERENCE RANGE SPECIMEN
LIPID PROFILE TEST		
TOTAL CHOLESTEROL Cholesterol Oxidase-Peroxidase (CHOD-POD)	210 mg/dL	up to 200 mg/dL Border Line: 200 – 240 mg/dL High: > 240 mg/dL
TRIGLYCERIDES Glycerol Peroxidase-Peroxidase (GPO-POD)	239.1 mg/dL	up to 150 mg/dL Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL
HDL CHOLESTEROL - DIRECT PEG-Cholesterol Esterase	56.2 mg/dl	40 - 60 mg/dl >/= 60mg/dL - Excellent (protects against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease)
LDL CHOLESTEROL - DIRECT Cholesterol Esterase-Cholesterol Oxidase	106.0 mg/dL	up to 100 mg/dL 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High
VLDL CHOLESTEROL Calculation	47.8 mg/dL	2 - 30 mg/dL
Killesen, u.	A solution of the solution of	A. Hurredhay
Dr. KRISHNA MURTHY	Lab Seal	Dr. VAMSEEDHAR.A
		D.C.P, M.D CONSULTANT PATHOLOGIS nical characteristics. The values in reference range is for an average norma age, sex and other characteristics.
	Page 6 of	
	jha Layout, Nagarb	ohavi Circle, Nagarbhavi, Bengaluru - 560 072. 98863 55 135, Reports: +91 74063 11 116

For Home Sample Collections Contact : **+91 99867 333 33** E-mail : medicludiagnostics@gmail.com website : www.mediclu.com





Diagnostics & Speciality Centre

NAME : Mrs. SOWBHAGYA			21100062
AGE/SEX : 41 Yrs / Female		VISIT NO.	141660
REFERRED BY :		DATE OF COLLECTION :	02-10-2021 at 09:09 AM
		DATE OF REPORT	02-10-2021 at 01:36 PM
REF CENTER : MEDIWHEEL		I	
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
TOTAL CHOLESTROL/HDL RATIO	3.7	up to 3	
Calculation		3.0-4.4 - Moderate >4.4 - High	
LDL/HDL RATIO	1.9	up to 2.5	
Calculation		2.5-3.3 - Moderate >3.3 - High	
FASTING BLOOD SUGAR Hexokinase	151.0 mg/dl	70 - 110 mg/dl	
	CLINICAL PAT	HOLOGY	
URINE ROUTINE & MICROSCOPIC			
PHYSICAL EXAMINATION			
Colour Visual Method	Pale Yellow	Pale yellow- yellow	
Appearance Visual Method	Clear	Clear/Transparent	
Specific Gravity Strips Method	1.010	1.005-1.035	
рН	6.0	4.6-8.5	
CHEMICAL EXAMINATION (DIPSTICK)			
Protein Strips Method	Nil	Nil -Trace	
Glucose Strips Method	Nil	Nil	
Blood Strips Method	Negative	Negative	
Collecter. u.	Generation of the second secon		A. Hurrendhay
Dr. KRISHNA MURTHY	Lab Sea	I	Dr. VAMSEEDHAR.A
MD BIOCHEMIST			D.C.P, M.D CONSULTANT PATHOLOGIST
The laboratory values And Normal values need to be interpre individual which ma		linical characteristics. The values in refe age, sex and other characteristics.	erence range is for an average normal

Page 7 of 9





Diagnostics & Speciality Centre

NAME : AGE/SEX : REFERRED BY : REF CENTER :	Mrs. SOWBHAGYA 41 Yrs / Female MEDIWHEEL		MR NO. : VISIT NO. : DATE OF COLLECTION : DATE OF REPORT :	02-10-2021 at 09:09 AM
TEST PARAMETER		RESULT	REFERENCE RANGE	SPECIMEN
Ketone Bodies Strips Method		Absent	Negative	
Urobilinogen Strips Method		Normal	Normal	
Bile Salt Strips Method		Negative	Negative	
Bilirubin Strips Method		Negative	Negative	
Bile Pigments		Negative	NIL	
MICROSCOPY				
Pus Cells (WBC)		1 - 2 /hpf	0-5/hpf	
Epithelial Cells		1 - 2 /hpf	0-4/hpf	
RBC Light Microscopic		Not Seen /hpf	0-2/hpf	
Cast Light Microscopic		NIL	NIL	
Crystal Light Microscopic		NIL	Nil	
FASTING URINE SU	JGAR (FUS)	NIL	NIL	
POSTPRANDIAL UF	RINE SUGAR	0.5 %	NIL	

aller. u.



Dr. KRISHNA MURTHY

MD BIOCHEMIST Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 8 of 9





Diagnostics & Speciality Centre

NAME : Mrs. SOWBHAGYA AGE/SEX : 41 Yrs / Female REFERRED BY : REF CENTER : MEDIWHEEL		MR NO. : 21100062 VISIT NO. : 141660 DATE OF COLLECTION : 02-10-2021 at 09:09 AM DATE OF REPORT : 02-10-2021 at 01:36 PM Image: Construction of the second of the s
TEST PARAMETER	RESULT	REFERENCE RANGE SPECIMEN
THYROID PROFILE	<u>IMMUNOAS</u>	<u>SSAY</u>
	1.34 ng/mL	0.87 - 1.78 ng/mL
TOTAL THYROXINE (T4)	11.13 µg/dL	6.09 - 12.23 μg/dL
THYROID STIMULATING HORMONE (TSH)	1.298 µIU/mL	0.38 - 5.33 µIU/mL 1st Trimester: 0.05 - 3.70 2nd Trimester: 0.31 – 4.35 3rd Trimester: 0.41 – 5.18

Note:

TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

allet. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Lab Seal



Dr. VAMSEEDHAR.A D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 9 of 9

Dispatched by: Sumalatha

**** End of Report ****

Printed by: Sumalatha on 02-10-2021 at 01:37 PM