

Since 1991

Age/Gender

UHID/MR NO

Ref Doctor

Visit ID

CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk, Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.RAJENDRA PRAKASH-44253

: 48 Y O M O D /M

: IDUN.0000213506

: IDUN0272732324

: Dr.MEDIWHEEL ACROFEMI

HEALTHCARE LTD.DDN -

Registered On

Collected

: 28/Oct/2023 08:48:18

: 28/Oct/2023 09:01:57

Received : 28/Oct/2023 09:54:07 Reported : 28/Oct/2023 12:42:12

: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Status

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blood	nd			
Blood Group	0			ERYTHROCYTE
віооц бі оцр	O			MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	·		ERYTHROCYTE MAGNETIZED
				TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole E	Blood			
Haemoglobin	15.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	5,560.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC	·			
Polymorphs (Neutrophils)	59.60	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	27.90	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	8.90	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.20	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.40	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	8.00	Mm for 1st hr.		
Corrected		Mm for 1st hr.	< 9	
PCV (HCT)	46.30	%	40-54	
Platelet count				
Platelet Count	1.45	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	19.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	46.20	%	35-60	ELECTRONIC IMPEDANCE







UHID/MR NO

Ref Doctor

Visit ID

CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.RAJENDRA PRAKASH-44253 Age/Gender : 48 Y 0 M 0 D /M

: IDUN.0000213506 : IDUN0272732324

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN - Registered On Collected

Received

: 28/Oct/2023 08:48:18 : 28/Oct/2023 09:01:57

: 28/Oct/2023 09:54:07

Reported : 28/Oct/2023 12:42:12

Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.10	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	90.80	fl	80-100	CALCULATED PARAMETER
MCH	29.30	pg	28-35	CALCULATED PARAMETER
MCHC	32.30	%	30-38	CALCULATED PARAMETER
RDW-CV	14.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,320.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	170.00	/cu mm	40-440	

DR. RITU BHATIA MD (Pathology)









Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.RAJENDRA PRAKASH-44253 : 28/Oct/2023 08:48:20 Registered On Age/Gender : 48 Y O M O D /M Collected : 28/Oct/2023 09:01:57 UHID/MR NO : IDUN.0000213506 Received : 28/Oct/2023 09:54:07 Visit ID : IDUN0272732324 Reported : 28/Oct/2023 14:24:44

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	erval Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	105.86	mg/dl	< 100 Normal 100-125 Pre-diabete ≥ 126 Diabetes	GOD POD s	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	100	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level







CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.RAJENDRA PRAKASH-44253
 Registered On
 : 28/Oct/2023 08: 48: 20

 Age/Gender
 : 48 Y 0 M 0 D /M
 Collected
 : 28/Oct/2023 09: 01: 57

 UHID/MR NO
 : IDUN.0000213506
 Received
 : 28/Oct/2023 09: 54: 07

Visit ID : IDUN0272732324 Reported : 28/Oct/2023 14:24:44

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	8.11	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.13	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	7.21	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	36.17	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	26.45	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	19.32	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.40	gm/dl	6.2-8.0	BIURET
Albumin	4.88	gm/dl	3.4-5.4	B.C.G.
Globulin	2.52	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.94		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	121.25	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.41	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.54	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.87	mg/dl	< 0.8	JENDRASSIK & GROF





^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name

: Mr.RAJENDRA PRAKASH-44253

Registered On

: 28/Oct/2023 08:48:20 : 28/Oct/2023 09:01:57

Age/Gender UHID/MR NO : 48 Y O M O D /M : IDUN.0000213506 Collected Received

: 28/Oct/2023 09:54:07

Visit ID

: IDUN0272732324

Reported

: 28/Oct/2023 14:24:44

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Uı	nit Bio. Ref. Interv	al Method	
LIPID PROFILE (MINI) * , Serum					
Cholesterol (Total)	213.36	mg/dl	<200 Desirable 200-239 Borderline Higl > 240 High	CHOD-PAP h	
HDL Cholesterol (Good Cholesterol)	56.13	mg/dl	30-70	DIRECT ENZYMATIC	
LDL Cholesterol (Bad Cholesterol)	121	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED	
			Optimal/Above Optimal		
			130-159 Borderline High	n	
			160-189 High > 190 Very High		
VLDL	36.56	mg/dl	10-33	CALCULATED	
Triglycerides	182.82	mg/dl	< 150 Normal 150-199 Borderline Higl 200-499 High	GPO-PAP h	
			>500 Very High		

DR. RITU BHATIA







Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : 1

: Mr.RAJENDRA PRAKASH-44253

Registered On

: 28/Oct/2023 08:48:19

Age/Gender UHID/MR NO : 48 Y O M O D /M

Collected

: 28/Oct/2023 09:01:57 : 28/Oct/2023 09:54:07

Visit ID

: IDUN.0000213506 : IDUN0272732324 Received Reported

: 28/Oct/2023 12:54:38

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

RINE EXAMINATION, ROUTINE *, Urine Color Consider Creatity	YELLOW 1.025 Acidic (5.0)			
Color	1.025			
	1.025			
Propilis Crouity				
Specific Gravity	Acidic (5.0)			
Reaction PH				DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		·	10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
ougui e e e e e e e e e e e e e e e e e e e	ADJENT	9111370	0.5-1.0 (++)	DII STICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Jrobi <mark>linogen(1:20 dilution)</mark>	ABSENT			
Microscopic Examination:				
pithelial cells	0-1/h.p.f			MICROSCOPIC
	14-50			EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
JGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

DR. RITU BHATIA









Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.RAJENDRA PRAKASH-44253 Registered On : 28/Oct/2023 08:48:20 Age/Gender Collected : 28/Oct/2023 09:01:57 : 48 Y O M O D /M UHID/MR NO : IDUN.0000213506 Received : 28/Oct/2023 09:54:07 Visit ID : IDUN0272732324 Reported : 28/Oct/2023 19:22:48

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total * Sample:Serum	1.14	ng/mL	< 2.0	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL *, Serum

T3, Total (tri-iodothyronine)	101.79	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	5.30	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.070	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	$\mu IU/mL$	First Trimester				
0.5-4.6	$\mu IU/mL$	Second Trimester				
0.8 - 5.2	$\mu IU/mL$	Third Trimester				
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years			
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week			
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week			
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)			
1-39	$\mu IU/mL$	Child	0-4 Days			
1.7-9.1	$\mu IU/mL$	Child	2-20 Week			

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name

: Mr.RAJENDRA PRAKASH-44253

Registered On

: 28/Oct/2023 08:48:20

Age/Gender

: 48 Y O M O D /M

Collected

: 28/Oct/2023 09:01:57 : 28/Oct/2023 09:54:07

UHID/MR NO Visit ID

: IDUN.0000213506 : IDUN0272732324

Received Reported

: 28/Oct/2023 19:22:48

Ref Doctor

Dr. MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -

Status

: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

DR.SMRITI GUPTA MD (PATHOLOGY)









Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



: 28/Oct/2023 08:48:21

Patient Name : Mr.RAJENDRA PRAKASH-44253 Registered On

 Age/Gender
 : 48 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDUN.0000213506
 Received
 : N/A

Visit ID : IDUN0272732324 Reported : 28/Oct/2023 14:42:04

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *
(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Pulmonary parenchyma did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Bony cage is normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY DETECTED

Dr. Amit Bhandari MBBS MD RADIOLOGY







CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.RAJENDRA PRAKASH-44253

Registered On

: 28/Oct/2023 08:48:21

Age/Gender UHID/MR NO : 48 Y O M O D /M

Collected Received

: N/A

: N/A

Visit ID

: IDUN.0000213506 : IDUN0272732324

Reported

: 28/Oct/2023 09:53:40

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -

Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: is normal in size and echotexture. No focal lesion seen.

PORTAL VEIN: is normal at porta .

Common bile duct is normal. Intra Hepatic biliary radicles are not dilated.

GALL BLADDER: seen in distended state with echofree lumen. Wall thickness is normal.

SPLEEN: is normal in size, shape and echotexture. No focal lesion seen.

PANCREAS: Head and body appear normal. Tail is obscured by bowel gases.

RIGHT KIDNEY: is normal in size (10.3 cm) shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No mass/calculus/hydronephrosis seen.

LEFT KIDNEY: is normal in size (9.2 cm) shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No mass/calculus/hydronephrosis seen.

LYMPHNODES: No pre-or-para aortic lymph node mass is seen.

URINARY BLADDER: seen in distended state with echofree lumen. Wall thickness is normal.

Post void residual urine volume is not significant.

PROSTATE: is enlarged and measures approx 3.94 x 3.55 x 4.33 cm and vol = 31.72 cc.

FLUID: No significant free fluid seen in peritoneal cavity.

IMPRESSION: - PROSTATIC ENLARGEMENT.

Note: - In case of any discrepancy due to typing error kindly get it rectified immediately

*** End Of Report ***

Report House

EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)

Dr. Amit Bhandari MBBS MD PADIOLOG

Dr. Amit Bhandari MBBS MD RADIOLOGY

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





