

भारत सरकार
Government of India

विद्या मीणा
Vidhya Meena
जन्म वर्ष / Year of Birth : 1988
महिला / Female

6368 9650 1973

आधार - आम आदमी का अधिकार

भारतीय विशिष्टताहस्तासूची प्राधिकरण
आधार Unique Identification Authority of India

पता:
W/O: योगेश कुमार मीणा, हनुमान
चोक, मीणा का मोहल्ला हसन पुरा-ए,
जयपुर, स्टेशन रोड, राजस्थान,
302006

Address:
W/O: Yogesh Kumar Meena,
hanuman chowk, meeno ka
mohalla hasan pura-A, Jaipur,
Station Road, Rajasthan, 302006

6368 9650 1973

1947
1800 300 1947

help@uidai.gov.in

www.uidai.gov.in

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11
NAME :- Mrs. VIDHYA MEENA
Sex / Age :- Female 33 Yrs 4 Mon 15 Days
Company :- MediWheel

Patient ID :- 12211999
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 14:45:17

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM			
HAEMOGLOBIN (Hb)	12.8	g/dL	12.0 - 15.0
TOTAL LEUCOCYTE COUNT	7.30	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	67.0	%	40.0 - 80.0
LYMPHOCYTE	30.0	%	20.0 - 40.0
EOSINOPHIL	1.0	%	1.0 - 6.0
MONOCYTE	2.0	%	2.0 - 10.0
BASOPHIL	0.0	%	0.0 - 2.0
NEUT#	5.66	10 ³ /uL	1.50 - 7.00
LYMPH#	2.40	10 ³ /uL	1.00 - 3.70
EO#	0.26	10 ³ /uL	0.00 - 0.40
MONO#	0.70	10 ³ /uL	0.00 - 0.70
BASO#	0.00	10 ³ /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.39	x10 ⁶ /uL	3.80 - 4.80
HEMATOCRIT (HCT)	38.70	%	36.00 - 46.00
MEAN CORP VOLUME (MCV)	88.1	fL	83.0 - 101.0
MEAN CORP HB (MCH)	29.2	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	33.1	g/dL	31.5 - 34.5
PLATELET COUNT	250	x10 ³ /uL	150 - 410
RDW-CV	13.6	%	11.6 - 14.0
MENTZER INDEX	20.07		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

Technologist

BANWARI

DR. TANURUNGTA
M.D (Path) RMC No.-17226

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11

NAME :- Mrs. VIDHYA MEENA

Sex / Age :- Female 33 Yrs 4 Mon 15 Days

Company :- MediWheel

Patient ID :-12211999

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 14:45:17

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

PERIPHERAL BLOOD PICTURE

RBC: Cells are normocytic & normochromic.
No polychromasia or nucleated RBC's seen.

WBC: Total leucocyte count & Differential count within normal limits.

No toxic granules seen.
No immature cells seen.

PLATELETS : Count is adequate in number.

No parasite seen.

ADVISE:- Clinical correlation.

Technologist

BANWARI

Page No: 3 of 15

DR. TANURUNGTÀ
M.D (Path) RMC No.-17226

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :-12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 14:45:17

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
Erythrocyte Sedimentation Rate (ESR)	27 H	mm/hr.	00 - 20

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction)

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR" $\times > 100$ value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC); Methodology: FLC, DLC Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance. and MCH, MCV, MCHC, MENTZER INDEX are calculated. **Instrument Name**: Sysmex 6 part fully automatic analyzer XN-L, Japan

Technologist

BANWARI

Page No: 4 of 15

DR. TANURUNGTA
M.D (Path) RMC No.-17226

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
 Tele: 0141-2293346, 4049787, 9887049787
 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :-12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
 Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
 Company :- MediWheel

Sample Type :- EDTA Sample Collected Time 30/08/2021 09:05:12 Final Authentication : 30/08/2021 14:45:17

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BOB PACKAGE FEMALE <40			
GLYCOSYLATED HEMOGLOBIN (HbA1C) Method:- HPLC	5.4	%	Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher ADA Target: 7.0 Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycosylated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE Method:- Calculated Parameter	106	mg/dL	Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher
---	-----	-------	--

Technologist

BANWARI

Page No: 1 of 15

DR. TANURUNGTA
M.D (Path) RMC No.-17226

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :-12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
Company :- MediWheel

Sample Type :- EDTA, PLAIN/SERUM, URINE Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 14:45:17

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"B"POSITIVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone)			
URINE SUGAR (FASTING) Collected Sample Received	Nil		Nil
BLOOD UREA NITROGEN (BUN)	10.1	mg/dl	0.0 - 23.0

*** End of Report ***

Technologist

BANWARI, POOJABOHRA, SURENDRAKHANGA

Dr. Chandrika Gupta
MBBS:MD (Path)
RMC NO. 21021/008037
DR.TANURUNGA

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
 Tele: 0141-2293346, 4049787, 9887049787
 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :-12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
 Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
 Company :- MediWheel

Sample Type :- KOx/Na FLUORIDE-F, KOx/Na Substrate BLD+SED+UR+SGO/2021 12:02:40 Final Authentication : 30/08/2021 13:13:24

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	95.2	mg/dl	75.0 - 115.0
Impaired glucose tolerance (IGT)		111 - 125 mg/dL	
Diabetes Mellitus (DM)		> 126 mg/dL	
<p>Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels(hypoglycemia) may result from excessive insulin therapy or various liver diseases.</p>			
BLOOD SUGAR PP (Plasma) Method:- GOD PAP	98.2	mg/dl	70.0 - 140.0
<p>Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels(hypoglycemia) may result from excessive insulin therapy or various liver diseases.</p>			
SERUM CREATININE Method:- Colorimetric Method	0.77	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	3.41	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

Technologist

SURENDRAKHANGA

Dr. Chandrika Gupta
 MBBS,MD (Path)
 RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11

Patient ID :-12211999

NAME :- Mrs. VIDHYA MEENA

Ref. By Dr:- BOB

Sex / Age :- Female 33 Yrs 4 Mon 15 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 12:00:23

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	119.58	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	126.09	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
VLDL CHOLESTEROL Method:- Calculated	25.22	mg/dl	0.00 - 80.00

Technologist

SURENDRAKHANGA

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :-12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 12:00:23

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	36.99	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	61.58	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	3.23		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	1.66		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	414.98	mg/dl	400.00 - 1000.00
TOTAL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatment of lipid lipoprotein metabolism disorders.			
TRIGLYCERIDES InstrumentName:Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.			
DIRECT HDL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.			
DIRECT LDL-CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.			
TOTAL LIPID AND VLDL ARE CALCULATED			

Technologist

SURENDRAKHANGA

Page No: 6 of 15

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
 Tele: 0141-2293346, 4049787, 9887049787
 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :- 12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
 Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
 Company :- MediWheel

Sample Type :- PLAIN/SERUM Sample Collected Time 30/08/2021 09:05:12 Final Authentication : 30/08/2021 12:00:23

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.65	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
SGOT Method:- IFCC	19.5	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	10.5	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	34.40	IU/L	30.00 - 120.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.07	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.45	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.62	gm/dl	2.20 - 3.50
A/G RATIO	1.70		1.30 - 2.50

Technologist

SURENDRAKHANGA

Dr. Chandrika Gupta
 MBBS.MD (Path)
 RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.dr.goyalspathlab.com | E-mail: dr.goyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :- 12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
Company :- MediWHEEL

Sample Type :- PLAIN/SERUM

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 12:00:23

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.19	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.46	mg/dl	0.30-0.70
SERUM GAMMA GT Method:- IFCC	8.00	U/L	7.00 - 32.00

Total Bilirubin Methodology: Colorimetric method InstrumentName Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName Randox Rx Imola Interpretation Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCC InstrumentName Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent InstrumentName Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name: Randox Rx Imola **Interpretation:** Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal) are observed with infectious hepatitis.

Technologist

SURENDRAKHANGA

Page No: 8 of 15

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11
NAME :- Mrs. VIDHYA MEENA
Sex / Age :- Female 33 Yrs 4 Mon 15 Days
Company :- MediWheel

Patient ID :- 12211999
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- PLAIN/SERUM

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 12:31:42

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TSH Method:- Enhanced Chemiluminescence Immunoassay	2.570	µIU/mL	0.465 - 4.680

Technologist

ANANDSHARMA

Page No: 9 of 15

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganeer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :-12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
Company :- MediWHEEL

Sample Type :- PLAIN/SERUM

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 12:31:42

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.160	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	6.980	ug/dl	5.500 - 11.000

InstrumentName: VITROS ECI **Interpretation:** Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

InstrumentName: VITROS ECI **Interpretation:** The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

InstrumentName: VITROS ECI **Interpretation:** TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

Technologist

ANANDSHARMA

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11 Patient ID :- 12211999
NAME :- Mrs. VIDHYA MEENA Ref. By Dr:- BOB
Sex / Age :- Female 33 Yrs 4 Mon 15 Days Lab/Hosp :-
Company :- MediWheel

Sample Type :- URINE

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 11:35:26

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
<u>PHYSICAL EXAMINATION</u>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<u>CHEMICAL EXAMINATION</u>			
REACTION(PH)	5.5		5.0 - 7.5
SPECIFIC GRAVITY	1.025		1.010 - 1.030
PROTEIN	NIL		NIL
SUGAR	NIL		NIL
BILIRUBIN	NEGATIVE		NEGATIVE
UROBILINOGEN	NORMAL		NORMAL
KETONES	NEGATIVE		NEGATIVE
NITRITE	NEGATIVE		NEGATIVE

Technologist

POOJABOHRA

Page No: 12 of 15

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11
NAME :- Mrs. VIDHYA MEENA
Sex / Age :- Female 33 Yrs 4 Mon 15 Days
Company :- MediWheel

Patient ID :- 12211999
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- URINE

Sample Collected Time 30/08/2021 09:05:12

Final Authentication : 30/08/2021 11:35:26

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine			
<u>MICROSCOPY EXAMINATION</u>			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	2-3	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

Technologist

POOJABOHRA

Page No: 11 of 15

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

HEALTHCARE PVT. LTD.

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur
Tele: 0141-2293346, 4049787, 9887443311, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11
NAME :- Mrs. VIDHYA MEENA
Sex / Age :- Female 33 Yrs 4 Mon 15 Days
Company :- MediWheel

Patient ID :- 12211999
Ref. By Doctor:-BOB
Lab/Hosp :-

Final Authentication : 30/08/2021 11:59:04

BOB PACKAGEFEMALE <40

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)

DR. UMA MATHURIA
MD RADIO DIAGNOSIS
RMC NO. 22541

*** End of Report ***

Dr. Piyush Goyal
(D.M.R.D.) BILAL

Page No: 1 of 1

Dr. Piyush Goyal
MBBS, DMRD

Dr. Poonam Gupta
MD (Radiologist)

Dr. Ankita Gupta
MD, DNB, (Radio Diagnosis)

Dr. Parul Gupta Modi
MD, DNB, (Radiologist)

Dr. Aman Mamodia
MBBS, DMRD, DNB, (Radio Diagnosis)

Dr. Goyal's

PATH LAB & IMAGING CENTRE

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Ph.: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 30/08/2021 08:55:11

NAME :- Mrs. VIDHYA MEENA

Sex / Age - Female 33 Yrs 4 Mon 15 Days

Company - MediWheel

Patient ID :- 12211999

Ref. By Doctor - BOB

Lab/Hosp :-

Final Authentication : 30/08/2021 12:00:39

BOB PACKAGEFEMALE <40

ULTRA SOUND SCAN OF ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is contracted (postmeal status). Common bile duct is not dilated (3.7 mm)

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary Bladder: is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Uterus is anteverted and bulky and measures 106x57x44 mm.

Myometrium shows normal echo - pattern. No focal space occupying lesion is seen.

Endometrial echo is normal. Endometrial thickness is 9.6 mm.

Both ovaries are visualised and are normal. No adnexal mass is seen.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified.

No significant free fluid is seen in pouch of douglas.

IMPRESSION:

Bulky uterus

Needs clinical correlation & further evaluation

*** End of Report ***

Page No: 1 of 1

SAVITA

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg. No. 017996

Dr. Poonam Gupta
M.B.B.S., MD (Radio Diagnosis)
RMC Reg. No. 32495

Dr. Aman Mamodia
M.B.B.S., D.M.R.D., D.N.B. (Radio Diagnosis)
RMC Reg. No. 32618

Dr. Ankita Gupta
M.D., D.N.B. (Radio Diagnosis)
RMC Reg. No. 32638


Dr. Hitesh Kumar Sharma
M.B.B.S., D.M.R.D.
RMC Reg. No. 27380

Transcript by:



8522 / MRS VIDHYA MEENA / 33 Yrs / F / Non Smoker

Heart Rate : 70 bpm / / Refd By : BOB / Tested On : 30-Aug-21 11:11:40 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s



Partial RBBB

1245 / MRS VIDHYA MEENA / 33 Yrs / F / 0 Cms / 0 Kg Date: 30-Aug-2021 Refd By : BOB

(GEM210151123)Gemini A-DX by Allengers

Stage	Time	Duration	Belt Speed (mph)	Elevation	METS	Rate	BF	RPP	PVC	Comments
Supine	00:11	0:01	01.1	00.0	01.0	78	120/80	093	00	
Standing	00:31	0:01	01.1	00.0	01.0	108	120/80	129	00	
HV	00:36	0:01	01.1	00.0	01.0	094	120/80	112	00	
ExStart	01:18	0:06	01.7	10.0	01.1	100	120/80	120	00	
BRUCE Stage 1	04:18	3:00	01.7	10.0	04.7	138	125/80	172	00	
BRUCE Stage 2	07:18	3:00	02.5	12.0	07.1	158	135/90	213	00	
PeakEx	08:18	1:00	03.4	14.0	08.2	167	135/90	225	00	
Recovery	09:17	1:00	00.0	00.0	01.2	118	140/95	165	00	
Recovery	10:17	2:00	00.0	00.0	01.0	099	130/90	128	00	
Recovery	12:17	4:00	00.0	00.0	01.0	100	125/85	125	00	
Recovery	13:28	5:10	00.0	00.0	01.0	086	120/80	103	00	

Findings :

Exercise Time : 07:01
 Max HR Attained : 170 bpm 103% of Target 165
 Max BP Attained : 140/95
 Max Workload Attained : 8.2 Fair response to induced stress
 Test End Reasons : Test Complete. Heart Rate Achieved


TMT Negative for RMT of Peak Exercise.



Date: 30-Aug-2021 11:12:32 AM METS: 1.0/ 78 bpm 47% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HE 0.05 Hz/LF 100 Hz

4X 30 min Post U

ExTime: 00:11 1.1 mph 0.0%
25 mm/Sec 1.0 Cm/mV



REMARKS:

Date: 30-Aug-2021 11:12:32 AM

METS: 1.0/ 108 bpm 65% of THR


BP: 120/80 mmHg

Raw ECG/ BLC Orig Notch Orig HF 0.05 Hz/LF 100 Hz

4X

80 mS Post J

EXTime: 00:31 1.1 mph 0.0%
25 mm/Sec. 1.0 Cm/mV




REMARKS:
I II aVR aVL aVF V1 V2 V3 V4 V5 V6

Date: 30-Aug-2021 11:12:32 AM METS: 1.0/ 94 bpm 56% of THR BP: 120/80 mmHg Raw ECG/ BLC Orig Notch Onv HF 0.05 Hz/F 100 Hz

EXTime: 00:36 1.1 mph 0.0%
25 mm/Sec, 1.0 Cm/mV

4X 30 mS Past J




REMARKS:
II aVR aVF V2 V4 V6

Date: 30-Aug-2021 11:12:32 AM METS: 1.1/100 bpm 60% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LF 100 Hz

4X I10 ms Post J

EXTIME: 00:06 1.7 mph 10.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS: I II aVR aVF V1 V2 V3 V4 V5 V6


Date: 30-Aug-2021 11:12:32 AM METS: 4.7/ 138 bpm 83% of THR: BP: 125/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

EXTime: 03:00 1.7 mph 10.0% 25 mm/Sec. 1.0 Cm/Div


4X 60 ms Post J




I
S1L 0.0
S1S 0.1




II
0.3
1.0




III
0.3
0.9



aVR
-0.2
-0.8



aVL
-0.1
-0.8



AVF
0.3
1.0



REMARKS:
II aVR aVF V2 V4 V6
I III aVL V1 V3 V5



Date: 30-Aug-2021 11:12:32 AM

METS: 7.1/ 158 bpm 95% of THR

BP: 135/90 mmHg


Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

EXTime: 06:00 2.5 mph, 12.0%

25 min/Sec. 1.0 cm/mV

4X 60 ms Post J

avL -0.5




I 0.4
III -0.4
TTC 0.0



V1 0.5
V2 -0.5



II 0.1
III 0.1
TTC 1.9



V2 -0.2
V3 -0.3




III 0.6
V2 0.6
TTC 1.9



V3 1.0



avR 0.1
V4 0.1
TTC -0.5



V4 0.7
V5 0.9



avL -0.5
V5 -0.5
TTC -0.9



V5 0.0
V6 1.3



avF 0.4
V6 0.4
TTC 1.9



V6 0.5




I II III avR avF V1 V2 V3 V4 V5 V6

REMARKS:

Date: 30-Aug-2021 11:12:32 AM METS: 8.2/ 167 bpm 101% of THR BP: 135/90 mmHg RAW ECG/ BLC On/ Notch On/ HF: 0.05 Hz/L F: 100 Hz

ExTime: 07:00 3.4 min 14.0%
25 mm/Sec 1.0 Cm/Div

4X 60 ms Post-P




REMARKS: I II aVR aVL aVF V1 V2 V3 V4 V5 V6

Date: 30-Aug-2021 11:12:32 AM METS: 1.21 118 bpm 71% of THR BP- 140/95 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/ LF 100 Hz

4X 00 mS Post J

ExTime: 07:01 0.0 mph 0.0% 25 mm/Sec. 1.0 ChemV



REMARKS:

Date: 30-Aug-2021 11:12:32 AM


METS: 1.0/ 99 bpm 60% of THR

BP: 130/90 mmHg

Raw ECG-BL: GM Notch GM HF 0.05 Hz LFL 100 Hz

4X 80 ms Post J

ExTime 07:01 0.0 mph, 0.0%
25 mm/Sec. 1.0 cm/mV




REMARKS:

Date: 30-Aug-2021 11:12:32 AM METS: 1.0/ 100 bpm 60% of THR BP: 125/85 mmHg Raw ECG/ BCG On: NOKIA On: HF: 0.06 HZ LF: 100 Hz

EXTIME: 07:01 0.0 mpph 0.0%
25 mm/Sec. 1.0 Cm/mV


4X B0 mS Post J



REMARKS:
I II III aVR aVL aVF V1 V2 V3 V4 V5 V6

Date: 30-Aug-2021 11:12:32 AM METS: 1.0/ 86 bpm 52% of THR BP: 120/80 mmHg Raw ECG/BL/C ONV Notch On/Off 0.05 Hz/UL 100 Hz

EXTime: 07:01 0.0 mph 0.0% 25 mm/Sec 1.0 Cm/mV



REMARKS:



Date: 30-Aug-2021 11:12:32 AM

I

II

III

aVR

aVL

aVF

V1


V2

V3

V4

V5


V6




PEAKEX




Recovery



Recovery



Recovery



Recovery

