

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA Registered On : 05/Nov/2023 09:30:19 Age/Gender : 30 Y O M O D /F Collected : 05/Nov/2023 11:53:49 UHID/MR NO : CALI.0000049189 Received : 05/Nov/2023 13:56:37 Visit ID Reported : 05/Nov/2023 19:08:01 : CALI0152342324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### DEPARTMENT OF HAEMATOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) **, B	lood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) **, Who	le Blood			
Haemoglobin	10.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	5,500.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	53.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	40.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	18.00	Mm for 1st hr.		
Corrected	6.00	Mm for 1st hr.	< 20	
PCV (HCT)	32.00	%	40-54	
Platelet count		. •		
Platelet Count	2.20	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	, fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	52.60	%	35-60	ELECTRONIC IMPEDANCE







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA Registered On : 05/Nov/2023 09:30:19 Age/Gender : 30 Y O M O D /F Collected : 05/Nov/2023 11:53:49 UHID/MR NO : CALI.0000049189 Received : 05/Nov/2023 13:56:37 Visit ID : CALI0152342324 Reported : 05/Nov/2023 19:08:01

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.25	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.11	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	85.20	fΙ	80-100	CALCULATED PARAMETER
MCH	25.50	pg	28-35	CALCULATED PARAMETER
MCHC	29.90	%	30-38	CALCULATED PARAMETER
RDW-CV	14.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	45.80	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,915.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	110.00	/cu mm	40-440	

Dr. Shoaib Irfan (MBBS, MD, PDCC)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA : 05/Nov/2023 09:30:20 Registered On Age/Gender : 30 Y O M O D /F Collected : 05/Nov/2023 11:53:49 UHID/MR NO : CALI.0000049189 Received : 05/Nov/2023 13:48:13 Visit ID : CALI0152342324 Reported : 05/Nov/2023 16:10:26

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING ** , Plasma					
Glucose Fasting	90.20	ma/dl < 100	Normal GOI	D POD	

100-125 Pre-diabetes ≥ 126 Diabetes

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP **		95.20	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal				140-199 Pre-diabetes	
				>200 Diabetes	

### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*\*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	34.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	105	mg/dl	

### **Interpretation:**

### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.







Ref Doctor

### CHANDAN DIAGNOSTIC CENTRE

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : 05/Nov/2023 09:30:20 : Mrs.ANITA Registered On Age/Gender : 30 Y O M O D /F Collected : 05/Nov/2023 11:53:49 UHID/MR NO : CALI.0000049189 Received : 05/Nov/2023 13:48:13 Visit ID : CALI0152342324 Reported : 05/Nov/2023 16:10:26 : Dr.Mediwheel - Arcofemi Health Care Ltd.

: Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) ** Sample:Serum	7.85	mg/dL	7.0-23.0	CALCULATED
Creatinine ** Sample:Serum	0.79	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid ** Sample:Serum	3.44	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) \*\*, Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA Registered On : 05/Nov/2023 09:30:20 Age/Gender : 30 Y O M O D /F Collected : 05/Nov/2023 11:53:49 UHID/MR NO : CALI.0000049189 Received : 05/Nov/2023 13:48:13 Visit ID Reported : 05/Nov/2023 16:10:26 : CALI0152342324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	val Method
SGOT / Aspartate Aminotransferase (AST)	31.80	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	18.00	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	14.00	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.55	gm/dl	6.2-8.0	BIURET
Albumin	3.87	gm/dl	3.4-5.4	B.C.G.
Globulin	2.68	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.44	91117 41	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	109.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.32	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.15	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.17	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) **, Serum				
Cholesterol (Total)	195.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	47.90	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	100	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	CALCULATED al
· VLDL	47.22	mg/dl	> 190 very rigit 10-33	CALCULATED
Triglycerides	236.10	mg/dl	< 150 Normal	GPO-PAP
Highyceriaes	230.10	mg/ul	150-199 Borderline Hig 200-499 High >500 Very High	

Bring

Dr. Anupam Singh (MBBS MD Pathology)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA : 05/Nov/2023 09:30:20 Registered On Age/Gender : 30 Y O M O D /F Collected : 05/Nov/2023 11:53:49 UHID/MR NO : CALI.0000049189 Received : 05/Nov/2023 13:19:15 Visit ID : CALI0152342324 Reported : 05/Nov/2023 16:36:00

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### DEPARTMENT OF IMMUNOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL **, Serum				
T3, Total (tri-iodothyronine)	135.62	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.680	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		•		
. •		0.3-4.5 μIU/r	nL First Trimes	ster
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/n	nL Third Trime	ester
		0.5-8.9 µIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n		z - 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)



Home Sample Collection 1800-419-0002



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA Registered On : 05/Nov/2023 09:30:21

 Age/Gender
 : 30 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000049189
 Received
 : N/A

Visit ID : CALI0152342324 Reported : 05/Nov/2023 13:45:30

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### DEPARTMENT OF X-RAY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA \*

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

### **DIGITAL CHEST P-A VIEW**

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- · Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

### **IMPRESSION:**

NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.

Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)









Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA Registered On : 05/Nov/2023 09:30:21

 Age/Gender
 : 30 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000049189
 Received
 : N/A

Visit ID : CALI0152342324 Reported : 05/Nov/2023 10:31:49

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

### LIVER

 The liver is normal in size ~ 13.6 cm in longitudinal span and has a normal homogenous echotexture. No focal lesion is seen.

### PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- · Porta hepatis is normal.

#### BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

### **PANCREAS**

The pancreas is normal in size and shape and has a normal homogenous echotexture.
 Pancreatic duct is not dilated.

### **KIDNEYS**

- Right kidney is normal in size position and cortical echotexture. Cortico-medullary demarcation is maintained.
- Left kidney is normal in size position and cortical echotexture. Cortico-medullary demarcation is maintained.
- A small calculus measuring ~ 4.7 mm seen at left lower pole calyx of left kidney.
- The collecting system of both the kidneys are not dilated.

### SPLEEN

• The spleen is normal in size ~ 8.6 cm and has a normal homogenous echo-texture.

### **ILIAC FOSSAE & PERITONEUM**

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.
- Visualized bowel loops are gaseous and grossly appear normal in caliber, peristalsis and wall thickness.

### **URINARY BLADDER**

The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.ANITA

Registered On

: 05/Nov/2023 09:30:21

Age/Gender UHID/MR NO : 30 Y O M O D /F : CALI.0000049189 Collected Received

: N/A

Visit ID

: CALI0152342324

Reported

: 05/Nov/2023 10:31:49

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd.

`tot...

: Final Report

: N/A

## DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

seen.

### **UTERUS**

- The uterus is anteverted and normal in size ~ 2.3 x 4.2 x 5.3 cm.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline. ET measures ~ 3.2 mm.
- · Cervix is normal.

### ADNEXA & OVARIES

- Both ovaries are normal in size volume and echotexture.
- Right ovary measures ~ 2.2 x 1.3 x 2.1 cm (volume ~ 4.3 cc).
- Left ovary measures ~ 3.3 x 1.2 x 2.6 cm (volume ~ 5.2 cc).
- · Adnexa are normal.

### **FINAL IMPRESSION:-**

• SMALL LEFT RENAL CALCULUS.

Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

URINE EXAMINATION, ROUTINE, STOOL, ROUTINE EXAMINATION, SUGAR, FASTING STAGE, SUGAR, PP STAGE, ECG / EKG



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location





