



CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 14:20

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	12.1	12.0-15.0 g/dL	Spectrophotometric
RBC	5.05	3.8-4.8 mil/cmm	Elect. Impedance
PCV	38.0	36-46 %	Measured
MCV	75	80-100 fl	Calculated
MCH	23.9	27-32 pg	Calculated
MCHC	31.7	31.5-34.5 g/dL	Calculated
RDW	14.9	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	2920	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	35.0	20-40 %	
Absolute Lymphocytes	1022.0	1000-3000 /cmm	Calculated
Monocytes	11.0	2-10 %	
Absolute Monocytes	321.2	200-1000 /cmm	Calculated
Neutrophils	53.0	40-80 %	
Absolute Neutrophils	1547.6	2000-7000 /cmm	Calculated
Eosinophils	1.0	1-6 %	
Absolute Eosinophils	29.2	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	160000	150000-400000 /cmm	Elect. Impedance
MPV	11.6	6-11 fl	Calculated
PDW	31.6	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			



CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 13:14

Use a QR Code Scanner
Application To Scan the Code

Hypochromia	Mild
Microcytosis	Mild
Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	-
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	Megaplatelets seen on smear
COMMENT	Leucopenia

Result rechecked
Kindly correlate clinically.

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 13 2-20 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 15:31

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	89.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	99.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist





CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 15:31

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
BLOOD UREA, Serum	17.3	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.1	6-20 mg/dl	Calculated
CREATININE, Serum	0.82	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	81	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	3.2	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.2	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	8.8	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	137	135-148 mmol/l	ISE
POTASSIUM, Serum	4.9	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	105	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111



CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 13:32

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	6.0	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	125.5	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1c goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 15:15

Use a QR Code Scanner
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
URINE EXAMINATION REPORT**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	30	-	-
<u>CHEMICAL EXAMINATION</u>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
Leukocytes(Pus cells)/hpf	6-8	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	8-10		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+++	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111



Use a QR Code Scanner
Application To Scan the Code

CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected :
Reported :

*** End Of Report ***



CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 13:30

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	A
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum


Clinical significance:
ABO system is most important of all blood group in transfusion medicine

- Limitations:**
- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
 - Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
 - Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
 - Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
 - The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

- References:**
1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***

Dr.VRUSHALI SHROFF
M.D.(PATH)
Pathologist





CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 15:05

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	153.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	97.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	38.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	115.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	95.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	20.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.5	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111





CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 16:14

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	3.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.5	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	2.15	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 16:14

Use a QR Code Scanner
Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



MC-2111





CID : 2308808531
Name : MRS.NEETA M PAWAR
Age / Gender : 43 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 29-Mar-2023 / 08:12
Reported : 29-Mar-2023 / 15:05

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.22	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.13	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.09	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	16.9	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	15.4	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	15.7	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	64.3	35-105 U/L	Colorimetric

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



SUBURBAN DIAGNOSTICS - BORIVALI WEST

Patient Name: NEETA M PAWAR

Date and Time: 29th Mar 23 9:35 AM

Patient ID: 2308808531

Age **43** **0** **25**
years months days

Gender **Female**

Heart Rate **66bpm**

Patient Vitals

BP: 120/80 mmHg

Weight: 64 kg

Height: 152 cm

Pulse: NA

Spo2: NA

Resp: NA

Others: _____

Measurements


QRSD: 88ms

QT: 402ms

QTc: 421ms

PR: 170ms

P-R-T: 68° 83° 49°



Copyright 2014-2023 Tricog Health, All Rights Reserved.



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

Dr Nitin Sonavane
M.B.B.S.AFLH, D.DIAB,D.CARD
Consultant Cardiologist
87714



CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:43

USG WHOLE ABDOMEN

LIVER: Liver is normal in size, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS: Right kidney measures 9.4 x 3.4 cm. Left kidney measures 9.5 x 4.3 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTERUS: Uterus is anteverted, normal and measures 5.6 x 4.1 x 5.4 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 6.1 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal in size and echotexture.
The right ovary measures 1.2 x 1.2 cm.
The left ovary measures 1.3 x 1.0 cm.

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032907591028>



CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:43

Opinion:

- No significant abnormality is detected.

For clinical correlation and follow up.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032907591028>

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 13:19

X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:
NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032907591066>

Date 29/3/23

Lab # :
Sex / Age 48/2

Name : Mrs. Neeta Pawar

GYNAEC EXAMINATION REPORT

PERSONAL HISTORY

CHIEF COMPLAINTS : No

MARITAL STATUS : Married

MENSTRUAL HISTORY :

(1) MENARCHE 14 yrs :

(2) PRESENT MENSTRUAL HISTORY : 26/2/23 - Occasional irreg. otherwise reg. 2 days of flow.

(3) PAST MENSTRUAL HISTROY :

OBSTETRIC HISTORY G₄ P₃ A₁ L₃ : (♀) } PIND₂
(♂) }
(♀) }

PAST HISTORY No :

PREVIOUS SURGERIES No. :

ALLERGIES No. :

FAMILY HISTORY nil. :

DRUG HISTROY No' :

BOWEL HABITS Tendency to Constipation :

BLADDER HABITS :

Date:- 29/03/2023

CID: 2308808531

Name:- Neeta M Pawar

Sex / Age: F / 43

EYE CHECK UP

Chief complaints:

| Nil

Systemic Diseases:

Past history:

| Nil

Unaided Vision:

Aided Vision:

R/E

L/E

Refraction:

6/6

6/6

N12

N12

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark:

Suburban Diagnostics (I) Pvt. Ltd.
 301 & 302, 3rd Floor, Mini Elegance,
 Above Anisq Jeweller, T. Road,
 Borivali (West), Mumbai - 400 092.

CID NO: 2308808531	
PATIENT'S NAME: MRS.NEETA M PAWAR	AGE/SEX: 43 Y/F
REF BY: -----	DATE: 29/03/2023

2-D ECHOCARDIOGRAPHY

1. RA, LA RV is Normal Size.
2. No LV Hypertrophy.
3. Normal LV systolic function. LVEF 60 % by bi-plane
4. No RWMA at rest.
5. Aortic, Pulmonary valves normal. Trivial TR, Mild MR.
6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
7. Inter-ventricular septum is intact and normal.
8. Intra Atrial Septum intact.
9. Fulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11.No Pericardial Effusion
- 12.No Diastolic disfunction. No Doppler evidence of raised LVEDP.

PATIENT'S NAME: MRS.NEETA M PAWAR	AGE/SEX: 43 Y/F
REF BY: -----	DATE: 29/03/2023

1. AO root diameter	2.7 cm
2. IVSd	1.0 cm
3. LVIDd	4.1 cm
4. LVIDs	2.1 cm
5. LVPWd	1.0 cm
6. LA dimension	3.4 cm
7. RA dimension	3.5 cm
8. RV dimension	2.9 cm
9. Pulmonary flow vel:	0.8 m/s
10. Pulmonary Gradient	2.4 m/s
11. Tricuspid flow vel	1.6 m/s
12. Tricuspid Gradient	11 m/s
13. PASP by TR Jet	21 mm Hg
14. TAPSE	3.0 cm
15. Aortic flow vel	1.0 m/s
16. Aortic Gradient	4.0 m/s
17. MV:E	0.8 m/s
18. A vel	0.6 m/s
19. IVC	15 mm


Impression:

Mild MR, Trivial TR, PASP by TR Jet 21 mm Hg.
Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report


DR. S. NITIN
Consultant Cardiologist
Reg. No. 87714

CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Use a QR Code Scanner
Application To Scan the Code
Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:51

MAMMOGRAPHY

Bilateral mammograms have been obtained a low radiation dose film screen technique in the cranio-caudal and oblique projections. Film markers are in the axillary / lateral portions of the breasts.

Bilateral breasts are symmetrical with mixed fibroglandular pattern is noted.

No obvious evidence of focal spiculated suspicious mass lesion / clusters of microcalcification is seen.

No architectural distortion is seen.

No abnormal skin thickening is seen.

Skin and nipple shadows are normal.

No axillary lymph nodes seen.

Sonomammography of both breasts show normal parenchymal echotexture.

No obvious focal area of altered echoes seen on both sides.

No significant axillary lymphadenopathy is seen.

Opinion:

No significant abnormality detected in mammography and sonomammography of both breasts, ACR BIRADS CATEGORY I.

*Suggest: Follow up mammography after one year is suggested.
Please bring all the films for comparison.*

Click here to view images <<ImageLink>>

CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:51

Use a QR Code Scanner
Application To Scan the Code

ACR BIRADS CATEGORY

[American college of radiology breast imaging reporting and data system].

- I Negative
II Benign finding
III Probably benign finding.
IV Suspicious (Indeterminate).
V Highly suggestive of malignancy.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

Disclaimer:-

Not all breast abnormalities show up on mammography. The false negative rate of mammography is approximately 10%. The management of palpable abnormality must be based on clinical grounds. If you detect a lump or any other change in your breast before your next screening mammogram consult your doctor immediately.

-----End of Report-----



DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.

Click here to view images <<ImageLink>>



CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:43

USG WHOLE ABDOMEN

LIVER: Liver is normal in size, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS: Right kidney measures 9.4 x 3.4 cm. Left kidney measures 9.5 x 4.3 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTERUS: Uterus is anteverted, normal and measures 5.6 x 4.1 x 5.4 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 6.1 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal in size and echotexture.
The right ovary measures 1.2 x 1.2 cm.
The left ovary measures 1.3 x 1.0 cm.

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032907591028>



CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:43

Opinion:

- No significant abnormality is detected.

For clinical correlation and follow up.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032907591028>

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 13:19

X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:
NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032907591066>

Date 29/3/23

Lab # :
Sex / Age 48/2

Name : Mrs. Neeta Pawar

GYNAEC EXAMINATION REPORT

PERSONAL HISTORY

CHIEF COMPLAINTS : No

MARITAL STATUS : Married

MENSTRUAL HISTORY :

(1) MENARCHE 14 yrs :

(2) PRESENT MENSTRUAL HISTORY : 26/2/23 - Occasional irreg. otherwise reg. 2 days & flow.

(3) PAST MENSTRUAL HISTROY :

OBSTETRIC HISTORY G₄ P₃ A₁ L₃ : (♀) } PIND₂
(♂) }
(♀) }

PAST HISTORY No :

PREVIOUS SURGERIES No. :

ALLERGIES No. :

FAMILY HISTORY nil. :

DRUG HISTROY No' :

BOWEL HABITS Tendency to Constipation :

BLADDER HABITS :

Date:- 29/03/2023

CID: 2308808531

Name:- Neeta M Pawar

Sex / Age: F / 43

EYE CHECK UP

Chief complaints:

| Nil

Systemic Diseases:

Past history:

| Nil

Unaided Vision:

Aided Vision:

R/E

L/E

Refraction:

6/6

6/6

N12

N12

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark:

Suburban Diagnostics (I) Pvt. Ltd.
 301 & 302, 3rd Floor, Mini Elegance,
 Above Anisq Jeweller, T. Road,
 Borivali (West), Mumbai - 400 092.

CID NO: 2308808531	
PATIENT'S NAME: MRS.NEETA M PAWAR	AGE/SEX: 43 Y/F
REF BY: -----	DATE: 29/03/2023

2-D ECHOCARDIOGRAPHY

1. RA, LA RV is Normal Size.
2. No LV Hypertrophy.
3. Normal LV systolic function. LVEF 60 % by bi-plane
4. No RWMA at rest.
5. Aortic, Pulmonary valves normal. Trivial TR, Mild MR.
6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
7. Inter-ventricular septum is intact and normal.
8. Intra Atrial Septum intact.
9. Fulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11.No Pericardial Effusion
- 12.No Diastolic disfunction. No Doppler evidence of raised LVEDP.

PATIENT'S NAME: MRS.NEETA M PAWAR	AGE/SEX: 43 Y/F
REF BY: -----	DATE: 29/03/2023

1. AO root diameter	2.7 cm
2. IVSd	1.0 cm
3. LVIDd	4.1 cm
4. LVIDs	2.1 cm
5. LVPWd	1.0 cm
6. LA dimension	3.4 cm
7. RA dimension	3.5 cm
8. RV dimension	2.9 cm
9. Pulmonary flow vel:	0.8 m/s
10. Pulmonary Gradient	2.4 m/s
11. Tricuspid flow vel	1.6 m/s
12. Tricuspid Gradient	11 m/s
13. PASP by TR Jet	21 mm Hg
14. TAPSE	3.0 cm
15. Aortic flow vel	1.0 m/s
16. Aortic Gradient	4.0 m/s
17. MV:E	0.8 m/s
18. A vel	0.6 m/s
19. IVC	15 mm


Impression:

Mild MR, Trivial TR, PASP by TR Jet 21 mm Hg.
Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report


DR. S. NITIN
Consultant Cardiologist
Reg. No. 87714

CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Use a QR Code Scanner
Application To Scan the Code
Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:51

MAMMOGRAPHY

Bilateral mammograms have been obtained a low radiation dose film screen technique in the cranio-caudal and oblique projections. Film markers are in the axillary / lateral portions of the breasts.

Bilateral breasts are symmetrical with mixed fibroglandular pattern is noted.

No obvious evidence of focal spiculated suspicious mass lesion / clusters of microcalcification is seen.

No architectural distortion is seen.

No abnormal skin thickening is seen.

Skin and nipple shadows are normal.

No axillary lymph nodes seen.

Sonomammography of both breasts show normal parenchymal echotexture.

No obvious focal area of altered echoes seen on both sides.

No significant axillary lymphadenopathy is seen.

Opinion:

No significant abnormality detected in mammography and sonomammography of both breasts, ACR BIRADS CATEGORY I.

*Suggest: Follow up mammography after one year is suggested.
Please bring all the films for comparison.*

Click here to view images <<ImageLink>>

CID : 2308808531
Name : Mrs NEETA M PAWAR
Age / Sex : 43 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 29-Mar-2023
Reported : 29-Mar-2023 / 11:51

Use a QR Code Scanner
Application To Scan the Code

ACR BIRADS CATEGORY

[American college of radiology breast imaging reporting and data system].

- I Negative IV Suspicious (Indeterminate).
II Benign finding V Highly suggestive of malignancy.
III Probably benign finding.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

Disclaimer:-

Not all breast abnormalities show up on mammography. The false negative rate of mammography is approximately 10%. The management of palpable abnormality must be based on clinical grounds. If you detect a lump or any other change in your breast before your next screening mammogram consult your doctor immediately.

-----End of Report-----



DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.

Click here to view images <<ImageLink>>