

| | | | |
|-----------------|-----------|------------|--------------|
| Name | Ms.POOJA | ID | MED111292875 |
| Age & Gender | 34/FEMALE | Visit Date | 10/09/2022 |
| Ref Doctor Name | MediWheel | | |

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is not visualized, consistent with h/o cholecystectomy.
CBD measures 5mm.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 8.7cms in long axis and 3.6cms in short axis.
No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well made out. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

| | Bipolar length (cms) | Parenchymal thickness (cms) |
|---------------------|-----------------------------|------------------------------------|
| Right Kidney | 10.3 | 1.2 |
| Left Kidney | 10.3 | 1.1 |

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is retroverted and normal in size. It has uniform myometrial echopattern.

Endometrial thickness measures 10mm

Uterus measures as follows: LS: 8.5cms AP: 4.7cms TS: 4.5cms.

Few small nabothian cysts are noted in the cervix, largest measuring about 10 x 10mm.

OVARIES are normal in size, shape and echotexture. No focal lesion seen.

Ovaries measure as follows: **Right ovary: 3.2 x 1.8cms Left ovary: 3.5 x 1.7cms**

Minimal free fluid is noted in the pelvis.

REPORT DISCLAIMER

1.This is only a radiological impression. Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
2.The results reported here in are subject to interpretation by qualified medical professionals only.
3.Customer identities are accepted provided by the customer or their representative.
4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
5.If any specimen/sample is received from any others laboratory/hospital, it is presumed that the sample belongs to the patient identified or named.
6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the referring doctor/patient can contact the respective section head of the laboratory.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
9.Liability is limited to the extend of amount billed.
10.Reports are subject to interpretation in their entirety. partial or selective interpretation may lead to false opinion.
11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts Chennai only.

| | | | |
|-----------------|-----------|------------|--------------|
| Name | Ms.POOJA | ID | MED111292875 |
| Age & Gender | 34/FEMALE | Visit Date | 10/09/2022 |
| Ref Doctor Name | MediWheel | | |

No evidence of pleural effusion.

IMPRESSION:

- **POST CHOLECYSTECTOMY STATUS.**
- **NO SIGNIFICANT ABNORMALITY.**

**DR. MEERA S
CONSULTANT RADIOLOGIST**

MS/vp

REPORT DISCLAIMER

- 1.This is only a radiological impression.Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|----------------------|-----------------------|-------------|--------------------------------------|
|----------------------|-----------------------|-------------|--------------------------------------|

HAEMATOLOGY

Complete Blood Count With - ESR

| | | | |
|--|-------|-------------|--------------|
| Haemoglobin (EDTA Blood/Spectrophotometry) | 13.94 | g/dL | 12.5 - 16.0 |
| Packed Cell Volume(PCV)/Haematocrit (EDTA Blood) | 42.8 | % | 37 - 47 |
| RBC Count (EDTA Blood) | 4.57 | mill/cu.mm | 4.2 - 5.4 |
| Mean Corpuscular Volume(MCV) (EDTA Blood) | 93.6 | fL | 78 - 100 |
| Mean Corpuscular Haemoglobin(MCH) (EDTA Blood) | 30.5 | pg | 27 - 32 |
| Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood) | 32.6 | g/dL | 32 - 36 |
| RDW-CV (EDTA Blood) | 12.7 | % | 11.5 - 16.0 |
| RDW-SD (EDTA Blood) | 41.61 | fL | 39 - 46 |
| Total Leukocyte Count (TC) (EDTA Blood) | 8090 | cells/cu.mm | 4000 - 11000 |
| Neutrophils (EDTA Blood) | 63.78 | % | 40 - 75 |
| Lymphocytes (EDTA Blood) | 27.77 | % | 20 - 45 |
| Eosinophils (EDTA Blood) | 1.84 | % | 01 - 06 |


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|---------------------------|--------------------------------------|
| Monocytes (EDTA Blood) | 6.32 | % | 01 - 10 |
| Basophils (Blood) | 0.30 | % | 00 - 02 |
| INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically. | | | |
| Absolute Neutrophil count (EDTA Blood) | 5.16 | 10 ³ / μ l | 1.5 - 6.6 |
| Absolute Lymphocyte Count (EDTA Blood) | 2.25 | 10 ³ / μ l | 1.5 - 3.5 |
| Absolute Eosinophil Count (AEC) (EDTA Blood) | 0.15 | 10 ³ / μ l | 0.04 - 0.44 |
| Absolute Monocyte Count (EDTA Blood) | 0.51 | 10 ³ / μ l | < 1.0 |
| Absolute Basophil count (EDTA Blood) | 0.02 | 10 ³ / μ l | < 0.2 |
| Platelet Count (EDTA Blood) | 152.7 | 10 ³ / μ l | 150 - 450 |
| MPV (EDTA Blood) | 11.81 | fL | 8.0 - 13.3 |
| PCT (EDTA Blood/Automated Blood cell Counter) | 0.18 | % | 0.18 - 0.28 |
| ESR (Erythrocyte Sedimentation Rate) (Citratd Blood) | 11 | mm/hr | < 20 |


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM




| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|-------------|---|
| <u>Lipid Profile</u> | | | |
| Cholesterol Total (Serum/CHOD-PAP with ATCS) | 142.42 | mg/dL | Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240 |
| Triglycerides (Serum/GPO-PAP with ATCS) | 97.93 | mg/dL | Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500 |

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the 'usual' circulating level of triglycerides during most part of the day.

| | | | |
|---|--------------|-------|---|
| HDL Cholesterol (Serum/Immunoinhibition) | 42.47 | mg/dL | Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50 |
| LDL Cholesterol (Serum/Calculated) | 80.4 | mg/dL | Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190 |
| VLDL Cholesterol (Serum/Calculated) | 19.6 | mg/dL | < 30 |


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM




| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|-------------|--|
| Non HDL Cholesterol (Serum/Calculated) | 99.9 | mg/dL | Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220 |

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

| | | | |
|--|-----|--|--|
| Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated) | 3.4 | | Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0 |
| Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated) | 2.3 | | Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0 |
| LDL/HDL Cholesterol Ratio (Serum/Calculated) | 1.9 | | Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0 |


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|--|-----------------------|-------------|---|
| <u>Glycosylated Haemoglobin (HbA1c)</u> | | | |
| HbA1C (Whole Blood/HPLC) | 5.2 | % | Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: \geq 6.5 |

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control \geq 8.1 %

Estimated Average Glucose 102.54 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|----------------------|-----------------------|-------------|--------------------------------------|
|----------------------|-----------------------|-------------|--------------------------------------|

IMMUNOASSAY

THYROID PROFILE / TFT

| | | | |
|--|------|-------|------------|
| T3 (Triiodothyronine) - Total (Serum/ECLIA) | 1.24 | ng/ml | 0.7 - 2.04 |
|--|------|-------|------------|

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

| | | | |
|--|------|-------|------------|
| T4 (Tyroxine) - Total (Serum/ECLIA) | 7.16 | µg/dl | 4.2 - 12.0 |
|--|------|-------|------------|

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

| | | | |
|--|------|--------|-------------|
| TSH (Thyroid Stimulating Hormone) (Serum/ECLIA) | 2.95 | µIU/mL | 0.35 - 5.50 |
|--|------|--------|-------------|

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.


2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|----------------------|-----------------------|-------------|--------------------------------------|
|----------------------|-----------------------|-------------|--------------------------------------|


CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)


| | | | |
|---------------------|--------|--|-----------------|
| Colour (Urine) | Yellow | | Yellow to Amber |
| Appearance (Urine) | Clear | | Clear |
| Volume(CLU) (Urine) | 15 | | |

CHEMICAL EXAMINATION (URINE COMPLETE)

| | | | |
|--------------------------|----------|--|---------------|
| pH (Urine) | 6.0 | | 4.5 - 8.0 |
| Specific Gravity (Urine) | 1.010 | | 1.002 - 1.035 |
| Ketone (Urine) | Negative | | Negative |
| Urobilinogen (Urine) | Normal | | Normal |
| Blood (Urine) | Negative | | Negative |
| Nitrite (Urine) | Negative | | Negative |
| Bilirubin (Urine) | Negative | | Negative |
| Protein (Urine) | Negative | | Negative |



VERIFIED BY



APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM




| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|------------------------------|-----------------------|-------------|--------------------------------------|
| Glucose (Urine/GOD - POD) | Negative | | Negative |
| Leukocytes(CP) (Urine) | Negative | | |

MICROSCOPIC EXAMINATION
(URINE COMPLETE)

| | | | |
|-----------------------------|--------------|------|-----|
| Pus Cells (Urine) | 0-2 | /hpf | NIL |
| Epithelial Cells (Urine) | 10-15 | /hpf | NIL |
| RBCs (Urine) | NIL | /HPF | NIL |
| Others (Urine) | NIL | | |

INTERPRETATION:Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

| | | | |
|---------------------|-----|------|-----|
| Casts (Urine) | NIL | /hpf | NIL |
| Crystals (Urine) | NIL | /hpf | NIL |



VERIFIED BY



APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



Investigation

Observed
Value

Unit

Biological
Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'B' 'Positive'

Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|-------------|--|
| <u>BIOCHEMISTRY</u> | | | |
| BUN / Creatinine Ratio | 11.2 | | 6.0 - 22.0 |
| Glucose Fasting (FBS) (Plasma - F/GOD-PAP) | 89.55 | mg/dL | Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126 |

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

| | | | |
|--|----------|-------|----------|
| Glucose, Fasting (Urine) (Urine - F/GOD - POD) | Negative | | Negative |
| Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP) | 76.84 | mg/dL | 70 - 140 |

INTERPRETATION:


Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

| | | | |
|--|----------|-------|-----------|
| Urine Glucose(PP-2 hours) (Urine - PP) | Negative | | Negative |
| Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived) | 8.9 | mg/dL | 7.0 - 21 |
| Creatinine (Serum/Modified Jaffe) | 0.79 | mg/dL | 0.6 - 1.1 |

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

| | | | |
|--------------------------------|------|-------|-----------|
| Uric Acid (Serum/Enzymatic) | 4.56 | mg/dL | 2.6 - 6.0 |
|--------------------------------|------|-------|-----------|


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. POOJA
PID No. : MED111292875
SID No. : 422066162
Age / Sex : 34 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 10/09/2022 8:28 AM
Collection On : 10/09/2022 9:31 AM
Report On : 10/09/2022 5:17 PM
Printed On : 15/09/2022 3:46 PM



-- End of Report --