Thyrocare

103, Kanakia - B. Zillion building, lbs marg, kurla (w), Mumbai - 400 070





Corporate office : Thyrocare Technologies Limited, 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 (\$ 022 - 3090 0000 / 6712 3400 \$\$ 9870666333 ≤ wellness@thyrocare.com @ www.thyrocare.com REPORT : C V SHAILAJA(35Y/F) NAME **HOME COLLECTION :** A-204 DAFFOFILS DOSTI ACREF ANTOP HILL DOSTI **REF. BY** : SELF ACREF ANTOP HILL : MEDIWHEEL 60+ **TEST ASKED** PATIENTID : CS21459214

TEST NAME	TECHNOLOGY	VALUE	UNITS
CA-125	C.L.I.A	8.7	U/mL
Reference Range :-			

Less than 30.2 U/ml

Clinical Significance:

CA-125 is used to monitor therapy during treatment for Ovarian Cancer. CA125 is also to detect or monitor whether there is a recurrence of cancer or malignancy after surgical removal of tumor or radiation therapy or chemotherapy (antineoplastic drugs). This test is sometimes used to follow High-Risk women who have a family history of Ovarian Cancer. CA-125 may normally be increased in early pregnancy and during menstruation. It can also be increased in diseases such as Pelvic Inflammatory Disease or Endometriosis and sometimes in Hepatitis and Cirrhosis of the liver.

Specifications:

Precision: Intra Assay (%CV): 4.3 %, Inter Assay (%CV): 2.5%; Sensitivity: 2.0 U/ml

Kit Validation References:

Mackey SE, Creasman WT. Ovarian Cancer Screening. J. Clin Oncol 1995; 13(3); 783 - 93.

Please correlate with clinical conditions.

Method:- TWO SITE SANDWICH IMMUNOASSAY

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode



. SERUM : 1104071354/DS853 Dr Megha S MD,DNB (Path)

: 11 Apr 2023 08:36

: 11 Apr 2023 12:01

: 11 Apr 2023 16:29



Ser

Dr Sumanta Basak, DPB

Page : 1 of 18





	Corporate office : Thyrocare Technol © 022 - 3090 0000 / 6712 3400		,		
		REPORT			
NAME	: C V SHAILAJA(35Y/F)	HON		N :	
REF. BY	: SELF		04 DAFFOFILS	DOSTI ACREF ANTOP H	ILL
TEST ASKED	: MEDIWHEEL 60+	003	TI ACREF ANT	JP HILL	
PATIENTID	: CS21459214				
TEST NAME		TECHNOLOGY	VALUE	UNITS	
RHEUMATO Reference Ra	ID FACTOR (RF) nge :	IMMUNOTURBIDIMETRY	16.18	IU/mL	

ADULT : <= 18

Clinical Significance:

Rheumatoid factor is an anti IgE autoimmune antibody. There are high concentration of rheumatoid factor in the serum of some disease, especially rheumatoid arthritis patients. It helps to diagnose rheumatism ,systematic lupus erythematosus, chronic hepatitis etc.

Specifications: Precision %CV :- Intra assay %CV- 1.38% , Inter assay %CV-2.88%, Sensitivity :- 40 IU/mL.

Kit Validation Reference:

Anderson, S.G., Bentzon, M.W., Houba, V. and Krag, P. Bull. Wld. Hlth. Org. 42: 311-318 (1970). **Method :** LATEX ENHANCED IMMUNOTURBIDIMETRY

Sample Collected on (SCT)	:11 Apr 2023 08:36	<u> </u>	
Sample Received on (SRT)	: 11 Apr 2023 12:01	Aharma	Ser
Report Released on (RRT)	: 11 Apr 2023 16:29	a Jun.	
Sample Type	: SERUM	. /	
Labcode	:1104071354/DS853	Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	:AR995832		

Thyrocare

103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070





		nologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi M				
		REPORT				
NAME REF. BY TEST ASKED	: C V SHAILAJA(35Y/F) : SELF : MEDIWHEEL 60+	A-204 DAFFOF	HOME COLLECTION : A-204 DAFFOFILS DOSTI ACREF ANTOF ACREF ANTOP HILL			
PATIENTID	: CS21459214					
TEST NAME		TECHNOLOGY	VALUE	UNITS		
25-OH VITAM	IIN D (TOTAL)	C.L.I.A	33.72	ng/mL		

Reference Range :-

DEFICIENCY : <20 ng/ml || INSUFFICIENCY : 20-<30 ng/ml SUFFICIENCY : 30-100 ng/ml || TOXICITY : >100 ng/ml

Clinical Significance:

Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health. Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome. Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):5.3%, Inter assay (%CV):11.9% ; Sensitivity:3.2 ng/ml.

Kit Validation Reference: Holick MF. Vitamin D Deficiency. N Engl J Med. 2007;357:266-81.

Please correlate with clinical conditions.

Method:- Fully Automated Chemi Luminescent Immuno Assay

Sample Collected on (SCT)	: 11 Apr 2023 08:36	2
Sample Received on (SRT)	: 11 Apr 2023 12:01	Sen
Report Released on (RRT)	: 11 Apr 2023 16:29	
Sample Type	SERUM	
Labcode	: 1104071354/DS853 Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	: AR995832	Page : 3 of 18

Thyrocare

103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070



		Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 00 / 6712 3400 ⑨ 9870666333 Image: State St					
NAME REF. BY TEST ASKED	: C V SHAILAJA(35Y/F) : SELF : MEDIWHEEL 60+	REPORT HOME COLLECTION : A-204 DAFFOFILS DOSTI ACREF ANTOP HILL DOSTI ACREF ANTOP HILL					

HNOLOGY	VALUE	UNITS
UNOTURBIDIMETRY	7.5	mg/L

< 1.00 - Low Risk 1.00 - 3.00 - Average Risk >3.00 - 10.00 - High Risk > 10.00 - Possibly due to Non-Cardiac Inflammation

Disclaimer: Persistent unexplained elevation of HSCRP >10 should be evaluated for non-cardiovascular etiologies such as infection , active arthritis or concurrent illness.

Clinical significance:

High sensitivity C- reactive Protein (HSCRP) can be used as an independent risk marker for the identification of Individuals at risk for future cardiovascular Disease. A coronary artery disease risk assessment should be based on the average of two hs-CRP tests, ideally taken two weeks apart.

Kit Validation Reference:

1. Clinical management of laboratory date in medical practice 2003-3004, 207(2003).

2.Tietz : Textbook of Clinical Chemistry and Molecular diagnostics :Second edition :Chapter 47:Page no.1507- 1508.

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION - BECKMAN COULTER

Sample Collected on (SCT)	: 11 Apr 2023 08:36	2
Sample Received on (SRT)	: 11 Apr 2023 12:01	Ser
Report Released on (RRT)	: 11 Apr 2023 16:29	
Sample Type	. SERUM	
Labcode	: 1104071354/DS853 Dr Megha S MD,DNB (Path) Dr Sumanta Basak, DPB
Barcode	: AR995832	Page : 4 of 18

Thyrocare

103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070





 Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

 ③ 022 - 3090 0000 / 6712 3400 ④ 9870666333 ▲ weilness@thyrocare.com ● www.thyrocare.com

 REPORT

 NAME
 : C V SHAILAJA(35Y/F)

 REF. BY
 : SELF

 TEST ASKED
 : MEDIWHEEL 60+

 PATIENTID
 : CS21459214

TEST NAME	TECHNOLOGY	VALUE	UNITS
VITAMIN B-12 Reference Range :-	C.L.I.A	598	pg/mL

Normal : 211 - 911 pg/ml

Clinical significance :

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):5.0%, Inter assay (%CV):9.2 %;Sensitivity:45 pg/ml

Kit Validation reference:


Chen IW, Sperling MI, Heminger LA. Vitamin B12. In: Pesce AJ, Kaplan LA, eds. Methods in Clinical Chemistry. St. Louis: CV Mosby; 1987:569–73.

Please correlate with clinical conditions. Method:- COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT)	: 11 Apr 2023 08:36	\cap	2
Sample Received on (SRT)	: 11 Apr 2023 12:01	Aharma	Ser
Report Released on (RRT)	: 11 Apr 2023 16:29	(A) have	
Sample Type	SERUM		
Labcode	: 1104071354/DS853	Dr Megha S MD, DNB (Path)	Dr Sumanta Basak, DPB
Barcode	: AR995832		Page : 5 of 18







Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase HCHO - Direct Enzymatic Colorimetric LDL - Direct Measure TRIG - Enzymatic, End Point TC/H - Derived from serum Cholesterol and Hdl values TRI/H - Derived from TRIG and HDL Values LDL/ - Derived from serum HDL and LDL Values HD/LD - Derived from HDL and LDL values. NHDL - Derived from serum Cholesterol and HDL values VLDL - Derived from serum Triglyceride values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT)	: 11 Apr 2023 08:36	\cap	0
Sample Received on (SRT)	: 11 Apr 2023 12:01	Lang	13cm
Report Released on (RRT)	: 11 Apr 2023 16:29	A Marine	
Sample Type	: SERUM	.,	
Labcode	: 1104071354/DS853	Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	- AR995832		

Page : 7 of 18







Corporate office : Thyrocare Technologies Limited, 🛛 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

REPORT

© 022 - 3090 0000 / 6712 3400 © 9870666333 ≤ wellness@thyrocare.com ⊕ www.thyrocare.com

n

NAME: C V SHAILAJA(35Y/F)REF. BY: SELFTEST ASKED: MEDIWHEEL 60+

HOME COLLECTION : A-204 DAFFOFILS DOSTI ACREF ANTOP HILL DOSTI ACREF ANTOP HILL

PATIENTID : CS21459214

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ALKALINE PHOSPHATASE	PHOTOMETRY	70	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.33	mg/dL	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.07	mg/dL	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.26	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	13.5	U/L	< 38
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	18.2	U/L	< 31
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	16.9	U/L	< 34
SGOT / SGPT RATIO	CALCULATED	1.08	Ratio	< 2
PROTEIN - TOTAL	PHOTOMETRY	6.14	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	3.29	gm/dL	3.2-4.8
SERUM GLOBULIN	CALCULATED	2.85	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.15	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method

BILT - Vanadate Oxidation

BILD - Vanadate Oxidation

BILI - Derived from serum Total and Direct Bilirubin values

GGT - Modified IFCC method

SGOT - IFCC* Without Pyridoxal Phosphate Activation

SGPT - IFCC* Without Pyridoxal Phosphate Activation

OT/PT - Derived from SGOT and SGPT values.

PROT - Biuret Method

SALB - Albumin Bcg¹method (Colorimetric Assay Endpoint)

SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

A/GR - Derived from serum Albumin and Protein values

Sample Collected on (SCT)	: 11 Apr 2023 08:36	\cap	9
Sample Received on (SRT)	: 11 Apr 2023 12:01	Lang	Sec
Report Released on (RRT)	: 11 Apr 2023 16:29	A Marine	
Sample Type	: SERUM	.,	
Labcode	: 1104071354/DS853	Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	AR995832		Page : 8 of 18

Page : 8 of 18





	Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 ⓒ 022 - 3090 0000 / 6712 3400 ⑨ 9870666333 聲 wellness@thyrocare.com @ www.thyrocare.com						
		REPORT					
NAME	: C V SHAILAJA(35Y/F)		HOME COLLECTIO	N :			
REF. BY	: SELF	A-204 DAFFOFILS DOSTI ACREF ANTOP HILI DOSTI ACREF ANTOP HILL					
TEST ASKED	: MEDIWHEEL 60+		DUSTI ACKEI ANTO				
PATIENTID	: CS21459214						
TEST NAME		TECHNOLOGY	VALUE	UNITS			
PHOSPHOR Reference Ra		PHOTOMETRY	3.99	mg/dL			
Adults : 2.4 -	5.1 mg/dL						

Clinical Significance:

In plasma and serum the majority of phosphate exists in the inorganic form (Pi), approximately 15% bound to protein and the remainder in complexes and free forms. Serum phosphate concentrations are dependent on diet and variation in the secretion of hormones such as Parathyroid Hormone (PTH).

Specifications:

Precision %CV :- Intra assay %CV-1.55% , Inter assay %CV-2.99% , Sensitivity:-0.10 mmol/L

Kit Validation Reference: Young DS. Effects of drugs on clinical laboratory tests, 5th ed. AACC Press, 2000. **Method :** UNREDUCED PHOSPHOMOLYBDATE METHOD

Sample Collected on (SCT)	:11 Apr 2023 08:36	~	-
Sample Received on (SRT)	: 11 Apr 2023 12:01	Aharma	Ser
Report Released on (RRT)	: 11 Apr 2023 16:29	A Jun.	
Sample Type	: SERUM	. /	
Labcode	:1104071354/DS853	Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	: AR995832		Page : 9 of 18





Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333 S wellness@thyrocare.com @www.thyrocare.com					
		REPORT			
NAME	: C V SHAILAJA(35Y/F)		HOME COLLECTIO	N :	
REF. BY	: SELF		A-204 DAFFOFILS	DOSTI ACREF ANTOP HILL	
TEST ASKED	: MEDIWHEEL 60+		DOSTI ACKEL ANT		
PATIENTID	: CS21459214				
TEST NAME		TECHNOLOGY	VALUE	UNITS	
POTASSIUM		I.S.E	4.42		
Reference Ra ADULTS: 3.5-5 Clinical Signific An abnormal in heartbeats (ar if serum samp vary due to dif	nge : 5.1 MMOL/L	ia)can profoundly affect the r ,can be fatal. The assay coul emolyzed , icteric or lipemic.	nervous system and i d be affected mildly a	and may result in anomalous val Potassium in a given specimen	
Reference Ra ADULTS: 98-1	5	1.5.E	101.9	mmol/L	
Clinical Signific	cance :		debudration but can	also accur with other problems	


An increased level of blood chloride (called hyperchloremia) usually indicates dehydration, but can also occur with other problems that cause high blood sodium, such as Cushing syndrome or kidney disease. Hyperchloremia also occurs when too much base is lost from the body (producing metabolic acidosis) or when a person hyperventilates (causing respiratory alkalosis). A decreased level of blood chloride (called hypochloremia) occurs with any disorder that causes low blood sodium. Hypochloremia also occurs with congestive heart failure, prolonged vomiting or gastric suction, Addison disease, emphysema or other chronic lung diseases (causing respiratory acidosis), and with loss of acid from the body (called metabolic alkalosis). **Method :** ION SELECTIVE ELECTRODE

Sample Collected on (SCT)	:11 Apr 2023 08:36	<u> </u>	
Sample Received on (SRT)	: 11 Apr 2023 12:01	Chi anna	Ser
Report Released on (RRT)	: 11 Apr 2023 16:29	(A) have	
Sample Type	: SERUM	. /	
Labcode	:1104071354/DS853	Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	: AR995832		Page : 10 of 18

PROCESSED AT : Thyrocare 103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070







Please correlate with clinical conditions.

Method :

BUN - Kinetic UV Assay. SCRE - Creatinine Enzymatic method B/CR - Derived from serum Bun and Creatinine values UREAC - Derived from BUN Value. UR/CR - Derived from UREA and Sr.Creatinine values. CALC - Arsenazo III Method, End Point. SOD - ION SELECTIVE ELECTRODE URIC - Uricase / Peroxidase Method

Sample Collected on (SCT)	: 11 Apr 2023 08:36	\cap	9
Sample Received on (SRT)	: 11 Apr 2023 12:01	Lang	Sec
Report Released on (RRT)	: 11 Apr 2023 16:29	A Marine	
Sample Type	: SERUM	.,	
Labcode	: 1104071354/DS853	Dr Megha S MD, DNB (Path)	Dr Sumanta Basak, DPB
Barcode	AR995832		Page : 11 of 18

Thyrocare

103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070







NAME

REF. BY

DATTENTTO

 Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

 ⑤ 022 - 3090 0000 / 6712 3400
 ⑨ 9870666333

 ☑ wellness@thyrocare.com
 ⊕ www.thyrocare.com

 REPORT
 : C V SHAILAJA(35Y/F)

:	C V SHAILAJA(35Y/F)	HOME COLL
:	SELF	A-204 DAFFC ACREF ANTO
:	MEDIWHEEL 60+	

A-204 DAFFOFILS DOSTI ACREF ANTOP HILL DOSTI ACREF ANTOP HILL

TEST ASKED : MEDIWHEEL 60-

FAILENTID . (521459214				
TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	2.70	µIU/mL	0.3-5.5

Comments : ***

Please correlate with clinical conditions.

Method :

TSH - Sandwich Chemi Luminescent Immuno Assay

Pregnancy reference ranges for TSH/USTSH :

 Trimester || T3 (ng/dl) || T4 (μg/dl) || TSH/USTSH (μIU/ml)

 1st
 || 83.9-196.6 || 4.4-11.5 || 0.1-2.5

 2nd
 || 86.1-217.4 || 4.9-12.2 || 0.2-3.0

 3rd
 || 79.9-186 || 5.1-13.2 || 0.3-3.5

References :

1. Carol Devilia, C I Parhon. First Trimester Pregnancy ranges for Serum TSH and Thyroid Tumor reclassified as Benign. Acta Endocrinol. 2016; 12(2) : 242 - 243

2. Kulhari K, Negi R, Kalra DK et al. Establishing Trimester specific Reference ranges for thyroid hormones in Indian women with normal pregnancy : New light through old window. Indian Journal of Contemporary medical research. 2019; 6(4)

Disclaimer:

Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

Sample Collected on (SCT)	: 11 Apr 2023 08:36		
Sample Received on (SRT)	: 11 Apr 2023 12:01	\cap	8.
Report Released on (RRT)	: 11 Apr 2023 16:29	Childrens	3
Sample Type	: SERUM	1)	
Labcode	: 1104071354/DS853	Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	: AR995832		Page : 12 of 18

Thyrocare

103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070



	Corporate office : Thyrocare Technologies Li © 022 - 3090 0000 / 6712 3400 © 98706			-
		REPORT		
NAME REF. BY TEST ASKED	: C V SHAILAJA(35Y/F) : SELF : MEDIWHEEL 60+	HOME COLLEC A-204 DAFFOFI ACREF ANTOP H	LS DOSTI ACREF A	NTOP HILL DOSTI
PATIENTID	: CS21459214			
TEST NAME		TECHNOLOGY	VALUE	UNITS
EST. GLOMER Reference R	RULAR FILTRATION RATE (eGFR) ange :-	CALCULATED	125	mL/min/1.73 m2
> = 90	: Normal			

60 - 89: Mild Decrease45 - 59: Mild to Moderate Decrease30 - 44: Moderate to Severe Decrease

15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.Method:-CKD-EPI Creatinine Equation

Sample Collected on (SCT)	: 11 Apr 2023 08:36	\cap	2
Sample Received on (SRT)	: 11 Apr 2023 12:01	Aparena	Ser
Report Released on (RRT)	: 11 Apr 2023 16:29	(A) have	
Sample Type	SERUM	.,	
Labcode	:1104071354/DS853	Dr Megha S MD, DNB (Path)	Dr Sumanta Basak, DPB
Barcode	: AR995832		Page : 13 of 18

PROCESSED AT : Thyrocare

103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070





		REPORT		
NAME	CV SHAILAJA(35Y/F)			CTION : ILS DOSTI ACREF ANTOP HILL
REF. BY	: SELF		DOSTI ACREF	
EST ASKED	: MEDIWHEEL 60+			
PATIENTID	: CS21459214			
TEST NAME		OBSERVATION	UNITS	REFERENCE RANGE
Complete Uri	inogram			
Physical Exam	nination			
VOLUME		3	mL	-
COLOUR		PALE YELLOW	-	Pale Yellow
APPEARANCE		CLEAR	-	Clear
SPECIFIC GRAV	/ITY	< 1.003	-	1.003-1.030
PH		7	-	5 - 8
Chemical Exa				
URINARY PROT		ABSENT	mg/dL	Absent
URINARY GLUC		ABSENT	mg/dL	Absent
URINE KETONE		ABSENT	mg/dL	Absent
URINARY BILIR	UBIN	ABSENT	mg/dL	Absent
UROBILINOGEN	N	< 0.2	mg/dL	<=0.2
BILE SALT		ABSENT	-	Absent
BILE PIGMENT		ABSENT	-	Absent
URINE BLOOD		ABSENT	-	Absent
NITRITE		ABSENT	-	Absent
MICROALBUMIN	N	10	mg/L	< 30
Microscopic E	xamination			
MUCUS		ABSENT	-	Absent
RED BLOOD CE		ABSENT	cells/HPF	0-5
	OCYTES (PUS CELLS)	2	cells/HPF	0-5
EPITHELIAL CE	LLS	3	cells/HPF	0-5
CASTS		ABSENT	-	Absent
CRYSTALS		ABSENT	-	Absent
BACTERIA		ABSENT	-	Absent
YEAST		ABSENT	-	Absent
PARASITE		ABSENT	-	Absent

Method : Fully Automated DIRUI H-100 Urinalysis Dipstick Method, Microscopy

Sample Collected on (SCT)	: 11 Apr 2023 08:36	\frown
Sample Received on (SRT)	: 11 Apr 2023 12:01	() and
Report Released on (RRT)	: 11 Apr 2023 14:48	Marine
Sample Type	: URINE	
Labcode	: 1104071315/DS853	Dr Megha S MD,DNB (Path)
Barcode	: AS693160	

85 m

Dr Sumanta Basak, DPB

PROCESSED AT : Thyrocare 103, Kanakia - B. Zillion building, Ibs marg, kurla (w), Mumbai - 400 070





	Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333 ■ wellness@thyrocare.com @ www.thyrocare.com					
	0		PORT			
NAME	: C V SHAILAJA(35Y/F)			HOME COLLECTIO	N :	
REF. BY	: SELF				DOSTI ACREF ANTOP	HILL
TEST ASKED	: MEDIWHEEL 60+			DOSTI ACREF ANTO		
PATIENTID	: CS21459214					
TEST NAME		TECHNOL	.OGY	VALUE	UNITS	
HbA1c - (HPL	C)					
		H.P.L.C		5.2	%	
Reference R	Range :					
Reference R	Range: As per ADA Guidelines		Guidan	ce For Known Dia	abetics	
Below 5.7%	: Normal		Below 6	.5% : Good Contro	I	
5.7% - 6.4%	6 : Prediabetic		6.5% -	7% : Fair Control		
>=6.5%	>=6.5% : Diabetic 7.0% - 8% : Unsatisfactory Control					
	>8% : Poor Control					
Method : Full	ly Automated H.P.L.C method					
AVERAGE B	LOOD GLUCOSE (ABG)	CALCULAT	ED	103	mg/dL	
Reference R	Range :					7
90 - 120 mg	g/dl : Good Control					
121 - 150 m	ng/dl : Fair Control					
151 - 180 m	ng/dl : Unsatisfactory Control					
> 180 mg/d	I : Poor Control					
Method : Der	rived from HBA1c values					
Diance corre	late with clinical conditions					

Sample Collected on (SCT)	:11 Apr 2023 08:36	<u> </u>	
Sample Received on (SRT)	: 11 Apr 2023 12:00	Alarma	Ser
Report Released on (RRT)	: 11 Apr 2023 14:32	A har	
Sample Type	: EDTA	. /	
Labcode	:1104071288/DS853	Dr Megha S MD,DNB (Path)	Dr Sumanta Basak, DPB
Barcode	:AS947029		Page : 15 of 18

PROCESSED AT : Thyrocare

103, Kanakia - B. Zillion building, lbs marg, kurla (w), Mumbai - 400 070





NAME

Corporate office : Thyrocare Technologies Limited, 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333 Set wellness@thyrocare.com ⊕ www.thyrocare.com REPOR : C V SHAILAJA(35Y/F) **HOME COLLECTION :** SELF ÷

REF. BY TEST ASKED : MEDIWHEEL 60+

PATIENTID : CS21459214

VALUE UNITS **TEST NAME REFERENCE RANGE** 10.75 TOTAL LEUCOCYTES COUNT (WBC) X 103 / µL 4.0-10.0 40-80 79.5 NEUTROPHILS % LYMPHOCYTE PERCENTAGE 13.4 % 20.0-40.0 0.0-10.0 MONOCYTES 3.6 % 0.0-6.0 З EOSINOPHILS % <2 BASOPHILS 0.2 % 0.0-0.4 0.3 IMMATURE GRANULOCYTE PERCENTAGE(IG%) % 2.0-7.0 **NEUTROPHILS - ABSOLUTE COUNT** 8.46 X 103 / µL 1.44 1.0-3.0 LYMPHOCYTES - ABSOLUTE COUNT X 10³ / µL MONOCYTES - ABSOLUTE COUNT 0.39 X 10³ / μL 0.2-1.0 **BASOPHILS - ABSOLUTE COUNT** 0.02 0.02-0.1 X 10³ / µL EOSINOPHILS - ABSOLUTE COUNT 0.32 0.02-0.5 X 10³ / µL 0.12 0.0-0.3 IMMATURE GRANULOCYTES(IG) X 10³ / µL **TOTAL RBC** 3.61 3.9-4.8 X 10^6/µL Nil < 0.01 NUCLEATED RED BLOOD CELLS X 10³ / µL < 0.01 NUCLEATED RED BLOOD CELLS % Nil % **HEMOGI OBTN** 9.1 12.0-15.0 g/dL **HEMATOCRIT(PCV)** 29.4 36.0-46.0 % MEAN CORPUSCULAR VOLUME(MCV) 81.4 83.0-101.0 fL 27.0-32.0 25.2 MEAN CORPUSCULAR HEMOGLOBIN(MCH) pq g/dL 31.5-34.5 MEAN CORP.HEMO.CONC(MCHC) 31 39 0-46 0 RED CELL DISTRIBUTION WIDTH - SD(RDW-SD) 43.8 fL 11.6-14.0 **RED CELL DISTRIBUTION WIDTH (RDW-CV)** 14.7 % 9.6-15.2 PLATELET DISTRIBUTION WIDTH(PDW) 14.8 fL MEAN PLATELET VOLUME(MPV) 11.6 fL 6.5-12 214 150-400 PLATELET COUNT X 10³ / μL PLATELET TO LARGE CELL RATIO(PLCR) 37.4 19.7-42.4 % 0.19-0.39 0.25 PLATELETCRIT(PCT) %

Remarks : Alert!!!RBCs: Predominantly normocytic normochromic . WBCs: Neutrophilia is present.

Please Correlate with clinical conditions.

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)


Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode

.11 Apr 2023 08:36 . 11 Apr 2023 12:00 : 11 Apr 2023 14:32 . EDTA

: 1104071288/DS853 : AS947029

8ge

Dr Sumanta Basak, DPB Page : 16 of 18



A-204 DAFFOFILS DOSTI ACREF ANTOP HILL DOSTI ACREF ANTOP HILL

Thyrocare

103, Kanakia - B. Zillion building, lbs marg, kurla (w), Mumbai - 400 070





	Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 ⑨ 9870666333 Image: Wellness@thyrocare.com Image: Wellness@thyrocare.com			
		REPORT		
NAME REF. BY TEST ASKED	: C V SHAILAJA(35Y/F) : SELF : MEDIWHEEL 60+	HOME COLLECT A-204 DAFFOFILS ACREF ANTOP HIL	DOSTI ACREF A	NTOP HILL DOSTI
PATIENTID	: CS21459214			
TEST NAME		TECHNOLOGY	VALUE	UNITS
FASTING BLO	OD SUGAR(GLUCOSE)	PHOTOMETRY	92.36	mg/dL

Reference Range :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)		
Normal 70 to 100 mg/dl		
Prediabetes	etes 100 mg/dl to 125 mg/dl	
Diabetes	126 mg/dl or higher	

Note :

The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Method:- GOD-PAP METHOD

~~ End of report ~~

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode



: 11 Apr 2023 08:36 : 11 Apr 2023 12:00

: 11 Apr 2023 13:39

. FLUORIDE



Ser

Dr Sumanta Basak, DPB

Page : 17 of 18

: 1104071278/DS853 Dr Megha S MD,DNB (Path)

CONDITIONS OF REPORTING

- v The reported results are for information and interpretation of the referring doctor only.
- v It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- v Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- v Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- v Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- v This report is not valid for medico-legal purpose.
- v Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- v Thyrocare Discovery video link :- <u>https://youtu.be/nbdYeRgYyQc</u>
- v For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** The name is as declared by the client and recored by the personnel who collected the specimen.
- v Ref.Dr The name of the doctor who has recommended testing as declared by the client.
- v Labcode This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- v **Barcode** This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v **SCP** Specimen Collection Point This is the location where the blood or specimen was collected as declared by the client.
- v SCT Specimen Collection Time The time when specimen was collected as declared by the client.
- v SRT Specimen Receiving Time This time when the specimen reached our laboratory.
- v RRT Report Releasing Time The time when our pathologist has released the values for Reporting.
- v **Reference Range** Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- v Values out of reference range requires reconfirmation before starting any medical treatment.
 - Retesting is needed if you suspect any quality shortcomings.
- v Testing or retesting should be done in accredited laboratories.
- v For suggestions, complaints or feedback, write to us at info@thyrocare.com or call us on 022-3090 0000 / 6712 3400
- v SMS:<Labcode No.> to 9870666333

v

